CITY OF BALTIMORE COUNCIL BILL 21-0113 (First Reader)

Introduced by: The Council President

At the request of: The Administration (Department of Planning)

Introduced and read first time: August 16, 2021

Assigned to: Economic and Community Development Committee

REFERRED TO THE FOLLOWING AGENCIES: City Solicitor, Board of Municipal and Zoning Appeals, Department of Housing and Community Development, Department of Transportation, Department of Planning

A BILL ENTITLED

AN ORDINANCE concerning

1

2

3

4 5

6

7

8

9 10

11 12

13

14

15

16

17

18

19

20 21

23

24

25

Zoning Code – Modifications

FOR the purpose of making needed changes to certain provisions that, during the course of actively operating under the new Zoning Code, were discovered to be functionally impractical or otherwise in need of modification to abate previously unanticipated consequences; specifying that certain applications under the Zoning Code be filed either with the Board of Municipal and Zoning Appeals or the Zoning Administrator; extending certain time limits for the Board to act; authorizing the Zoning Administrator or the Board of Municipal and Zoning Appeals to deny an application under certain circumstances; modifying the outdoor seating specifications; authorizing certain reviews by the Site Plan Review Committee; authorizing that certain matters reviewed by the Site Plan Review Committee be approved by the Director of Planning; modifying certain off-street parking requirements; clarifying and establishing certain exceptions to bicycle parking design standards; establishing certain standards for long-term bicycle standards; establishing certain rules for certain circumstances involving signs; providing for measurement methodologies for building frontages; allowing electronic signs and painted/mural signs in residential districts, subject to conditional approval by the Board of Municipal and Zoning Appeals; specifying a time period after which the authorization for a conditional sign expires; specifying certain zoning district requirements; defining certain terms; correcting, clarifying, and conforming certain provisions; and generally relating to the zoning and land-use laws of the City of Baltimore.

22 By renumbering

Article 32 - Zoning

Sections 17-412, 17-413, 17-414, 17-415, and 17-416, respectively, to be

Sections 17-413, 17-414, 17-415, 17-416, and 17-417, respectively

Baltimore City Code 26

(Edition 2000) 27

| 1 | By repealing and re-ordaining, with amendments |
|----|---|
| 2 | Article 32 - Zoning |
| 3 | Sections 1-212(b)(2), 1-303(h), 1-306, 1-307(a), 1-308(g), 1-311(o), 2-202, 2-203(c), (d), |
| 4 | and (j), 3-202(b), 4-405, 5-201(c)(1), 5-201(d)(1), 5-202, 5-303, 5-304(a), 5-305(b) and |
| 5 | (c), 5-403, 5-404, 5-405(a)(1), 5-406, 5-407(a), 5-408, 5-409(c) and (f)(1), 10-503(b), |
| 6 | 11-203, 14-328(j), 14-329, 14-331(a)(1), 15-301(a)(2)(i)(A) and (B), 15-405(b), 15-504, |
| | |
| 7 | 16-205, 16-301, 16-402, 16-403(d), 16-601, 16-602, 16-701(a) and (i), 16-704, 16-705(e) |
| 8 | 17-102, 17-202, 17-302, 17-401(a), 17-404, 17-405, 17-407(a) and (g), 17-408(a) and (c), 17-417(1), 17-417(1), 18-402, T-11, 7-202, T-11, 9-201 |
| 9 | 17-414(a), 17-415(a), 17-416(a) and (c), 17-417(a), 18-403, Table 7-202, Table 8-301, |
| 10 | Table 9-301, Table 10-301, Table 10-401, Table 11-301, Table 12-301, Table 12-402, |
| 11 | Table 12-501, Table 12-601, Table 15-601, Table 16-406, Table 16-705, and Table |
| 12 | 17-201 |
| 13 | Baltimore City Code |
| 14 | (Edition 2000) |
| 15 | By adding |
| 16 | Article 32 - Zoning |
| 17 | Sections 5-310, 5-401(c), 5-410, 14-312.1, 14-328(j), 16-701(m), 17-206, 17-308, 17-309, |
| 18 | 17-401(f), 17-412, 17-506, 18-206(c), and 18-207 |
| 19 | Baltimore City Code |
| 20 | (Edition 2000) |
| 21 | By repealing |
| | Article 32 - Zoning |
| 22 | Section(s) 14-408 |
| 23 | |
| 24 | Baltimore City Code |
| 25 | (Edition 2000) |
| 26 | By relettering current |
| 27 | Article 32 - Zoning |
| 28 | Section 16-701(m) to be 16-701(n) |
| 29 | Baltimore City Code |
| 30 | (Edition 2000) |
| 31 | By renaming |
| 32 | Article 32 - Zoning |
| 33 | Title 5. Subtitle 4. "Conditional Uses" to be renamed, |
| 34 | "Subtitle 4. Conditional Uses and Signs" |
| 35 | Baltimore City Code |
| 36 | (Edition 2000) |
| 37 | By renaming |
| 38 | Article 32 - Zoning |
| 39 | Title 17. Subtitle 3. "Sign Dimension Measurement Methodology" to be renamed, |
| 40 | "Subtitle 3. Sign Dimension and Quantity Measurement Methodology" |
| 41 | Baltimore City Code |
| 42 | (Edition 2000) |
| | (|

| 1 2 | SECTION 1. BE IT ORDAINED BY THE MAYOR AND CITY COUNCIL OF BALTIMORE , That the Laws of Baltimore City read as follows: |
|----------------------|---|
| 3 | Baltimore City Code |
| 4 | Article 32. Zoning |
| 5 | Title 1. General Provisions |
| 6 | Subtitle 2. Rules of Interpretation |
| 7 | § 1-212. Tables. |
| 8 | (b) Use symbology. |
| 9 | (2) In Signage Tables: |
| 10 | (i) an "A" indicates that a sign type is allowed in that Zoning District; [and] |
| 11 12 | (ii) an "ASSC Only" indicates that a sign type is only allowed in an approved Area of Special Signage Control[.]; AND |
| 13 14 | (III) A "CB" INDICATES THAT A SIGN TYPE REQUIRES CONDITIONAL APPROVAL BY THE BOARD OF MUNICIPAL AND ZONING APPEALS. |
| 15 16 17 18 | COMMENT: Indicates that a sign type requires approval by the Board of Municipal and Zoning Appeals. This has been heavily requested by institutions in residential zones. Signage that is conditional to the Board will require review by the Board in the way that a Conditional Use to BMZA does. Those sections are being updated to reflect the inclusion of "CB" signage. |
| 20 | Subtitle 3. Definitions |
| 21 | § 1-303. "Bail bond establishment" to "Child day-care home". |
| 22 | (h) Blockface. |
| 23 24 | "Blockface" means all of 1 side of a given street between 2 consecutive intersecting streets, EXCLUDING ALLEYS, FOOTWAYS, AND SIDEWALKS. |
| 25 26 | COMMENT: Clarifies, with the additional language, what was intended as the definition of "Blockface". |
| 27 28 | § 1-306. "Encroachment" to "Golf course". |
| 29 | (G-1) FARMERS MARKET. |
| 30 31 32 | "FARMERS MARKET" MEANS A PUBLIC MARKET WHERE PRODUCERS OF RAW AGRICULTURAL PRODUCTS SELL THE PRODUCTS DIRECTLY TO THE PUBLIC. AT LEAST 50% OF VENDORS MUST SELL AGRICULTURAL OR FOOD PRODUCTS. |

| 1 2 3 | COMMENT: Corrects an omission from the Zoning Code by creating a definition for an existing use that is currently operating in many zoning districts. |
|----------------|---|
| 4 | (S) FRONTAGE. |
| 5 | "FRONTAGE" MEANS THE PORTION OF A LOT'S PERIMETER THAT: |
| 6 7 | (1) COINCIDES WITH THE RIGHT OF WAY LINE OF AN EXISTING OR DEDICATED PUBLIC OR PRIVATE STREET OR PEDESTRIAN WAY; |
| 8 | (2) COMPLIES WITH THE DESIGN REQUIREMENTS FOR STREETS AND PEDESTRIAN WAYS; AND |
| 10 11 | (3) DOES NOT INCLUDE ANY POINT OR PORTION OF PERIMETER COINCIDING WITH AN ALLEY, LANE, OR UNIMPROVED STREET. |
| 12 13 14 | COMMENT: This term is used throughout the Code and is not defined. This would codify an existing definition from the subdivision regulations and will also be used to better align the Zoning Code with those regulations. |
| 15 | (T) FUEL STATION. |
| 16 | (1) IN GENERAL. |
| 17 18 | "FUEL STATION" MEANS ANY PREMISES OR STRUCTURE USED FOR THE RETAIL SALE OF FUEL, DISPENSED FROM FIXED EQUIPMENT INTO THE FUEL TANKS OF MOTOR VEHICLES. |
| 19 | (2) INCLUSIONS. |
| 20 | "FUEL STATION" INCLUDES: |
| 21 | (I) THE ACCESSORY SALE OF CONVENIENCE ITEMS; |
| 22 | (II) AN ACCESSORY FREESTANDING SELF-SERVICE CAR WASH; AND |
| 23 | (III) ELECTRIC CHARGING STATIONS. |
| 24 25 | COMMENT: Replaces the definition of "Gas station" with that of "Fuel station" to reflect that electric charging stations also are fueling stations. |
| 26 | (U) [(s)] Funeral home. |
| 27 | (1) In general. |
| 28 29 | "Funeral home" means an establishment for preparing deceased individuals for burial or cremation and for conducting rituals before burial or cremation. |
| 30 | (2) Inclusions. |
| 31 | "Funeral home" includes: |

| 1 | (i) chapels for viewing a deceased and for conducting rituals; and |
|----------|---|
| 2 | (ii) a crematorium. |
| 3 | (V) [(t)] Garage. |
| 4 5 | See "Parking garage (principal use)". "Parking garage (residential, detached)". |
| 6 | [(u) Gas station.] |
| 7 | [(1) In general.] |
| 8 | ["Gas station" means any premises or structure used for the retail sale of fuel, dispensed from fixed equipment into the fuel tanks of motor vehicles.] |
| 10 | [(2) Inclusions.] |
| 11 | ["Gas station" includes:] |
| 12 | [(i) the accessory sale of convenience items; and] |
| 13 | [(ii) an accessory freestanding self-service car wash.] |
| 14 | (W) [(v)] <i>Gazebo</i> . |
| 15 16 | "Gazebo" means a freestanding outdoor structure that is open-sided in design and not used for habitation. |
| 17 | (X) [(w)] General industrial. |
| 18 | See "Industrial: General". |
| 19 | (Y) [(x)] Golf course. |
| 20 | (1) In general. |
| 21 | "Golf course" means a tract of land that has holes for playing a game of golf. |
| 22 | (2) Inclusions. |
| 23 | "Golf course" includes the following as accessory uses: |
| 24 | (i) a clubhouse; |
| 25 | (ii) a driving range; |
| 26 | (iii) restrooms; and |
| 27 | (iv) shelters. |

| 1 | § 1-307. "Government facility" to "Industrial boat repair". |
|----------------|--|
| 2 | (a) Government facility. |
| 3 | (1) In general. |
| 4 5 | "Government facility" means a structure or land that is operated by a government agency. |
| 6 | (2) Inclusions. |
| 7 8 | "Government facility" includes agency offices, storage yards, public works facilities RECREATION: INDOOR, and utility facilities. |
| 9 10 | COMMENT: Clarifies that the definition of "government facility" includes recreation centers owned by Baltimore City's Department of Recreation and Parks. |
| 11 | § 1-308. "Industrial: General" to "Lot: Interior". |
| 12 | (g) Kennel. |
| 13 | (1) In general. |
| 14 15 16 | "Kennel" means a business OR OTHER ENTITY where 3 or more dogs or cats over 6 months old are boarded or maintained by a person other than their owner, AND BOARDING IS THE PRIMARY OR PRINCIPAL FUNCTION OF THE USE. |
| 17 | COMMENT: Clarifies that the definition of "kennel" includes a non-profit animal shelter. |
| 18 | § 1-311. "Parapet" to "Processed metal". |
| 19 | (o) Personal services establishment. |
| 20 | (1) In general. |
| 21 22 | "Personal services establishment" means an establishment that provides recurrent needed services of a personal nature. |
| | |

| 1 | (2) Illustrations. |
|----------|---|
| 2 | Typical examples of a "personal services establishment" include: |
| 3 | (i) beauty shops, INCLUDING MICRO-BLADING SERVICES, and barbershops; |
| 4 | (ii) tanning salons; |
| 5 | (iii) animal grooming establishments; |
| 6 | (iv) electronics repair shops; |
| 7 | (v) laundromats, dry cleaners, and tailors; and |
| 8 | (vi) certified massage therapists or similar licensed professionals. |
| 9 10 | COMMENT: Clarifies that micro-blading is a service that is cometic in nature, typically the shaping of eyebrows, and that it is not a service of a body art establishment. |
| 11 | Title 2. Purpose, Applicability, Short Title |
| 12 | Subtitle 2. Applicability |
| 13 | § 2-202. Exempt utility and governmental uses. |
| 14 15 | Notwithstanding § 2-201 {"Application of Code"} of this subtitle, this Code does not apply to the following uses and structures, unless otherwise specifically provided in this Code: |
| 16 | (1) overhead electric distribution cables and telephone lines; |
| 17 | (2) underground utility lines and equipment; |
| 18 | (3) conduits, vaults, pipeline laterals, and mains; |
| 19 | (4) traffic signals and government-owned signs; |
| 20 21 | (5) similar installations and equipment or accessories of a public utility or governmental service; |
| 22 | (6) public transit shelters; |
| 23 | (7) car- and bike-sharing facilities; |
| 24 | (8) automobile charging stations, whether electric or solar; |
| 25 26 | (9) any installation, structure, equipment, or accessory that is owned by a government entity and located in a public right-of-way OR ON PUBLIC PROPERTY; and |
| 27 28 | (10) any installation, structure, equipment, or accessory that is located in a public right-of-way and granted a franchise by Ordinance of the Mayor and City Council. |

| 1 | § 2-203. Transition rules. |
|----------------------|--|
| 2 | (c) Preexisting permitted use reclassified as conditional. |
| 3 4 5 6 | (1) If a preexisting permitted use is reclassified by this Code or an amendment to it as a conditional use for the Zoning District in which it is located, that use may be continued as a lawful conditional use, subject to the conditions and restrictions previously imposed on it by law or regulation. |
| 7 8 9 10 | (2) Any subsequent change to that use[, including any addition, expansion, relocation, or structural alteration,] MUST BE APPROVED BY THE BOARD OF MUNICIPAL AND ZONING APPEALS AND is subject to the procedural and substantive requirements imposed by this Code on conditional uses. |
| 11 | (d) Preexisting nonconforming use reclassified as permitted or conditional. |
| 12 13 14 | (1) If a preexisting nonconforming use is reclassified by this Code or an amendment to it as a permitted or conditional use for the zoning district in which it is located, that use may be continued as a lawful permitted or conditional use, as the case may be. |
| 15 16 17 18 | (2) Any subsequent change to that use[, including any addition, expansion, relocation, or structural alteration, is] MUST BE APPROVED BY THE BOARD OF MUNICIPAL AND ZONING APPEALS, subject to this Code and, if a conditional use, to the procedural and substantive requirements imposed by this Code on conditional uses. |
| 19 | (j) Previously granted variances and conditional uses. |
| 20 21 22 23 | (1) All variances and conditional uses granted before June 5, 2017, or before the effective date of any relevant amendment to this Code remain effective, and the recipient of the variance and conditional use may proceed to develop the property in accordance with the approved plans. |
| 24 25 26 27 | (2) However, if the recipient fails to act timely on the variance or conditional use, as required by § 5-309 {"Expiration of approval"} or § 5-407 {"Expiration of approval"} of this Code, the provisions of this Code govern and the approval is invalid. |
| 28 29 30 31 | (3) Any subsequent change to a conditional use[, including any addition, expansion, relocation, or structural alteration,] MUST BE APPROVED BY THE BOARD OF MUNICIPAL AND ZONING APPEALS AND is subject to the procedures and requirements imposed by this Code on conditional uses. |

32

COMMENT: Clarifies the procedures to change or alter conditional uses.

| 1 | Title 3. Outline of Code Administration |
|----------------------------------|---|
| 2 | Subtitle 2. Administrative Agencies and Officials |
| 3 | § 3-202. Board of Municipal and Zoning Appeals. |
| 4 | (b) Powers and duties. |
| 5 6 7 | In addition to the powers and duties specified in City Charter Article VII, §§ 83 through 89, and in State law, the Board of Municipal and Zoning Appeals has the following powers and duties under this Code: |
| 8 | (1) to grant major variances (Title 5, Subtitle 3); |
| 9 | (2) to grant conditional use authorizations (Title 5, Subtitle 4); |
| 10 | (3) to hear appeals from decisions of the Zoning Administrator; |
| 11 12 13 | (4) with the approval of the Board of Estimates, to set fees for filing and hearing appeals, granting variances, and for the various other functions required or authorized by this Code; [and] |
| 14 | (5) to perform all other functions assigned to the Board by this Code[.]; |
| 15 16 | (6) TO AUTHORIZE ACCESSORY USES AS LONG AS THEY MEET THE STANDARDS FOR "ACCESSORY USE", AS DEFINED IN § 1-302(C) OF THIS ARTICLE; AND |
| 17 18 | (7) TO AUTHORIZE USES NOT OTHERWISE LISTED IN THIS CODE, SUBJECT TO \S 1-217 OF THIS ARTICLE. |
| 19 20 21 22 23 24 | COMMENT: Grants some flexibility to the Board of Municipal and Zoning Appeals, as new uses get invented. Under the prior Zoning Code, the Board of Municipal and Zoning Appeals routinely heard appeals for accessory uses not expressly listed as "accessory." This provides flexibility as uses change over time and trends allow for certain accessory uses to complement principal uses (for example: micro-blading as an accessory use to a personal services establishment). |
| 25 | Title 4. Development Reviews |
| 26 | Subtitle 4. Design Review |
| 27 | § 4-405. Applicability. |
| 28 | (a) In general. |
| 29 30 | Except as provided in subsection (b) of this section, design review is required for the following types of development: |
| 31 | (1) new construction of dwellings, excluding additions; |
| 32 | (2) new construction of rowhouses; |

| 1 | (3) upper floor additions and roof decks on existing rowhouses; |
|----------------|--|
| 2 | (4) deck, porch, and balcony additions on street-front facades; |
| 3 4 | (5) [(4)] when exterior modifications are proposed for residential conversions in the R-7, R-8, R-9, and R-10 Districts; |
| 5 | (6) [(5)] the establishment of a non-residential use within the R-MU Overlay District; |
| 6 | (7) [(6)] all new construction and additions in the C-5 District; |
| 7 | (8) [(7)] all substantial modifications of the facade of a structure in the C-5 District; |
| 8 | (9) [(8)] planned unit development; |
| 9 10 | (10) ANY SIGN THAT IS CONDITIONAL ON BOARD OF MUNICIPAL AND ZONING APPEALS APPROVAL, BUT WITHOUT REGARD TO ITS COPY OR MESSAGE; |
| 11 | (11) ANY PAINTED/MURAL SIGN, BUT WITHOUT REGARD TO ITS COPY OR MESSAGE; |
| 12 | (12) [(9)] any sign over 100 square feet in area; |
| 13 14 | (13) [(10)] any electronic sign, freestanding sign, or roof sign, but without regard to its copy or message; |
| 15 16 17 | (14) [(11)] any freestanding sign in the C-5 or PC District, and any banner sign, projecting sign, or wall sign above the ground floor in the C-5 OR PC District, but without regard to its copy or message; |
| 18 19 | (15) [(12)] any Signage Plan and any sign, but without regard to its copy or message, within an Area of Special Sign Control; and |
| 20 | (16) [(13)] any new construction that involves: |
| 21 | (i) a proposed development over 15,000 square feet; |
| 22 23 | (ii) a multi-tenant commercial development, including mixed-use development; |
| 24 | (iii) alteration to a street-front facade in a C-1 District; or |
| 25 | (iv) construction in a TOD District or in the W Overlay District. |
| 26 | (b) Exception. |
| 27 28 | Design review is not required for development projects that are subject to review by the Commission for Historical and Architectural Preservation. |

| 1 | Title 5. Applications and Authorizations |
|------------------|--|
| 2 | Subtitle 2. Applications |
| 3 | § 5-201. Introduction of proposed authorization. |
| 4 | (c) Filing. |
| 5 6 7 8 | (1) AN APPLICATION FOR A CONDITIONAL USE, CONDITIONAL SIGN, OR APPEAL FROM THE ZONING ADMINISTRATOR [All applications] must be filed with the [Zoning Administrator] BMZA. ALL OTHER APPLICATIONS MUST BE FILED WITH THE ZONING ADMINISTRATOR. |
| 9 10 11 | COMMENT : The intent is to streamline the process by requiring applications that must be reviewed by the BMZA be filed directly with the BMZA, alleviating the unnecessary step to file those applications with the Zoning Administrator. |
| 12 | (d) Traffic mitigation. |
| 13 | (1) Referral to DoT. |
| 14 15 16 | Within 15 business days of receiving a completed application, the Zoning Administrator OR THE BMZA, AS THE CASE MIGHT BE, must refer the application and all accompanying documents to the Director of Transportation, if: |
| 17 18 19 | (i) traffic-mitigation requirements for the proposed structure or use have not already been complied with in accordance with this Code or the City Building, Fire, and Related Codes Article; and |
| 20 | (ii) the proposed structure or use: |
| 21 22 | (A) is in a Traffic-Mitigation Zone designated in Building Code § 3805 {"Traffic-Mitigation Zone"} and involves 10 or more dwelling units; |
| 23 | (B) involves 15,000 sq. ft. or more of gross floor area; or |
| 24 | (C) involves 50 or more dwelling units. |
| 25 | COMMENT: The intent is to provide flexibility between the Zoning Administrator and the BMZA. |
| 26 | § 5-202. Completeness review. |
| 27 | (a) Administrator OR BOARD to examine. |
| 28 29 | (1) The Zoning Administrator OR THE EXECUTIVE DIRECTOR OF THE BMZA, AS THE CASE MIGHT BE, must examine all applications within 10 days after filing. |
| 30 31 | (2) An application is not considered complete unless, among all other requirements, all fees are paid when due. |

| 1 | (b) Subsequent changes. |
|------------------|--|
| 2 3 4 5 | (1) After an application is determined to be complete, any change made by the applicant to the application must be submitted to the Zoning Administrator and the Board of Municipal and Zoning Appeals no later than [15] 30 days before the date scheduled for the hearing to be held under this title. |
| 6 7 | (2) AT THE BOARD'S DISCRETION, MINOR [Any later] changes to the application [must] MAY be made on the record at the hearing. |
| 8 | COMMENT : The intent is to provide flexibility between the Zoning Administrator and the BMZA. |
| 9 | Subtitle 3. Variances |
| 10 | § 5-303. Review of applications. |
| 11 | (a) Determinations by Zoning Administrator. |
| 12 | The Zoning Administrator OR THE ADMINISTRATOR'S DESIGNEE must determine: |
| 13 | (1) whether the application is for a minor variance or a major variance; and |
| 14 15 | (2) which City agencies and officials, if any, should be asked to review the application and submit written reports and recommendations on it. |
| 16 | (b) Notice of findings. |
| 17 18 | (1) The Zoning Administrator OR DESIGNEE must inform the applicant of the determination made under subsection (a)(1) of this section. |
| 19 20 | (2) If the Zoning Administrator OR DESIGNEE determines the application is for a major variance, the Zoning Administrator OR DESIGNEE must inform the applicant that: |
| 21 22 | (i) a major variance can be granted by ordinance or by the Board of Municipal and Zoning Appeals; |
| 23 24 | (ii) the applicant may request the City Council to introduce an ordinance to grant the major variance; |
| 25 26 27 | (iii) in the absence of legislation to approve a major variance by ordinance, the Board of Municipal and Zoning Appeals may grant or deny the major variance; and |
| 28 29 30 | (iv) the applicant may appeal the decision of the Zoning Administrator, and [that] the appeal must be filed within 30 days of the Zoning Administrator's decision. |
| 31 32 | (3) The Zoning Administrator OR DESIGNEE must forward an application determined to be a major variance to the Board of Municipal and Zoning Appeals. |

| 1 2 3 4 | COMMENT: These amendments allow the Zoning Administrator to designate someone on staff to accept and process a minor variance application, but they don't go so far as to allow the designee to sign the Administrator's final decision. This will provide checks and balances and allow for easier day-to-day work flow. |
|----------------------|--|
| 5 | § 5-304. Minor variances. |
| 6 | (a) Review standards; Notice. |
| 7 8 9 10 | The Zoning Administrator OR THE ADMINISTRATOR'S DESIGNEE must review and evaluate the application pursuant to the standards in § 5-308 {"Approval standards"} of this subtitle. Public notice of the application must be posted in accordance with Title 5, Subtitle 6 {"Notices"} of this Code. |
| 11 | COMMENT: See Comment to previous section. |
| 12 | § 5-305. Major variances. |
| 13 14 | (b) Procedures before the BMZA. |
| 15 | (1) Public hearing required. |
| 16 17 | (i) The Board of Municipal and Zoning Appeals must consider a proposed major variance in a public hearing. |
| 18 19 | (ii) Notice of the public hearing must be given in accordance with Title 5, Subtitle 6 {"Notices"} of this Code. |
| 20 21 22 | (iii) Except as provided in subsection (b) of this section, the hearing must be concluded no more than [60] 90 days from the Board's receipt of the completed application. |
| 23 24 25 | COMMENT: The BMZA only meets twice per month and schedules approximately 15-20 cases on each docket. Given this caseload, 90 days is a more realistic and practical timeframe in which to hold a hearing. |
| 26 | (2) Waiver of time limit. |
| 27 28 29 30 | (i) If, in the judgment of the Board of Municipal and Zoning Appeals, the application does not contain sufficient information to enable the Board to properly discharge its responsibilities, the Board may request additional information from the applicant or from City agencies or officials. |
| 31 32 | (ii) In that event, the [60-day] 90-DAY period will be suspended or the public hearing continued pending receipt of all requested information. |
| 33 34 | (iii) The applicant may also waive this time limit by requesting a postponement from the Board of Municipal and Zoning Appeals. |

| 1 | (3) Decision by Board. |
|----------------------|--|
| 2 3 4 | (i) The Board of Municipal and Zoning Appeals must render its written decision, approving, approving with conditions, or denying the application, within 30 days of the close of the public hearing. |
| 5 6 | (ii) The Board may extend this period for up to an additional [30] 60 days FOR GOOD CAUSE on a majority vote of the Board at a publicly scheduled meeting. |
| 7 | COMMENT : The intent is to provide additional flexibility for the BMZA. |
| 8 | (4) Cessation of BMZA procedures. |
| 9 10 11 | (i) All actions and other procedures taken under this subsection must immediately cease if: |
| 12 13 | (A) the Board of Municipal and Zoning Appeals has not rendered a written decision under this subsection; and |
| 14 15 | (B) the City Council has referred to the Board a bill to approve the variance by ordinance. |
| 16 17 | (ii) On this cessation of procedures, the application is deemed to be voluntarily withdrawn by the applicant. |
| 18 | (c) [legislative] LEGISLATIVE limitation. |
| 19 20 21 | No legislation may be introduced to approve a major variance after the Board of Zoning Appeals has rendered a written decision on an application involving the same subject matter. |
| 22 | § 5-310. DISCRETION TO DENY. |
| 23 24 25 26 | THE ZONING ADMINISTRATOR OR THE BOARD OF MUNICIPAL AND ZONING APPEALS MAY DENY ANY APPLICATION FOR A VARIANCE IF THE SUBJECT PROPERTY HAS ANY OUTSTANDING NOTICE OF VIOLATION, CODE VIOLATION, OR ANY OTHER UNRESOLVED OR UNPAID FEE, FINE, OR CITATION. |
| 27 | COMMENT: Provides the Board of Municipal and Zoning Appeals the discretion to |

| 1 | Subtitle 4. Conditional Uses AND SIGNS |
|----------|---|
| 2 | § 5-401. Purpose. |
| 3 | (C) SIGNS. |
| 4 | IN CERTAIN DISTRICTS SOME SIGN TYPES ARE ALLOWED BY CONDITIONAL APPROVAL. THE |
| 5 | CONDITIONAL APPROVAL IN THIS SITUATION IS INTERPRETED AS ALLOWING THE SIGN TYPE |
| 6 | WITHIN A LOT TO BE MORE INTENSE THAT WOULD OTHERWISE BE ALLOWED IN THAT |
| 7 | DISTRICT BECAUSE OF POSSIBLE BROADER IMPACT TO THE SURROUNDING AREA. |
| 8 | COMMENT: Clarifies provisions to allow signs by conditional approval. |
| 9 | § 5-403. Referrals. |
| 10 | (a) Section applicable to CB approvals. |
| 11 | This section applies to applications for conditional uses AND SIGNS that require approval |
| 11 12 | This section applies to applications for conditional uses AND SIGNS that require approval by the Board of Municipal and Zoning Appeals. |
| 13 | [(b) Referral to BMZA for action.] |
| 14 | Once the Zoning Administrator determines that an application for conditional-use |
| 15 | approval by the Board of Municipal and Zoning Appeals is complete, the Zoning |
| 16 | Administrator must forward the application to the Board for its consideration and action |
| 17 | on the application.] |
| 18 | (B) [(c)] Referral to Planning Director, others for recommendation. |
| 19 | The [Zoning Administrator] EXECUTIVE DIRECTOR OF THE BOARD OF MUNICIPAL AND |
| 20 | ZONING APPEALS must also refer the completed application to the following, for their |
| 21 | submission within 15 days of the referral, of written reports and recommendations to the |
| 22 | Board [of Municipal and Zoning Appeals]: |
| 23 | (1) the Department of Planning; and |
| 24 | (2) any other City agencies and officials that the [Zoning Administrator] EXECUTIVE |
| 25 | DIRECTOR OF THE BOARD OF MUNICIPAL AND ZONING APPEALS determines |
| 26 | should be asked to review the application and submit written reports and |
| 27 | recommendations on it. |
| 28 | COMMENT : The intent is to provide flexibility between the Zoning Administrator and the BMZA. |
| 29 | § 5-404. Actions taken. |
| 30 | (a) Review standards. |
| 31 | The Board of Municipal and Zoning Appeals or the City Council, as the case may be, |
| 32 | must evaluate the request for a conditional use AND SIGN, based on the evidence presented |
| 33 | at the public hearing, in accordance with the standards in § 5-406 {"Approval standards"} |
| 34 | of this subtitle. |

| 1 | (b) Procedures before the BMZA. |
|----------------------|---|
| 2 | (1) Public hearing required. |
| 3 4 | (i) The Board of Municipal and Zoning Appeals must consider a proposed conditional use AND CONDITIONAL SIGN in a public hearing. |
| 5 | COMMENT: Clarifies provisions to allow signs by conditional approval. |
| 6 7 | (ii) Notice of the public hearing must be given in accordance with Title 5, Subtitle 6 {"Notices"} of this Code. |
| 8 9 10 | (iii) Except as provided in subsection (b) of this section, the hearing must be concluded no more than [60] 90 days from the Board's receipt of the completed application. |
| 11 12 13 | (iv) If the Department of Planning or other City agency or official fails to timely submit its written report and recommendations, the Board of Municipal and Zoning Appeals may proceed without that report and recommendations. |
| 14 | (2) Waiver of time limit. |
| 15 16 17 18 | (i) If, in the judgment of the Board of Municipal and Zoning Appeals, the application does not contain sufficient information to enable the Board to properly discharge its responsibilities, the Board may request additional information from the applicant or from City agencies or officials. |
| 19 20 | (ii) In that event, the [60-day] 90-DAY period will be suspended or the public hearing continued pending receipt of all requested information. |
| 21 22 | (iii) The applicant may also waive this time limit by requesting a postponement from the Board of Municipal and Zoning Appeals. |
| 23 | (3) Decision of Board. |
| 24 25 26 | (I) The Board of Municipal and Zoning Appeals must render its written decision, approving, approving with conditions, or denying the application within 30 days of the close of the public hearing. |
| 27 28 29 | (II) THE BOARD MAY EXTEND THIS PERIOD FOR UP TO AN ADDITIONAL 60 DAYS FOR GOOD CAUSE ON A MAJORITY VOTE OF THE BOARD AT A PUBLICLY SCHEDULED MEETING. |

| 1 | § 5-405. Conditions. |
|------------------|--|
| 2 | (a) In general. |
| 3 | (1) Imposition authorized. |
| 4 5 6 7 | Before approving any conditional use OR SIGN, the Board of Municipal and Zoning Appeals or the City Council, as the case may be, may impose on the establishment, location, construction, maintenance, or operation of the conditional use OR SIGN any condition, restriction, or limitation that it considers necessary for the protection of the |
| 8 | public interest. |
| 9 | COMMENT: Clarifies provisions to allow signs by conditional approval. |
| 10 | § 5-406. Approval standards. |
| 11 | (a) Limited criteria for denying. |
| 12 13 14 | Neither the Board of Municipal and Zoning Appeals nor the City Council, as the case may be, may approve a conditional use OR SIGN unless, after public notice and hearing and on consideration of the standards required by this subtitle, it finds that: |
| 15 16 17 | the establishment, location, construction, maintenance, or operation of the conditional use OR SIGN would not be detrimental to or endanger the public health safety, or welfare; |
| 18 19 | (2) the use OR SIGN would not be precluded by any other law, including an applicable Urban Renewal Plan; |
| 20 | (3) the authorization would not be contrary to the public interest; and |
| 21 22 | (4) the authorization would be in harmony with the purpose and intent of this Code. |
| 23 | (b) Required considerations. |
| 24 25 | As a further guide to its decision on the facts of each case, the Board of Municipal and Zoning Appeals must consider the following, where appropriate: |
| 26 27 | (1) the nature of the proposed site, including its size and shape and the proposed size, shape, and arrangement of structures; |
| 28 29 | (2) the resulting traffic patterns and adequacy of proposed off-street parking and loading; |
| 30 31 | (3) the nature of the surrounding area and the extent to which the proposed use OR SIGN might impair its present and future development; |
| 32 33 | (4) the proximity of dwellings, churches, schools, public structures, and other places of public gathering; |

| 1 | (5) accessibility of the premises for emergency vehicles; |
|----------|--|
| 2 | (6) accessibility of light and air to the premises and to the property in the vicinity; |
| 3 4 | (7) the type and location of adequate utilities, access roads, drainage, and other necessary facilities that have been or will be provided; |
| 5 | (8) the preservation of cultural and historic landmarks and structures; |
| 6 | (9) the character of the neighborhood; |
| 7 | (10) the provisions of the City's Comprehensive Master Plan; |
| 8 | (11) the provisions of any applicable Urban Renewal Plan; |
| 9 | (12) all applicable standards and requirements of this Code; |
| 10 | (13) the intent and purpose of this Code; and |
| 11 | (14) any other matters considered to be in the interest of the general welfare. |
| 12 | COMMENT: Clarifies provisions to allow signs by conditional approval. |
| 13 | § 5-407. Expiration of approval. |
| 14 | (a) Exercise within year required. |
| 15 16 | A conditional use AND A CONDITIONAL SIGN APPROVAL lapses and becomes void 1 year from the date of its final approval unless, within that year: |
| 17 18 | a use permit under this Code and an occupancy permit under the Baltimore City Building Code have been obtained for that use; |
| 19 20 | (2) the erection or alteration of a structure for that use OR SIGN has lawfully begun; [or] |
| 21 | (3) the use has lawfully begun[.]; OR |
| 22 23 | (4) A BUILDING PERMIT UNDER THIS CODE AND ANY OTHER APPLICABLE CODES HAS BEEN OBTAINED FOR THE SIGN. |
| 24 | COMMENT: Clarifies provisions for signs by conditional approval. |

| I | § 5-408. Discontinued conditional use OR CONDITIONAL SIGN. |
|----------|--|
| 2 | (A) DISCONTINUED CONDITIONAL USE. |
| 3 | If any conditional use is discontinued for a continuous period of 2 years or more, the |
| 4 | conditional use approval automatically lapses and is void. A new application and |
| 5 | authorization is required before the conditional use may be re-established. |
| 6 | (B) DISCONTINUED CONDITIONAL SIGN. |
| 7 | IF A CONDITIONAL SIGN IS REMOVED IN ITS ENTIRETY FROM THE BUILDING OR STRUCTURE |
| 8 | FOR WHICH IT WAS APPROVED FOR A CONTINUOUS PERIOD OF 1 YEAR OR MORE, THE |
| 9 | CONDITIONAL APPROVAL AUTOMATICALLY LAPSES AND IS VOID. A NEW APPLICATION IS |
| 10 | REQUIRED BEFORE THE CONDITIONAL APPROVAL MAY BE RE-ESTABLISHED. |
| 11 | COMMENT: Clarifies provisions for signs by conditional approval. |
| 12 | § 5-409. Revocations, etc., of conditional use. |
| 13 | (c) Contents of notice. |
| 14 | The notice must: |
| 15 | (1) specify the nature of the violation; and |
| 16 | (2) warn the recipient that, unless the violation is corrected within 30 days, or such |
| 17 | other time as is specified in the notice, the matter will be referred to the Board of |
| 18 | Municipal and Zoning Appeals for potential modification, suspension, or |
| 19 | revocation of the conditional use OR SIGN. |
| 20 | (f) Decision. |
| 21 | (1) If, after notice to the parties and an opportunity to be heard, the Board of Municipal |
| 22 | and Zoning Appeals finds that a condition, restriction, or limitation imposed under |
| 22 23 | this subtitle has been violated, the Board may take any 1 or combination of the |
| 24 | following actions: |
| 25 | (i) revoke the conditional use OR SIGN; |
| 26 | (ii) suspend the conditional use OR SIGN APPROVAL subject to completion of |
| 27 | corrective action or other condition set by the Board; or |
| 28 | (iii) affirm the conditional use OR SIGN, subject to a schedule for corrective action |
| 29 | with provision for automatic termination if the schedule is not met. |
| 30 | COMMENT: Clarifies provisions for signs by conditional approval. |

| 1 | § 5-410. DISCRETION TO DENY. |
|----------------------------|---|
| 2 3 4 5 | THE BOARD OF MUNICIPAL AND ZONING APPEALS MAY DENY ANY APPLICATION FOR A CONDITIONAL USE OR SIGN IF THE SUBJECT PROPERTY HAS ANY OUTSTANDING NOTICE OF VIOLATION, CODE VIOLATION, OR ANY OTHER UNRESOLVED OR UNPAID FEE, FINE, OR CITATION. |
| 6 7 | COMMENT: Provides the Board of Municipal and Zoning Appeals the discretion to dismiss or deny relief under an application for outstanding Code or other violations. |
| 8 | Title 10. Commercial Districts |
| 9 | Subtitle 5. Design Standards for C-5 District |
| 10 | § 10-503. Parking and access. |
| 11 | (b) New curb cuts. |
| 12 | New curb cuts are prohibited on primary streets (SEE DESIGN MANUAL). |
| 13 | COMMENT: The intent is to add more clarity by providing a cross-reference to the Design Manual. |
| 14 | Title 11. Industrial Districts |
| 15 | Subtitle 2. District Descriptions |
| 16 17 | § 11-203. IMU Industrial Mixed-Use Districts. |
| 18 | (c) Floor area requirement for certain uses. |
| 19 20 21 22 | (1) In an IMU-1 District, a use other than residential and other than parking must account for a floor area (located anywhere in any building on the same lot) equal to at least 60% of the total ground-floor area of all buildings on the lot, unless otherwise granted a variance by the Board of Municipal and Zoning Appeals. |
| 23 24 25 26 27 | (2) In an IMU-2 District, a use listed in the "Industrial Use Category" of Table 11-301 {"Industrial Districts – Permitted and Conditional Uses"} as allowed for an IMU-2 District must account for a floor area (located anywhere in any building on the same lot) equal to at least 50% of the total ground floor area of all buildings on the lot, unless otherwise granted a variance by the Board of Municipal and Zoning Appeals. |
| 28 | [(d) Floor area exception.] |
| 29 30 | [Subsection (c) of this section does not apply to lots located within 300 feet of a residential zoning district.] |
| 31 | COMMENT: This proposes to delete a loophole regarding IMU zones. |

| 1 | Title 14. Use Standards |
|----------------|---|
| 2 | Subtitle 3. Use Standards |
| 3 | § 14-312.1. FARMERS' MARKETS. |
| 4 | (A) "FARMERS" MARKET" DEFINED. |
| 5 6 | IN THIS SECTION, "FARMERS' MARKET" MEANS A MARKET IN A FIXED LOCATION AT WHICH 3 OR MORE VENDORS OFFER FOR SALE TO THE PUBLIC: |
| 7 8 9 | (1) FRESH FRUITS, VEGETABLES, JUICES, FLOWERS, PLANTS, HERBS, OR SPICES THAT HAVE BEEN PRODUCED OR GROWN BY THE VENDOR OR CONSIGNED TO THE VENDOR BY THEIR PRODUCER OR GROWER; |
| 10 11 | (2) BAKED GOODS, MEATS, DAIRY GOODS, OR PREPARED FOODS THAT HAVE BEEN MADE BY THE VENDOR OR CONSIGNED TO THE VENDOR BY THEIR MAKER; OR |
| 12 13 | (3) ARTS AND CRAFTS THAT HAVE BEEN MADE BY THE VENDOR OR CONSIGNED TO THE VENDOR BY THEIR MAKER. |
| 14 | (B) WHERE ALLOWED. |
| 15 16 | Farmers' markets are allowed in any zoning district on a lot or contiguous lots at least 3,500 square feet. |
| 17 | (C) APPLICATION. |
| 18 19 20 | FOR AN INITIAL APPLICATION, THE MARKET'S MANAGER SHALL SUBMIT A SITE PLAN THAT SHOWS THE LOCATION OF THE MARKET, THE LAYOUT OF THE MARKET, AND ALL PARKING, INCLUDING ALL PROPOSED INGRESSES AND EGRESSES |
| 21 | (D) ARTS AND CRAFTS LIMITATION. |
| 22 23 | Sales of arts and crafts may not occupy more the 25% of the overall sales area of the market. |
| 24 | COMMENT: This makes a former "temporary use" permanent. |
| 25 | § 14-328. Neighborhood commercial establishments. |
| 26 | (J) OUTDOOR DINING. |
| 27 28 | OUTDOOR DINING MAY ONLY BE ON THE STREET SIDE OF THE PROPERTY AND IS NOT ALLOWED IN THE REAR YARD, DECK, OR ROOFTOP. |
| 29 30 31 | Comment: Reflects the interest in adding outdoor dining to neighborhood commercial establishments but restricts outdoor seating to the street side of businesses, not in a rear yards, a deck, or a rooftop where it could bother residents. |

| 1 | § 14-329. Outdoor aining. |
|----------------|---|
| 2 | (a) Nature of use. |
| 3 | (1) Outdoor dining is considered an accessory use to a principal use AND MAY BE |
| 4 | LOCATED ON EITHER THE PROPERTY FOR WHICH THE PERMIT IS APPROVED OR EXTEND |
| 5 | INTO THE PUBLIC RIGHTS-OF-WAY IMMEDIATELY ADJOINING THE BUILDING FRONTAGE |
| 6 | OR STREET CORNER SIDE OF THE PROPERTY. |
| 7 | (2) PARAGRAPH (1) OF THIS SUBSECTION IS SUBJECT TO THE REQUIREMENTS SET FORTH IN |
| 8 | THIS SECTION, AS APPLICABLE. |
| 9 | (b) Pedestrian and parking access. |
| 10 | (1) Outdoor dining may not interfere with the pedestrian access or parking. |
| 11 12 | (2) All outdoor dining areas located IN A PUBLIC RIGHT-OF-WAY must maintain a 5-foot sidewalk clearance at all times. |
| 13 | (c) Minor privilege permit. |
| 14 | Any outdoor dining located in the public right-of-way requires a minor privilege permit. |
| 15 | (d) Required yard. |
| 16 | (1) Outdoor dining may not be located in any required yard that adjoins a residential |
| 17 | ZONING district, unless an alley OR A STREET OF AT LEAST 20 FEET IN WIDTH is located |
| 18 | between the use and the residential district. |
| 19 | (2) IF NO YARD IS REQUIRED OR IF NO ALLEY OR STREET IS PRESENT, THE USE MUST |
| 20 | MAINTAIN AT LEAST A 30-FOOT DISTANCE FROM ANY ADJACENT RESIDENTIAL |
| 21 | PROPERTY. |
| 22 | (e) Compactness. |
| 23 | An outdoor dining area for an establishment must be as compact as possible by locating |
| 24 | the outdoor dining area in a single portion of an establishment's frontage. |
| 25 | § 14-331. Parking garages [(principal use)] and parking lots. |
| 26 | (a) Parking garages [(principal use)]. |
| 27 | (1) Parking garages [(principal use)] in the C-1, C-1-E, C-1-VC, C-2, C-3, C-5, and TOD |
| 28 | Districts must include active ground-floor uses, whether residential or non-residential |
| 29 | uses, along at least 50% of the ground floor when adjoining a street, other than an |
| 30 | alley. |
| 31 | COMMENT: Corrects a mistake in the Zoning Code with the reference to "principal use", |
| 31 32 33 | because this section was intended to apply to all parking garages (accessory and |
| 33 | principal). |

| 1 | Subtitle 4. Temporary-Use Standards |
|-------------|--|
| 2 | [§ 14-408. Permitted temporary uses – Farmers' markets.] |
| 3 | [(a) "Farmers' market" defined.] |
| 4 5 | ["Farmers' market" means a market in a fixed location at which 3 or more vendors offer for sale to the public:] |
| 6 7 8 | [(1) fresh fruits, vegetables, juices, flowers, plants, herbs, or spices that have been produced or grown by the vendor or consigned to the vendor by their producer or grower;] |
| 9 10 | [(2) baked goods, meats, dairy goods, or prepared foods that have been made by the vendor or consigned to the vendor by their maker; or] |
| 11 12 | [(3) arts and crafts that have been made by the vendor or consigned to the vendor by their maker.] |
| 13 | [(b) Where allowed.] |
| 14 15 | [Farmers' markets are allowed in any zoning district on a lot or contiguous lots at least 3,500 square feet.] |
| 16 | [(c) Application.] |
| 17 | [The application for a temporary-use permit must be submitted by the market's manager.] |
| 18 | [(d) New farmers' market.] |
| 19 | [For an initial application, the market's manager must also submit a map that shows:] |
| 20 | [(1) the location and layout of the site; and] |
| 21 | [(2) all parking areas, including proposed ingress and egress.] |
| 22 | [(e) Arts and crafts limitation.] |
| 23 24 | [Sales of arts and crafts may not occupy more the 25% of the overall sales area of the market.] |
| 25 26 | Comment: This section is being deleted because "Farmers' market" is now a regular use and being codified as such in a new § 14-312.1. |

| 1 | Title 15. Site Development Standards |
|----------------|---|
| 2 | Subtitle 3. Measurement Methodologies |
| 3 | § 15-301. Measurement of building height. |
| 4 | (a) In general. |
| 5 6 | (2) For purposes of determining compliance with height limitations, the height of a building is determined by measuring the vertical distance: |
| 7 | (i) from the following, as applicable: |
| 8 9 | (A) from the mean curb level of the right-of-way on which the property fronts; |
| 10 11 12 | (B) if the front wall of the building is not within 30 feet of the curb, from the average elevation of [the ground between that wall and the curb] GROUND ADJOINING THAT WALL; or |
| 13 14 | •••• |
| 15 16 | COMMENT: Clarifies an element of how the height of a building is determined by measuring the vertical distance. |
| 17 | Subtitle 4. Exceptions |
| 18 | § 15-405. Limitations in Mount Vernon neighborhood. |
| 19 | (b) Other limitations. |
| 20 | Within the boundaries indicated in <i>Table 15-405</i> for the Mount Vernon Neighborhood: |
| 21 22 23 | (1) when calculating the height of a building for compliance with height limitations, mechanical equipment, including heating, ventilation, and air-conditioning units on top of the building are included in that calculation; |
| 24 | (2) new [primary-use] PRINCIPAL-USE surface parking lots are prohibited; and |
| 25 26 | (3) [(4)] for new construction, the minimum lot area per dwelling unit is 200 square feet. |
| | |

| 1 | Subtitle 5. Accessory Structures and Uses |
|----------------------------|---|
| 2 | § 15-504. Carriage house. |
| 3 4 5 | (A) An accessory carriage house existing on June 5, 2017, in a Residential District or in an OR District may be [subdivided and] converted into a SINGLE-FAMILY detached dwelling if: |
| 6 7 | [(1) the new lot area meets the minimum lot and yard requirements that apply to rowhouse dwellings in the applicable district;] |
| 8 | (1) [(2)] the building contains at least [1,750] 750 square feet of gross floor area; |
| 9 10 | (2) [(3)] all other requirements of this Code [and Baltimore City Subdivision Regulations] are met [or a variance is obtained]; and |
| 11 | (3) [(4)] 1 additional parking space is provided for each dwelling unit created. |
| 12 13 14 | (B) In addition, if an existing carriage house is converted into a dwelling unit, it cannot be enlarged by any alteration that would increase the building height or footprint by more than 20% . |
| 15 16 17 18 | COMMENT: Corrects and clarifies the original intent of the Zoning Code to allow for the conversion of existing carriage houses. Sub-division was not the proper mechanism, as subdivision would create a separate lot and not protect neighborhoods from creating flag lots and larger buildings. This change to by-right, with the addition of a cap for rehabilitation, is in keeping with the original intent of scale and purpose. |
| 20 | Title 16. Off-Street Parking and Loading |
| 21 | Subtitle 2. General Applicability |
| 22 | § 16-205. Provision of additional spaces and parking maximums. |
| 23 24 25 26 27 | Nothing in this title prevents the voluntary establishment of additional off-street parking or loading facilities. However, in no case may off-street parking be provided in excess of double the requirements of this Code, except for detached and semi-detached dwellings[,] to which no maximum applies OR NO PARKING IS REQUIRED. All regulations governing the location, design, and control of these facilities must be in accordance with this title. |
| 28 29 | COMMENT: The intent is to clarify that some additional parking may be permitted in circumstances where the Code itself does not expressly require it. |
| 30 | Subtitle 3. Construction of Facilities. |

| 1 | § 16-301. Site plan review requirements. |
|----------------------|--|
| 2 | (a) In general. |
| 3 4 5 | Site plan review is required before any construction or alteration of or addition to any off- street parking facility of 5 or more parking spaces or the construction of a new loading berth. |
| 6 | (b) "Construction, alteration, or addition" described. |
| 7 | (1) Inclusions. |
| 8 9 10 11 | For purposes of this section, construction, alteration, or addition includes all paving o previously unpaved surfaces, replacement of pavement with new binder and surface courses, construction of curbing, installation of new parking lot landscaping, and similar activities. |
| 12 | (2) Exclusions. |
| 13 14 15 16 | Construction, alteration, or addition does not include maintenance activities such as replacement of existing landscaping, repair of existing curbing, repairs, sealing, restriping (WITH NO DESIGN OR LAYOUT CHANGES), or placement of surface course pavement over previously paved areas. |
| 17 | COMMENT: The intent here is to make repair and resurfacing projects easier. |
| 18 | Subtitle 4. Design of Off-Street Parking Facilities |
| 19 | § 16-402. Minimum dimensions of off-street parking spaces. |
| 20 | Off-street parking spaces must EITHER be designed: |
| 21 | (1) in accordance with Table 16-402: Off-Street Parking Dimensions; OR |
| 22 23 | (2) AS REVIEWED BY THE SITE PLAN REVIEW COMMITTEE AND APPROVED BY THE DIRECTOR OF PLANNING. |
| 24 | COMMENT: The intent is provide greater flexibility while maintaining review. |
| 25 | § 16-403. Access. |
| 26 | (d) One-way traffic aisles as in Table. |
| 27 | Within off-street parking facilities, one-way traffic aisles must EITHER be designed: |
| 28 | (1) in accordance with <i>Table 16-402</i> ; or |
| 29 30 | (2) AS REVIEWED BY THE SITE PLAN REVIEW COMMITTEE AND APPROVED BY THE DIRECTOR OF PLANNING. |
| 31 | COMMENT: The intent is provide greater flexibility while maintaining review. |

| 1 | Subtitle 6. Required Off-Street Parking |
|--|---|
| 2 3 | § 16-601. Exemptions AND REDUCTIONS from requirements. |
| 4 | (c) Square footage exemption for C-2. |
| 5 6 | (1) The first [2,500] 3,000 square feet of gross floor area for commercial uses in the C-2 District are exempt from the parking requirements of <i>Table 16-406</i> . |
| 7 8 9 | (2) Those commercial uses [2,500] 3,000 square feet or less in gross floor area located within a multi-tenant configuration (e.g., a shopping center) are not eligible for this exemption and must provide the required parking. |
| 10 11 | COMMENT: The intent is to be less restrictive with regard to parking for small businesses |
| 12 | (f) Structures over 50 years old, etc. |
| 13 | (1) IN GENERAL. |
| 14 15 16 17 18 19 | Structures over 50 years old or structures that have received an historic tax credit are exempt from the parking requirements, subject to review and approval by the Director of Planning, if they have not historically provided parking and they lack sufficient space on the lot to accommodate parking. [However, any conversions of rowhouse dwellings (Title 9, Subtitle 7) existing as of June 5, 2017, must provide additional parking spaces for the additional dwelling units required by this Code.] |
| 20 | (2) EXCEPTIONS. |
| 21 22 | THE PARKING EXEMPTION DESCRIBED IN PARAGRAPH (1) OF THIS SUBSECTION DOES NOT APPLY IF: |
| 23 | (I) ANY VARIANCE FROM THE PROVISIONS OF THIS CODE IS REQUIRED; OR |
| 24 25 | (II) THE PREMISES IS PART OF AN APPLICATION FOR THE CONVERSION OF A ROWHOUSE DWELLING (TITLE 9, SUBTITLE 7) AFTER JUNE 5, 2017. |
| 26 | (G) REDUCTIONS – AFFORDABLE HOUSING. |
| 27 28 29 30 31 32 33 | NO MORE THAN 1 PARKING SPACE NEED BE PROVIDED FOR EVERY 2 DWELLING UNITS IN DWELLINGS THAT ARE ERECTED OR REHABILITATED SUBJECT TO A RESTRICTION THAT THE UNITS BE LEASED TO RESIDENTS WITH INCOMES AT OR BELOW 60% OF THE AREA MEDIAN INCOME, WITH THAT RESTRICTION BEING FOR A TERM OF NOT LESS THAN 15 YEARS FROM THE DATE OF THE ISSUANCE OF A USE PERMIT AND RECORDED IN THE LAND RECORDS OF BALTIMORE CITY. THE HOUSING COMMISSIONER MUST VERIFY, BY LETTER TO THE PLANNING DIRECTOR AND THE ZONING ADMINISTRATOR, THE RECORDATION, TERM, AND |
| 34 | TENOR OF THE RESTRICTION. |

| 1 | (H) REDUCTIONS – SMALL DWELLINGS. |
|------------|--|
| 2 | No more than 0.5 parking spaces need be provided for every dwelling unit that |
| 3 | IS 500 SQUARE FEET OR SMALLER. |
| | |
| 4 | (I) REDUCTIONS – HOUSING FOR ELDERLY. |
| 5 | FOR UNITS DESIGNED FOR OCCUPANCY BY THE ELDERLY IN A GOVERNMENT-ASSISTED |
| | |
| 6 7 | PRIVATE OR PUBLIC HOUSING DWELLING, NO MORE THAN 1 SPACE NEED BE PROVIDED FOR EVERY 4 UNITS. |
| , | EVERT 4 OMIS. |
| 8 | COMMENT: The additions to this section consolidate several parking exceptions under 1 section, for |
| 9 | ease of reference. |
| 10 | § 16-602. Required off-street parking. |
| | |
| 11 | [(a) In general.] |
| 12 | The minimum number of off-street parking spaces to be provided for the designated uses is |
| 13 | as in <i>Table 16-406: Required Off-Street Parking. Table 16-406</i> lists parking requirements |
| 14 | for the generic uses listed within the districts. In some cases, uses that are considered part of |
| 15 | a generic use category are listed with specified parking requirements. These specific uses are |
| 16 | listed only for the purposes of this title and do not indicate whether the uses are permitted or |
| 17 | conditional uses within any district. Certain generic uses listed within the districts do not |
| 18 | have parking requirements. These types of uses are not listed in <i>Table 16-406</i> . |
| 19 | [(b) Reductions – Affordable housing.] |
| | - · · · · · · · · · · · · · · · · · · · |
| 20 | [No more than 1 parking space need be provided for every 2 dwelling units in dwellings |
| 21 | that are erected or rehabilitated subject to a restriction that the units be leased to residents |
| 22 | with incomes at or below 60% of the Area Median Income, with that restriction being for |
| 23 | a term of not less than 15 years from the date of the issuance of a use permit and recorded |
| 24 | in the Land Records of Baltimore City. The Housing Commissioner must verify, by letter |
| 25 | to the Planning Director and the Zoning Administrator, the recordation, term, and tenor of |
| 26 | the restriction.] |
| 27 | [(c) Reductions – Small dwellings.] |
| 28 | [No more than 0.5 parking spaces need be provided for every dwelling unit that is 500 |
| 29 | square feet or smaller.] |
| 30 | [(d) Reductions – Housing for elderly.] |
| 50 | [(d) Reductions Trousing for elucity.] |
| 31 | [For units designed for occupancy by the elderly in a government-assisted private or |
| 32 | public housing dwelling: |
| 33 | (1) in the R-5 and R-6 Districts, no more than 1 parking space need be provided for |
| 33 34 | every 2 units; and |
| J 4 | every 2 units, and |
| 35 | (2) in the R-7, R-8, R-9, and R-10 Districts, no more than 1 parking space need be |
| 36 | provided for every 4 units 1 |

| 1 2 | | OMMENT: These provisions are being consolidated under one section, § 16-601, for ease of ference. |
|----------------------|---------------------|---|
| 3 | | Subtitle 7. Required Bicycle Parking |
| 4 | § 16-701. D | esign standards for all bicycle parking. |
| 5 | (a) Space | e size. |
| 6 | (1) In | N GENERAL. |
| 7 | T: | VOEDT AC DROVIDED DUDADACDADU (2) OF THIS SUBSECTION DECLIDED [Dagwins 4] |
| 7 | | XCEPT AS PROVIDED IN PARAGRAPH (2) OF THIS SUBSECTION, REQUIRED [Required] |
| 8 9 | | cycle spaces must be at least 2 feet wide by 6 feet long, with a minimum overhead ertical clearance of 7 feet 6 inches[, except for approved bike lockers and other |
| 10 | | nclosures, which may be shorter in height]. |
| 11 | (2) E_{λ} | XCEPTIONS. |
| 12 | (I |) BICYCLE SPACES THAT ARE GROUND-MOUNTED MAY BE 1.5 FEET WIDE BY 6 FEET |
| 13 | | LONG. |
| 14 | (I | I) APPROVED BIKE LOCKERS AND OTHER ENCLOSURES MAY BE SHORTER THAN THE |
| 15 | (- | DIMENSIONS DESCRIBED IN PARAGRAPH (1) OF THIS SUBSECTION. |
| 16 | | COMMENT: This change allows for an exemption for the use of floor racks with a smaller |
| 17 | | spatial dimension. This dimension is consistent with the Department of Transportation |
| 16 17 18 19 | | dimensions for racks in the right-of-way. Other racks, such as wall-mounted or ceiling-mounted racks. still require the larger dimensions. |
| 20 | ••• | cennig-mounted racks. still require the larger dimensions. |
| 21 | (i) Floor | racks. |
| 22 | (1) R | equired bicycle parking may be provided in floor racks. |
| 23 | (2) W | Vall and ceiling rack designs are subject to the approval of the Director of Planning |
| 24 | , , | s part of site plan review. HOWEVER IN NO CASE MAY MORE THAN 80% OF THE |
| 25 | | EQUIRED BICYCLE PARKING SPACES BE PROVIDED AS WALL OR CEILING RACKS. |
| 26 | (3) If | required bicycle parking is provided in racks, the racks must meet the following |
| 27 | * * | andards: |
| 28 | | (i) the bicycle frame and 1 wheel must be lockable to the rack with a high |
| 29 | | security, U-shaped shackle lock if both wheels are left on the bicycle; |
| 30 | | (ii) a bicycle 6-feet long can be securely held with its frame supported so that the |
| 31 | | bicycle cannot be pushed or fall in a manner that will damage the bicycle in |
| 32 | | any way; |
| 33 | | (iii) the racks must support a bicycle in at least 2 places, preventing it from falling |
| 34 | | over; and |

| 1 2 3 4 | (iv) the racks must be solidly constructed, resistant to rust and corrosion, d resistant to hammers and saws, and anchored so that they cannot be easily removed. |
|------------------|---|
| 5 | (M) STANDARD DESIGN. |
| 6 7 | BICYCLE PARKING SPACES MUST BE DESIGNED IN ACCORDANCE WITH <i>TABLE 16-701:</i> BICYCLE PARKING DIMENSIONS. |
| 8 | (N) [(m)] Alternate designs. |
| 9 10 | Alternate designs for bicycle parking may be approved by the Director of Planning as par of site plan review. |
| 11 | § 16-704. Long-term bicycle parking standards. |
| 12 | (A) IN GENERAL. |
| 13 | Long-term bicycle parking must be: |
| 14 | (1) located: |
| 15 | (i) on the site; or |
| 16 | (ii) in an area where the closest point is within 300 feet of the site; |
| 17 18 | (2) located either at ground level, on the ground floor of a building, or easily accessible by elevator; |
| 19 | (3) covered; and |
| 20 | (4) in at least 1 of the following locations, to provide security: |
| 21 | (i) in a locked room; OR |
| 22 23 | (ii) in an area that is enclosed by a fence, either 8 feet high or from floor to ceiling, with a locked gate [; |
| 24 | (iii) within view of an attendant or security guard; |
| 25 | (iv) in an area that is monitored by a security camera; or |
| 26 | (v) in an area that is visible from employee work areas]. |
| | |

| 1 | (B) CERTAIN ADDITIONAL STANDARDS. |
|----------------|---|
| 2 3 | In instances where more than 9 long-term bicycle parking spaces are required a minimum of 10% of the total spaces must: |
| 4 | (1) BE DEDICATED AS CARGO, FAMILY, OR ADAPTIVE BICYCLE PARKING; AND |
| 5 | (2) ADHERE TO THE FOLLOWING ADDITIONAL STANDARDS: |
| 6 | (I) THE SPACES MUST BE FLOOR-MOUNTED; |
| 7 8 | (II) THERE MUST BE ADEQUATE ELECTRIC OUTLETS FOR BICYCLE CHARGING; AND |
| 9 10 | (III) EACH SPACE MUST HAVE A MINIMUM DIMENSION OF 2 FEET WIDE BY 8 FEET LONG. |
| 11 | COMMENT: This establishes additional standards for bicycle parking. |
| 12 | § 16-705. Required number of bicycle spaces. |
| 13 | (e) Motor vehicle parking offset. |
| 14 15 16 | (1) For every [12] 8 required bicycle parking spaces that meet the short- or long-term bicycle parking standards, as set forth in <i>Table 16-705 {"Required Bicycle Spaces"}</i> , the motor vehicle parking required by this title may be reduced by 1 space. |
| 17 18 | (2) Existing parking may be converted to take advantage of this provision. |
| 19 | Title 17. Signs |
| 20 | Subtitle 1. Purpose of Title; Definitions. |
| 21 | § 17-102. Definitions. |
| 22 | (a) In general. |
| 23 | In this title, the following terms have the meanings indicated. |
| 24 | (b) A-frame sign. |
| 25 26 | "A-frame sign" means a sign, ordinarily in the shape of the letter "A", or some variation of it, that is displayed on the ground, not permanently attached, and usually 2-sided. |

| 1 | (C) ABOVE GROUND FLOOR. |
|----------------|---|
| 2 | (1) IN GENERAL. |
| 3 4 | "ABOVE GROUND FLOOR" MEANS THE OCCUPIABLE SPACE IN A BUILDING THAT IS ABOVE THE GROUND FLOOR. |
| 5 | (2) EXCLUSIONS. |
| 6 | "ABOVE GROUND FLOOR" DOES NOT INCLUDE: |
| 7 8 | (I) ANYTHING DETERMINED TO BE THE GROUND FLOOR AS DEFINED IN THIS SECTION; |
| 9 10 11 | (II) ANY EXTERIOR OR INTERIOR SPACES CREATED FROM OR DEFINED BY THE STRUCTURAL OR ARCHITECTURAL ITEMS DESCRIBED IN § 15-301(B) OF THIS ARTICLE; |
| 12 13 | (III) INTERIOR LOFT SPACE OR MEZZANINE SPACE WITHIN THE VOLUME OF THE GROUND FLOOR; OR |
| 14 15 | (IV) ANYTHING OTHERWISE DESCRIBED IN THIS ARTICLE AS NOT ABOVE GROUND FLOOR. |
| 16 17 18 | COMMENT: Clarifies the Zoning Code by defining what is considered to be "above ground floor" when applying the "above ground floor" signage provisions set forth in Title 17 and <i>Table 17-201: Sign Regulations</i> . |
| 19 | (D) [(c)] Attention-getting device. |
| 20 21 22 | "Attention-getting device" means any pennant, flag, feather flag, festoon, spinner, streamer, searchlight, balloon, inflatable sign, strobe light, or similar device or ornamentation designed for the purpose of attracting attention. |
| 23 | (E) [(d)] Awning or canopy sign. |
| 24 25 26 | "Awning or canopy sign" means a sign that is printed on, or is attached above, on, or under the outer edge of, an awning, canopy or other fabric, plastic, or structural protective cover over a door, entrance, window, or outdoor service area. |
| 27 | (F) [(e)] Banner sign. |
| 28 | (1) In general. |
| 29 | "Banner Sign" means a sign that: |
| 30 | (i) is printed or displayed on cloth or other flexible material; |
| 31 | (ii) is attached to a frame, a pole or other structure on a lot; |

| 1 2 | (iii) is mounted flat against the wall of a structure or projects from a structure; and |
|----------------------|---|
| 3 4 | (iv) is mounted and attached to a structure that is meant to be durable and permanent. |
| 5 | (2) Types. |
| 6 7 | (i) A banner sign may be either a freestanding banner sign, a projecting banner sign, or a wall mounted banner sign. |
| 8 | (ii) For purposes of this definition: |
| 9 10 11 | (A) "freestanding banner sign" means any banner sign, including a flag, that is attached by only one side to a pole, frame, or any structure and hanging freely so that it can flutter or move in the wind; |
| 12 13 14 15 | (B) "projecting banner sign" means any banner sign that is mounted non- parallel to a building wall or any other surface of a structure and is attached on multiple sides to a rigid frame that is attached to a structure; and |
| 16 17 18 | (C) "wall mounted banner sign" means a banner sign that is attached to a building wall and projects no more than 8 inches from the wall, with the exposed face of the sign in a plane parallel to the face of the wall. |
| 19 | (3) Exclusions. |
| 20 | "Banner sign" does not include any provisional fence sign or attention-getting device. |
| 21 | (G) [(f)] Canopy sign. |
| 22 | See "Awning or canopy sign". |
| 23 | (H) [(g)] Changeable copy sign. |
| 24 25 | "Changeable copy sign" means a permanent sign that contains a part that allows copy to be changed manually |
| 26 | (I) [(h)] Electronic sign. |
| 27 | (1) In general. |
| 28 29 30 31 | "Electronic sign" means a sign or portion of a sign that uses changing light to form a message or messages in text, digital graphics, or digital animation, where the sequence of messages and the rate of change is electronically programmed and can be modified by electronic processes. |

| 1 | (2) Inclusion of "electronic display screen". |
|----------------|--|
| 2 | (i) "Electronic sign" includes an electronic display screen. |
| 3 | (ii) For purposes of this definition, "electronic display screen": |
| 4 5 6 | (A) means the portion of an electronic sign that displays digital art or an electronic graphic, image, or video, which may or may not include text; and |
| 7 8 9 | (B) includes any television screen, plasma screen, digital screen, flat screen, LED screen, video boards holographic display, projected video sign, and exterior wall integrated technology. |
| 10 | (J) [(i)] Flag. |
| 11 | See "Banner sign". |
| 12 | (K) [(j)] Freestanding sign. |
| 13 | (1) In general. |
| 14 | "Freestanding sign" means a sign that: |
| 15 | (i) is made of durable material that is not cloth or other flexible material; and |
| 16 17 | (ii) is placed on or supported by the ground, independent of the principal structure on the lot. |
| 18 | (2) Exclusion. |
| 19 | "Freestanding sign" does not include a banner sign. |
| 20 | (3) Types. |
| 21 22 | (i) A freestanding sign may be either a freestanding monument sign, a freestanding pole sign, or a freestanding pylon sign. |
| 23 | (ii) For purposes of this definition: |
| 24 25 26 | (A) "Freestanding monument sign" means any freestanding sign that is placed directly on the ground or supported by a decorative base, including a post, pole, or other structure, that is an integral part of the sign design. |
| 27 28 29 | (B) "Freestanding pole sign" means any freestanding sign that is erected and maintained on 1 or more freestanding poles, uprights, or braces directly inserted into the ground and is not attached to any other structure. |

| 1 2 3 4 | (C) "Freestanding pylon sign" means any freestanding sign that is supported by a support structure that is a solid-appearing base constructed of a permanent material, such as concrete block, brick, or metal. The ground support does not include any post, pole, or other structure. |
|------------------|--|
| 5 | (L) GROUND FLOOR. |
| 6 | (1) IN GENERAL. |
| 7 | "GROUND FLOOR" MEANS THE FIRST LEVEL OF OCCUPIABLE SPACE OF A BUILDING. |
| 8 | (2) EXCLUSIONS. |
| 9 | "GROUND FLOOR" DOES NOT INCLUDE: |
| 10 11 | (I) ANYTHING DETERMINED TO BE ABOVE GROUND FLOOR, AS DEFINED IN THIS SECTION; |
| 12 | (II) BASEMENT OR SUB-BASEMENT SPACES; OR |
| 13 | (III) ANYTHING OTHERWISE DESCRIBED IN THIS ARTICLE AS NOT GROUND FLOOR. |
| 14 15 16 | COMMENT: Clarifies the Zoning Code by defining what is considered to be "ground floor" when applying the "ground floor" signage provisions set forth in Title 17 and <i>Table 17-201: Sign Regulations</i> . |
| 17 | (M) [(k)] Monument sign. |
| 18 | See "Freestanding sign". |
| 19 | (N) [(1)] Moving sign. |
| 20 | (1) In general. |
| 21 22 | "Moving sign" means a sign that, in whole or in part, rotates, elevates, or in any way alters position or geometry. |
| 23 | (2) Exclusions. |
| 24 | "Moving sign" does not include an analog clock. |
| 25 | (O) [(m)] Nonconforming sign. |
| 26 27 | "Nonconforming sign" means a sign that was lawfully erected and maintained under a previous version of this Code but does not now conform to the requirements of this Code. |
| 28 | (P) [(n)] Open-structural framework sign. |

| 1 | (1) In general. |
|----------------------|--|
| 2 3 4 | "Open-structural framework sign" means a sign that is attached to an expressed or projecting structural member of a building below the roofline of any roof surface of any section of the building. |
| 5 | (2) How attached. |
| 6 | The sign: |
| 7 | (1) may be attached above, on, or under the structural member; but |
| 8 9 | (2) may not be located on a roof or above the roofline of any roof surface of any section of the building. |
| 10 | (Q) PAINTED/MURAL SIGN. |
| 11 | (1) IN GENERAL. |
| 12 13 14 15 | "PAINTED/MURAL SIGN" MEANS A SIGN APPLIED DIRECTLY TO THE WALL OF A BUILDING OR OTHER PERMANENT STRUCTURE ELEMENT ON A LOT THROUGH PAINT, GLUE, OR OTHER MEDIUM APPLICATION WITHOUT THE USE OF FASTENERS, FRAMES, OR OTHER SUPPORT STRUCTURES. |
| 16 | (2) INCLUSIONS. |
| 17 | FOR THE PURPOSES OF THIS DEFINITION: |
| 18 19 | (I) A PAINTED/MURAL SIGN LIES ON THE SAME PLANE OF THE STRUCTURE TO WHICH IT IS APPLIED, UNLESS OTHERWISE SPECIFIED IN THIS TITLE; AND |
| 20 21 22 23 | (II) A STRUCTURE SHALL INCLUDE BUILDING WALLS, ROOFS, ARCHITECTURAL ELEMENTS, FENCES, DRIVEWAYS, PARKING LOTS, OR OTHER PAVED AREAS, AND STRUCTURAL OR ARCHITECTURAL ITEMS DESCRIBED IN § 15-301(B) OF THIS ARTICLE. |
| 24 | (3) EXCLUSIONS. |
| 25 | A "PAINTED/MURAL SIGN" DOES NOT INCLUDE: |
| 26 | (I) WALL SIGNS; |
| 27 | (II) AWNING OR CANOPY SIGNS; |
| 28 | (III) PROJECTING SIGNS; |
| 29 | (IV) WINDOW SIGNS; OR |
| 30 | (V) ROOF SIGNS |

| 1 2 3 | COMMENT: Provides for the establishment of a new sign type within Title 17 and <i>Table 17-201: Sign Regulations</i> . The exclusions will ensure that "painted/mural signs" are separate and distinct from other sign types defined within the Code. |
|----------------|--|
| 4 | (R) [(o)] Pole sign. |
| 5 | See "Freestanding sign". |
| 6 | (S) [(p)] Pole mounted banner sign. |
| 7 | See "Banner sign". |
| 8 | (T) [(q)] Portable sign. |
| 9 | (1) In general. |
| 10 11 12 | "Portable sign" means a sign whose principal supporting structure is intended, by design and construction, to rest on the ground for support and may be easily moved or relocated. |
| 13 | (2) Inclusions. |
| 14 15 | "Portable sign" includes a sign mounted on a trailer, wheeled carrier, or other non-motorized mobile structure, with wheels or with wheels removed. |
| 16 | (3) Exclusions. |
| 17 18 | "Portable sign" does not include an A-frame sign, even if the A-frame sign is designed to be easily moved. |
| 19 | (U) [(r)] Projecting banner sign. |
| 20 | See "Banner sign". |
| 21 | (V) [(s)] Projecting sign. |
| 22 | (1) In general. |
| 23 | "Projecting sign" means a sign that: |
| 24 | (i) is made of a durable material that is not cloth or other flexible material; |
| 25 | (ii) is attached to a building or other structure; and |
| 26 | (iii) extends beyond the surface of the building or structure to which it is attached. |
| 27 | (2) Inclusions. |
| 28 | "Projecting sign" includes: |
| 29 | (i) any sign that is non-parallel to the face of the wall of a structure; and |

| 1 | (ii) any sign that: |
|----------------------|---|
| 2 | (A) is in a plane parallel to the face of the wall of a structure; and |
| 3 | (B) projects more than 12 inches from that wall. |
| 4 | (3) Exclusions. |
| 5 | "Projecting sign" does not include any: |
| 6 | (i) banner sign; or |
| 7 | (ii) roof sign. |
| 8 | (W) [(t)] Provisional fence sign. |
| 9 10 | "Provisional fence sign" means a sign placed on any fence that is constructed or installed primarily for the purposes of making a safety perimeter around a construction site. |
| 11 | (X) [(u)] Roof sign. |
| 12 | "Roof sign" means a sign that: |
| 13 14 15 | (1) is erected, constructed, or maintained on any roof surface, on any permitted projection on a roof, or HAS 30% OR MORE OF THE SIGN FACE above any parapet of a building; and |
| 16 17 | (2) has its principal support attached to the roof structure OR BEHIND THE PARAPET OF A BUILDING. |
| 18 19 20 21 | COMMENT: By establishing a defined threshold to be considered a "roof sign," this amendment clarifies the Zoning Code and alleviates unnecessary confusion with other sign types that may attached to another part of a building but placed on the roof or sign types that may extend well beyond the roof itself. |
| 22 | (Y) [(v)] Wall sign. |
| 23 | (1) In general. |
| 24 | "Wall sign" means a sign [that]: |
| 25 | (i) THAT is made of a durable material that is not cloth or other flexible material; |
| 26 | (ii) THAT is mounted flat against or painted on the wall of a structure; [and] |
| 27 28 | (iii) THAT projects no more than 12 inches from the wall, with the exposed face of the sign in a plane parallel to the face of the wall; AND |
| 29 30 | (IV) WHOSE SIGN FACE EXTENDS LESS THAN 30% BEYOND THE ROOF LINE OR PARAPET OF A BUILDING. |

| 1 | (2) Exclusions. |
|----------|---|
| 2 | "Wall sign" does not include any: |
| 3 | (i) banner sign; |
| 4 | (II) PAINTED/MURAL SIGN; |
| 5 | (III) [(ii)] roof sign; or |
| 6 | (IV) [(iii)] window sign. |
| 7 | (Z) [(w)] Wall mounted banner sign. |
| 8 | See "Banner sign". |
| 9 | (AA) $[(x)]$ Window sign. |
| 10 | (1) IN GENERAL. |
| 11 | "Window sign" means a sign that: |
| 12 | (I) [(1)] is intended for viewing from the exterior of a building; and |
| 13 | (II) [(2)] is: |
| 14 15 | (A) [(i)] attached to, placed on, or printed on the interior or exterior of a window of the building; |
| 16 | (B) [(ii)] attached to, placed on, or printed on a door of the building; or |
| 17 | (C) [(iii)] displayed within 12 inches of a window of the building. |
| 18 | (2) EXCLUSION. |
| 19 20 | "WINDOW SIGN" DOES NOT INCLUDE A PAINTED/MURAL SIGN, AS DEFINED IN THIS SECTION. |
| 21 | Subtitle 2. Placement, Design, and Construction |
| 22 | § 17-202. Placement restrictions. |
| 23 | (a) As in Building Code. |
| 24 25 | All signs must also comply with the placement restrictions of the Baltimore City Building Code, Appendix H {"Signs"}. |

| 1 | (b) Covering window, door, etc., prohibited. |
|----------------------|---|
| 2 3 4 | (1) No sign mounted on the exterior or interior of a building may cover any part of a window, door, or prominent architectural feature unless otherwise expressly allowed in this [title] ARTICLE. |
| 5 6 | (2) ANY PAINTED/MURAL SIGN THAT SEEKS TO COVER ANY WINDOW, DOOR, OR PROMINENT ARCHITECTURAL FEATURE MUST HAVE DESIGN REVIEW APPROVAL. |
| 7 8 9 | (3) Any painted/mural sign that seeks to cover any window or portion of a window must comply with the transparency requirements described in § 17-416 {"Window signs"} of this title. |
| 10 | § 17-206. SPECIAL RULES. |
| 11 | (A) MORE THAN 1 PRINCIPAL BUILDING ON A LOT. |
| 12 13 14 15 | (1) EXCEPT FOR ROOF SIGNS, ANY LOT WITH MORE THAN 1 PRINCIPAL BUILDING ON THAT LOT MAY HAVE SIGNAGE ON EACH BUILDING THAT COMPLIES WITH THE RULES OF THE RESPECTIVE SIGN TYPE IN THIS TITLE, <i>TABLE 17-201: SIGN REGULATIONS</i> , AND <i>TABLE 17-306: MAXIMUM CUMULATIVE AREAS OF SIGNS</i> . |
| 16 17 | (2) UNLESS OTHERWISE PROVIDED IN THIS TITLE, THE AGGREGATE MAXIMUM AREA OF SIGNAGE ALLOWED FOR EACH BUILDING MAY NOT BE COMBINED OR SPLIT. |
| 18 | (B) Freestanding monument signs. |
| 19 20 21 22 | Freestanding monument signs may be installed on lots adjacent to and contiguous with residential developments of 20 units or more if the units are in a single building or part of a major subdivision or redevelopment of contiguous and adjoining lots. |
| 23 | (C) SIGN SPLITTING OF AGGREGATE MAXIMUM SIGN AREA. |
| 24 25 26 | THE AGGREGATE MAXIMUM SIGN AREA PER SIGN TYPE, AS CALCULATED UNDER § 17-306 OF THIS TITLE, MAY BE SPLIT INTO MULTIPLE SIGNS AND DISPERSED ON A SINGLE LOT FOR THE FOLLOWING SIGN TYPES, ZONING DISTRICTS, AND USES: |
| 27 28 29 | (1) FREESTANDING MONUMENT SIGNS AND FREESTANDING PYLON SIGNS FOR APPROVED DRIVE-THROUGH FACILITIES IN THE C-2, C-3, C-4, AND C-5 ZONING DISTRICTS; |
| 30 31 32 | (2) FREESTANDING MONUMENT SIGNS AND FREESTANDING PYLON SIGNS FOR USES IN THE C-2, C-3, C-4, AND C-5 ZONING DISTRICTS WHERE THE LOT IS 10,000 SQUARE FEET OR GREATER OR HAS MORE THAN ONE PRINCIPAL BUILDING ON A LOT; |
| 33 34 35 | (3) FREESTANDING MONUMENT SIGNS, FREESTANDING PYLONS SIGNS, AND WALL SIGNS WHERE THERE IS MORE THAN 1 PRINCIPAL BUILDING ON A LOT IN THE EC-1, EC-2, OS, H, OIC, AND BSC ZONING DISTRICTS. THIS OPTION MUST BE DOCUMENTED IN A SIGNAGE PACKAGE. |

| 1 2 | (4) WALL SIGNS ABOVE GROUND FLOOR IN THE C-3, C-4, C-5, TOD-4, BSC, H, I-1, I-2 AND PC ZONING DISTRICTS; AND |
|----------------|--|
| 3 4 5 | (5) THE MAXIMUM AREA OF A SIGN CANNOT BE VARIED TO CREATE MORE SIGN AREA AND THEN SPLIT INTO MULTIPLE SIGNS NOR CAN A SIGN THAT RESULTS FROM THE SPLIT BE LATER REPLACED WITH A LARGER SIGN. |
| 6 | (D) AUTOMATIC INCREASE IN TOTAL MAXIMUM AREA. |
| 7 | If sign splitting is used, a 15% automatic total maximum area increase may be |
| 8 9 | APPLIED TO THE AGGREGATE BASE MAXIMUM AREA PERMITTED BEFORE THE SIGN SPLITTING IS USED, SUBJECT TO THE FOLLOWING: |
| 10 11 12 | (1) THE MAXIMUM SIGN AREA AUTOMATIC INCREASE UNDER THIS SUBSECTION MAY NOT BE FURTHER INCREASED BY THE BOARD OF MUNICIPAL AND ZONING APPEALS; AND |
| 13 14 | (2) ALL SIGNS UNDER THIS SUBSECTION MUST BE PERMITTED AT THE SAME TIME ON THE SAME PERMIT AND THE INCREASE DOCUMENTED ON THE PERMIT. |
| 15 | (E) WALL SIGNS. |
| 16 | (1) SINGLE-STORY, SINGLE-TENANT BUILDINGS THAT ARE 15,000 SQUARE FEET OR |
| 17 | GREATER IN THE C-2, C-3, C-4, C-5, AND PC ZONING DISTRICTS MAY USE THE ABOVE |
| 18 | GROUND FLOOR SIGNAGE ALLOTMENT FOR WALL SIGNS IN <i>TABLE 17-201: SIGN</i> |
| 19 20 | REGULATIONS IF THE SIGN TYPE DISTINGUISHES THE ALLOTMENT BETWEEN GROUND FLOOR AND ABOVE GROUND FLOOR. |
| 21 | (2) GROUND FLOOR TENANTS 15,000 SQUARE FEET OR GREATER IN A MULTI-TENANT |
| 22 | BUILDING WITH DIRECT STREET ACCESS IN THE C-2, C-3, C-4, C-5, AND PC ZONING |
| 23 | DISTRICTS MAY USE THE ABOVE GROUND FLOOR SIGNAGE ALLOTMENT FOR WALL |
| 24 25 | SIGNS IN <i>TABLE 17-201: SIGN REGULATIONS</i> IF THE SIGN TYPE DISTINGUISHES THE ALLOTMENT BETWEEN GROUND FLOOR AND ABOVE GROUND FLOOR, SUBJECT TO THE |
| 25 26 | FOLLOWING: |
| 27 | (I) APPLICABLE ONLY TO USES OUTLINED IN THE COMMERCIAL AND |
| 28 | INSTITUTIONAL USE CATEGORIES OF THE UNDERLYING ZONING DISTRICT; |
| 29 | (II) FOR THE APPLICATION OF THIS TITLE, TABLE 17-201: SIGN REGULATIONS, AND |
| 30 | TABLE 17-306: MAXIMUM CUMULATIVE AREAS OF SIGNS FOR BUILDINGS WHOSE |
| 31 | MAIN ENTRANCE DOES NOT FRONT A RIGHT-OF-WAY (NOT INCLUDING AN |
| 32 | UN-NAMED ALLEY OR NAMED ALLEY), THE BUILDING FRONTAGE IS |
| 33 | DESIGNATED AS THE ELEVATION THAT HAS THE MAIN ENTRANCE TO THE |
| 34 | BUILDING OR TENANT; AND |
| 35 | (III) THE BUILDING FRONTAGE OR TENANT FRONTAGE MUST BE 40 FEET WIDE OR |
| 36 | GREATER. |

| 1 | (F) PLANNED UNIT DEVELOPMENTS. |
|-----|--|
| 2 | THE FOLLOWING RULES APPLY FOR SIGNAGE WITHIN PLANNED UNIT DEVELOPMENTS: |
| 3 | (1) UNLESS OTHERWISE SPECIFIED IN AN INDIVIDUAL PLANNED UNIT DEVELOPMENT |
| 4 | ORDINANCE, ALL EXISTING PLANNED UNIT DEVELOPMENTS ESTABLISHED OR THAT |
| 5 | HAVE HAD A MAJOR CHANGE AFTER JUNE 5, 2017 MUST FOLLOW THE RULES |
| 6 | SPECIFIED IN THIS TITLE, TABLE 17-201: SIGN REGULATIONS, AND TABLE 17-306: |
| 7 | MAXIMUM CUMULATIVE AREAS OF SIGNS. |
| 8 | (2) ANY DESIGNATED BUSINESS PLANNED UNIT DEVELOPMENT ESTABLISHED PRIOR TO |
| 9 | JUNE $5,2017$ THAT HAS AN UNDERLYING RESIDENTIAL ZONING AND THAT DOES |
| 10 | NOT EXPRESSLY ADDRESS SIGNAGE MUST FOLLOW THE RULES SPECIFIED FOR THE |
| l 1 | C-2 ZONING DISTRICT IN THIS TITLE, TABLE 17-201: SIGN REGULATIONS, AND TABLE |
| 12 | 17-306: Maximum Cumulative Areas of Signs |
| 13 | (3) (I) SUBJECT TO TITLE 17, SUBTITLE 5 OF THIS ARTICLE, TITLE 15 OF THIS ARTICLE, |
| 14 | AND ANY OTHER APPLICABLE PORTIONS OF THIS CODE, AN AREA OF SPECIAL |
| 15 | SIGNAGE CONTROL MAY BE INCORPORATED IN THE ORDINANCE OF A NEW |
| 16 | PLANNED UNIT DEVELOPMENT. |
| 17 | (II) THIS PARAGRAPH APPLIES ONLY TO NEW PLANNED UNIT DEVELOPMENTS OR |
| 18 | EXISTING PLANNED UNIT DEVELOPMENTS THAT ARE BEING REPEALED AND |
| 19 | REPLACED. THIS PARAGRAPH DOES NOT APPLY TO EXISTING PLANNED UNIT |
| 20 | DEVELOPMENTS. |
| 21 | (4) (I) FOR A PLANNED UNIT DEVELOPMENT THAT DOES NOT HAVE AN AREA OF |
| 22 | SPECIAL SIGNAGE CONTROL, EITHER INCORPORATED WITHIN THE PLANNED |
| 23 | UNIT DEVELOPMENT ORDINANCE OR SEPARATELY, THE AGGREGATE OF THE |
| 24 | MAXIMUM ALLOWABLE FREESTANDING MONUMENT AND PYLON SIGNAGE MAY |
| 25 | BE SPLIT AMONG ALL BUILDINGS ON THAT LOT, NOT TO EXCEED THE |
| 26 | AGGREGATE AREA ALLOWED BY ADDING THE MAXIMUM ALLOWABLE AREA OF |
| 27 | EACH SIGN BY THE QUANTITY OF SIGNS ALLOWED BY TABLE 17-201: SIGN |
| 28 | REGULATIONS AND TABLE 17-306: MAXIMUM CUMULATIVE AREAS OF SIGNS, |
| 29 | UNLESS OTHERWISE PROVIDED WITHIN THIS TITLE. THIS OPTION MUST BE |
| 30 | DOCUMENTED IN A SIGNAGE PACKAGE WITHIN THE PLANNED UNIT |
| 31 | DEVELOPMENT ORDINANCE. |
| 32 | (II) FOR EXISTING PLANNED UNIT DEVELOPMENT WHERE THERE IS A SIGNAGE |
| 33 | PACKAGE, THE SIGNAGE PACKAGE MAY BE AMENDED AS A MINOR CHANGE. |
| 34 | (5) IF THERE IS A CONFLICT BETWEEN AN AREA OF SPECIAL SIGN CONTROL AND A |
| 35 | PLANNED UNIT DEVELOPMENT ORDINANCE, THE PLANNED UNIT DEVELOPMENT |
| 36 | ORDINANCE PREVAILS. |
| 37 | (6) IF USING THE SIGN SPLITTING OPTION, THE BOARD OF MUNICIPAL AND ZONING |
| 38 | APPEALS MAY NOT INCREASE THE AGGREGATE AREA OF A SIGN. |

| 1 2 3 4 5 | COMMENT: Creates and provides provisions for certain conditions, such as multiple buildings on a single lot, planned unit developments, and certain commercial building configurations, that are common enough to require additional clarification on how to address those conditions without the necessity of a broader revision of the base signage requirements. The intent is to provide flexibility for these common conditions within existing base signage requirements. |
|-----------------------|--|
| 6 | Subtitle 3. Sign Dimension AND QUANTITY Measurement Methodology |
| 7 | § 17-302. Sign area – General. |
| 8 | (a) Signs on a background. |
| 9 10 11 | (1) For signs on a background, the entire area of the framework or background of the sign is calculated as sign area, including any material or color forming the sign face or background used to differentiate the sign from the structure against which it is placed. |
| 12 13 | (2) Sign area does not include any framework or bracing, unless the framework or bracing is part of the message or sign face. |
| 14 | (b) Freestanding letters or logos. |
| 15 16 17 | (1) For signs consisting of freestanding letters or logos, the sign area is calculated as the total area of each square, circle, rectangle, triangle, or combination of these, that encompasses each individual letter or logo. |
| 18 19 | (2) Sign area does not include any supporting framework or bracing, unless the framework or bracing is part of the message or sign face. |
| 20 | (c) Window sign on transparent film. |
| 21 22 23 | Window signs printed on a transparent film and affixed to a windowpane are calculated by their individual letters or logos, as long as the portion of the transparent film around the perimeter of the individual letters or logos maintains the transparency of the window. |
| 24 | (D) PAINTED/MURAL SIGNS. |
| 25 | (1) A SINGLE DESIGN IN THE SAME PLANE OR ELEVATION SHALL BE CONSIDERED 1 SIGN. |
| 26 27 28 29 | (2) FOR PAINTED/MURAL SIGNS THAT INCLUDE BOTH SIGNAGE AND ART IN A SINGLE DESIGN, THE SIGNAGE AREA SHALL BE CALCULATED AS THE COMBINED AREA OF THE SIGNAGE PORTION OR PORTIONS, PROVIDED THAT THE SIGNAGE IS IN THE SAME PLANE OR ELEVATION. |

| 1 | § 17-308. BUILDING AND TENANT FRONTAGE MEASUREMENT METHODOLOGY. |
|------------------|--|
| 2 3 4 5 | (1) FOR ANY BUILDING SUBJECT TO THIS TITLE, THE BUILDING FRONTAGE SHALL BE IDENTIFIED AND CALCULATED BASED ON THE BUILDING ELEVATION THAT IS PARALLEL TO AND IMMEDIATELY ADJACENT TO THE RIGHT-OF-WAY (EXCLUDING UN-NAMED OR NAMED ALLEYS) OR THE PARKING LOT DRIVE AISLE ON WHICH THE MAIN ENTRANCE FRONTS. |
| 6 7 | (2) FOR GROUND FLOOR TENANTS WITH DIRECT STREET ACCESS, TENANT FRONTAGE SHALL BE CALCULATED PER LINEAR FOOT OF EXTERIOR FACING FRONTAGE FOR THAT TENANT. |
| 8 9 10 | COMMENT: Clarifies how an individual tenant within a larger building can calculate the frontage for in line tenant conditions. This clarification will assist in implementing proposed § 17-206 {"Special rules"}. |
| 11 | § 17-309. MAXIMUM AREA AND MAXIMUM QUANTITY. |
| 12 | (A) IN GENERAL. |
| 13 14 | EXCEPT AS PROVIDED IN SUBSECTION (B) OF THIS SECTION OR AS OTHERWISE PROVIDED IN THIS ARTICLE: |
| 15 16 | (1) THE "MAXIMUM AREA PER SIGN" SPECIFIED IN <i>TABLE 17-201: SIGN REGULATIONS</i> IS THE MAXIMUM AREA ALLOWED FOR EACH SIGN PER SIGN TYPE ALLOWED; |
| 17 18 | (2) THE "MAXIMUM QUANTITY" SPECIFIED IN <i>TABLE 17-201: SIGN REGULATIONS</i> IS THE TOTAL NUMBER OF SIGNS PER SIGN TYPE ALLOWED; AND |
| 19 20 21 | (3) THE AGGREGATE MAXIMUM SIGN AREA PER SIGN TYPE IS CALCULATED BY MULTIPLYING THE "MAXIMUM AREA PER SIGN" BY THE "MAXIMUM QUANTITY" OF THAT SIGN TYPE AS SPECIFIED IN <i>TABLE 17-201: SIGN REGULATIONS</i> . |
| 22 | (B) EXCEPTION. |
| 23 | (1) IN GENERAL. |
| 24 25 | Any sign that is required by the City Building, Fire, and Related Codes and that is $2\ \text{Square}$ feet or less does not count towards: |
| 26 27 | (I) THE ALLOWABLE MAXIMUM QUANTITY SPECIFIED IN <i>TABLE 17- 201: SIGN REGULATIONS:</i> |
| 28 29 | (II) THE MAXIMUM AREA PER SIGN SPECIFIED IN <i>TABLE 17-201: SIGN REGULATIONS</i> ; OR |
| 30 31 | (III) THE MAXIMUM CUMULATIVE AREA OF SIGNAGE SPECIFIED IN <i>TABLE 17-306:</i> MAXIMUM CUMULATIVE AREA OF SIGNS. |

| 1 | (2) SIGNS OVER 2 SQUARE FEET. |
|----------------------|---|
| 2 3 4 | Any sign over 2 square feet or any sign described in paragraph (1) of this subsection is subject to the applicable rules of this title, <i>Table 17-201: Sign Regulations</i> , and <i>Table 17-306: Maximum Cumulative Areas of Signs</i> . |
| 5 6 7 8 | COMMENT: In order to alleviate confusion, this clarifies what is meant by "maximum quantity" and "maximum cumulative area" per sign within <i>Table 17-201: Sign Regulations</i> . Further, this provision would exempt certain signs that are otherwise required by the City Building, Fire, and Related Codes. |
| 9 | Subtitle 4. Requirements by Sign Type |
| 10 | § 17-401. A-frame signs. |
| 11 | (a) In general. |
| 12 | A-frame signs are allowed only: |
| 13 | (1) for non-residential uses; AND |
| 14 15 | (2) IN THE ZONING DISTRICTS SPECIFIED IN THIS TITLE OR IN <i>TABLE 17-201: SIGN REGULATIONS</i> . |
| 16 | § 17-404. Awning or canopy signs and open-structural framework signs. |
| 17 18 | (a) Where allowed. |
| 19 | Awning or canopy signs and open-structural framework signs are allowed [as follows]: |
| 20 21 22 | (1) in a residential use category, only on multi-family dwellings with 20 or more units, dormitories with 20 or more rooms, and residential-care facilities with 17 or more residents; [and] |
| 23 24 | (2) in all other use categories, on all uses for which the sign is otherwise allowed under this title; and |
| 25 26 | (3) IN THE ZONING DISTRICTS SPECIFIED IN THIS TITLE OR IN <i>TABLE 17-201: SIGN REGULATIONS</i> . |
| 27 | (F) SIGNAGE ON EXISTING CANOPIES IN LOCAL HISTORIC DISTRICTS AND LOCAL LANDMARKS. |
| 28 29 30 31 | (1) AWNING OR CANOPY SIGNAGE MAY BE APPLIED TO EXISTING CANOPY STRUCTURE ON BUILDINGS IN LOCAL HISTORIC DISTRICTS AND LOCAL LANDMARKS THAT WERE PREVIOUSLY USED FOR SIGNAGE AS APPROVED BY THE COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION. |
| 32 33 34 | (2) ANY ELECTRONIC SIGNAGE ON EXISTING CANOPIES ARE SUBJECT TO ALL APPLICABLE RULES OF THIS ARTICLE, <i>TABLE 17-201: SIGN REGULATIONS</i> , AND <i>TABLE 17-306: MAXIMUM CUMULATIVE AREA OF SIGNS</i> . |

| 1 2 | COMMENT: Allows, subject to certain conditions, signage on existing canopies in local historic districts and local landmarks. |
|----------|--|
| 3 | § 17-405. Banner signs. |
| 4 | Banner signs are allowed [as follows]: |
| 5 6 | (1) in a residential use category, only for multi-family dwellings with 20 or more units and dormitories with 20 or more rooms; [and] |
| 7 8 | (2) in all other use categories, for all uses for which the sign is otherwise allowed under this title; AND |
| 9 10 | (3) IN THE ZONING DISTRICTS SPECIFIED IN THIS TITLE OR IN <i>TABLE 17-201: SIGN REGULATIONS</i> . |
| 11 | § 17-407. Electronic signs. |
| 12 | (a) Where allowed. |
| 13 | Electronic signs are allowed [as follows]: |
| 14 15 | [(1) in a residential use category, only for multi-family dwellings with 50 or more units; and |
| 16 17 | (2) in all other use categories, for all uses for which the sign is otherwise allowed under this title.] |
| 18 19 | (1) IN RESIDENTIAL ZONING DISTRICTS R-1A THROUGH R-10 FOR ALL USES ALLOWED IN THE INSTITUTIONAL USE CATEGORY. |
| 20 | (2) IN NON-RESIDENTIAL ZONING DISTRICTS: |
| 21 22 | (I) IN A RESIDENTIAL USE CATEGORY, ONLY FOR MULTI-FAMILY DWELLINGS WITH $50\ \mathrm{OR}$ MORE UNITS; AND |
| 23 24 | (II) IN ALL OTHER USE CATEGORIES, FOR ALL USES FOR WHICH THE SIGN IS OTHERWISE ALLOWED UNDER THIS TITLE; AND |
| 25 26 | (3) IN THE ZONING DISTRICTS SPECIFIED IN THIS TITLE OR IN <i>TABLE 17-201: SIGN REGULATIONS</i> . |
| 27 28 | Comment: Allows, subject to certain conditions, electronic signage in the Institutional use category in all Residential Zoning Districts.". |

| 1 | (g) Architecture. |
|-----------------------|---|
| 2 3 4 | (1) No electronic sign affixed to a building, including sign support structure, may projec beyond the ends or top of the wall or higher than any roofline of the structure to which it is attached. |
| 5 6 7 8 9 | (2) IN LOCAL HISTORIC DISTRICTS AND LOCAL LANDMARKS DESIGNATED BY THE COMMISSION FOR HISTORICAL AND ARCHITECTURAL PRESERVATION, ELECTRONIC SIGNAGE MAY BE ADDED TO AN EXISTING CANOPY THAT IS INTEGRAL TO THE ARCHITECTURE OF THE BUILDING IN ACCORDANCE WITH ALL APPLICABLE RULES OF THIS ARTICLE, TITLE 17, Table 17-201: Sign Regulations, and Table 17-306: Maximum Cumulative Area of Signs. |
| 11 12 | COMMENT: Allows, subject to certain conditions, electronic signage on existing canopies in local historic districts and local landmarks. |
| 13 | § 17-408. Freestanding signs. |
| 14 | (a) Where allowed. |
| 15 | Freestanding signs are allowed [as follows]: |
| 16 17 18 | (1) in a residential use category, only for multi-family dwellings with 20 or more units, dormitories with 20 or more rooms, and residential-care facilities with 17 of more residents; [and] |
| 19 20 | (2) in all other use categories, for all uses for which the sign is otherwise allowed under this title; and |
| 21 22 | (3) IN THE ZONING DISTRICTS SPECIFIED IN THIS TITLE OR IN <i>TABLE 17-201: SIGN REGULATIONS</i> . |
| 23 | (c) Additional requirements. |
| 24 25 26 | (1) All freestanding signs must be securely built, constructed, and erected on posts, base and standards that are sunk below the natural surface in a manner that will prevent the sign from overturning. |
| 27 28 | (2) On a freestanding pole sign, no message or graphic is allowed within the minimum pole height. |
| 29 30 | (3) On a freestanding pole sign, the poles, uprights, or braces may not be more than 25% of the width of the lowest point of the message or graphic being supported. |
| 31 32 33 | (4) Where allowed, all freestanding signs may only be placed within 20 feet of the front or corner side lot line of any lot adjoining a street right-of-way of at least 30 feet wide. |
| 34 35 | (5) The height of the open space between the ground and the message component of any freestanding monument sign may not exceed more than 40% of the total sign height. |

| 1 2 3 | (6) UNLESS OTHERWISE PROVIDED IN THIS TITLE, THE MAXIMUM SQUARE FOOTAGE OF MULTIPLE FREESTANDING SIGNS MAY NOT BE COMBINED TO CREATE A LARGER FREESTANDING SIGN. |
|-------------|--|
| 4 | § 17-412. PAINTED/MURAL SIGNS. |
| 5 | PAINTED/MURAL SIGNS ARE ALLOWED: |
| 6 7 | (1) IN THE R-1A THROUGH R-10 ZONING CATEGORIES ON ALL USES IN THE INSTITUTIONAL, OPEN-SPACE, AND COMMERCIAL USE CATEGORIES; |
| 8 9 | (2) IN ALL OTHER USE CATEGORIES, ON ALL USES FOR WHICH THE SIGN IS OTHERWISE ALLOWED UNDER THIS TITLE; AND |
| 10 11 | (3) IN THE ZONING DISTRICTS SPECIFIED IN THIS TITLE OR IN <i>TABLE 17-201: SIGN REGULATIONS</i> . |
| 12 13 | § 17-413. [§ 17-412.] Portable signs. |
| 14 | § 17-414. [§ 17-413.] Projecting signs. |
| 15 | (a) Where allowed. |
| 16 | Projecting signs are allowed [as follows]: |
| 17 18 | (1) in a residential use category, only on multi-family dwellings with 20 or more units; [and] |
| 19 20 | (2) in all other use categories, on all uses for which the sign is otherwise allowed under this title; AND |
| 21 22 | (3) IN THE ZONING DISTRICTS SPECIFIED IN THIS TITLE OR IN <i>TABLE 17-201: SIGN REGULATIONS</i> . |
| 23 | § 17-415. [§ 17-414.] Roof signs. |
| 24 | (a) Where allowed. |
| 25 | Roof signs are allowed [as follows]: |
| 26 27 | (1) in a residential use category, only on multi-family dwellings with 100 or more units; [and] |
| 28 29 | (2) in all other use categories, on all uses for which the sign is otherwise allowed under this title; AND |
| 30 31 | (3) IN THE ZONING DISTRICTS SPECIFIED IN THIS TITLE OR IN <i>TABLE 17-201: SIGN REGULATIONS</i> . |

| 1 | § 17-416. [§ 17-415.] Wall signs. |
|----------------------------|--|
| 2 | (a) Where allowed. |
| 3 | Wall signs are allowed [as follows]: |
| 4 5 6 | (1) in a residential use category, only on multi-family dwellings with 15 or more units, dormitories with 20 or more rooms, and residential-care facilities with 17 o more residents; [and] |
| 7 8 | (2) in all other use categories, on all uses for which the sign is otherwise allowed under this title; AND |
| 9 10 | (3) IN THE ZONING DISTRICTS SPECIFIED IN THIS TITLE OR IN <i>TABLE 17-201: SIGN REGULATIONS</i> . |
| 11 | (c) Additional requirements. |
| 12 13 | (1) This subsection applies to all zoning districts, unless otherwise specified by this subtitle or by <i>Title 17-201: Sign Regulations</i> . |
| 14 | (2) The maximum size of a wall sign is determined by: |
| 15 16 | (i) measuring the building frontage along the lot line of the elevation on which the wall sign will be placed; and |
| 17 18 | (ii) applying to that measurement the area factor specified in <i>Table 17-201: Sign Regulations</i> . |
| 19 20 21 | (3) The size of a wall sign on each side of the building is limited to the square footage calculated on that side only AND MUST BE PLACED ON THAT SIDE OF THE BUILDING UNLESS OTHERWISE PROVIDED IN THIS TITLE. |
| 22 23 24 25 26 | (4) In no case may the square footage allowed by the building frontage located along any lot line be combined with the square footage allowed by the building frontage located along any other lot line to create a larger sign on a wall OR SPLIT INTO MULTIPLE WALI SIGNS other than that allowed on each individual wall unless otherwise provided in this title. |
| 27 28 29 30 | [(5) In the C-3, C-4, C-5, TOD-4, BSC, H, I-1, I-2, and PC Zoning Districts, the maximum area per sign for a wall sign (above the ground floor), as specified in <i>Table 17-201: Sign Regulations</i> , may be split into multiple signs on a single lot, not to exceed the maximum square footage allowed.] |
| 31 | § 17-417. [§ 17-416.] Window signs. |
| 32 | (a) Where allowed. |
| 33 | Window signs are allowed [as follows]: |

| 1 2 | (1) in a residential use category, only on multi-family dwellings with 20 or more units; [and] |
|----------------------------|---|
| 3 4 | (2) in all other use categories, on all uses for which the sign is otherwise allowed under this title; AND |
| 5 6 | (3) IN THE ZONING DISTRICTS SPECIFIED IN THIS TITLE OR IN <i>TABLE 17-201: SIGN REGULATIONS</i> . |
| 7 | Subtitle 5. Areas of Special Signage Control |
| 8 | § 17-506. DESIGNATION SIGNAGE PLAN APPROVAL – PLANNED UNIT DEVELOPMENTS. |
| 9 | (A) IN GENERAL. |
| 10 11 | AN AREA OF SPECIAL SIGNAGE CONTROL AND SIGNAGE PLAN MAY BE INCORPORATED INTO A NEW PLANNED UNIT DEVELOPMENT ESTABLISHED BY ORDINANCE. |
| 12 | (B) STANDARDS. |
| 13 14 | IF A PLANNED UNIT DEVELOPMENT INCORPORATES AN AREA OF SPECIAL SIGNAGE CONTROL: |
| 15 16 | (I) THE PROPOSED ORDINANCE MUST HAVE A DEDICATED SECTION OF THE ORDINANCE ENTITLED, "AREA OF SPECIAL SIGNAGE CONTROL"; |
| 17 18 19 | (II) THE REQUIREMENTS OF 17-503(C) MUST BE INCLUDED AS PART OF THE EVALUATION OF APPLICATION FOR THE INCLUSION WITHIN THE PLANNED UNIT DEVELOPMENT; |
| 20 21 | (III) THE REQUIREMENTS OF $17-504$ must be met and included in either text or exhibits in the planned unit development; |
| 22 23 | (IV) TABLE 17-201: SIGN REGULATIONS AND TABLE 17-306: MAXIMUM CUMULATIVE AREA OF SIGNS ARE APPLICABLE; |
| 24 25 | (V) A BOUNDARY CHANGE SHALL BE CONSIDERED A MAJOR CHANGE AND MUST BE CHANGED BY ORDINANCE; |
| 26 27 28 29 30 | (VI) UNLESS THE SIGNAGE IS ATTACHED TO PORTIONS OF THE PLANNED UNIT DEVELOPMENT THAT ARE DEEMED TO BE A MAJOR CHANGE UNDER TITLE 15 OF THIS ARTICLE, A SIGNAGE PLAN INCLUDED IN THE PLANNED UNIT DEVELOPMENT MAY BE AMENDED BY PLANNING COMMISSION AND CONSIDERED A MINOR CHANGE TO THE PLANNED UNIT DEVELOPMENT; |
| 31 32 33 | (VII) IF A PLANNED UNIT DEVELOPMENT IS REPEALED AND NOT REPLACED, THE ÅREA OF SPECIAL SIGNAGE CONTROL MAY CONTINUE TO BE EFFECTIVE WITH THE DESIGNATED BOUNDARIES AND THE APPROVED SIGNAGE PLAN; AND |
| 34 | (VIII) UNLESS OTHERWISE PROVIDED, ALL PROVISIONS OF THIS CODE ARE APPLICABLE. |

| 1 2 3 | COMMENT: Establishes provisions governing how "Areas of Special Signage Control" will operate with regard to planned unit developments. This is the companion provision to § 17-206(f) {"Special rules: Planned unit developments"}. |
|----------------------------|---|
| 4 | Title 18. Nonconformities |
| 5 | Subtitle 2. Definitions; General Provisions |
| 6 | § 18-206. Determination of nonconformity. |
| 7 | (C) THE ZONING ADMINISTRATOR OR THE BOARD OF MUNICIPAL AND ZONING APPEALS MAY |
| 8 | DENY ANY APPLICATION FOR A VARIANCE IF THE SUBJECT PROPERTY HAS AN |
| 9 | OUTSTANDING NOTICE OF VIOLATION, CODE VIOLATION, OR ANY OTHER UNRESOLVED OR |
| 10 | UNPAID FEE, FINE, OR CITATION. |
| 11 12 13 | COMMENT: Provides the Zoning Administrator or the Board of Municipal and Zoning Appeals the discretion to dismiss or deny relief under an application, for outstanding Code or other violations. |
| 14 | § 18-207. EXPIRATION OF APPROVAL. |
| 15 | (A) ANY AUTHORIZATION TO CONTINUE A NONCONFORMING USE, DENSITY, OR OTHER |
| 16 | NONCONFORMITY LAPSES AND BECOMES VOID 1 YEAR FROM THE DATE OF ITS FINAL |
| 17 | APPROVAL, UNLESS WITHIN THAT YEAR: |
| 18 | (1) A USE PERMIT UNDER THIS CODE AND AN OCCUPANCY PERMIT UNDER THE |
| 19 | BALTIMORE CITY BUILDING CODE HAVE BEEN OBTAINED FOR THAT USE; |
| 20 | (2) THE ERECTION OR ALTERATION OF A STRUCTURE FOR THAT USE HAS LAWFULLY |
| 21 | BEGUN; OR |
| 22 | (3) THE USE HAS LAWFULLY BEGUN. |
| 23 | (B) THE BOARD OF MUNICIPAL AND ZONING APPEALS MAY GRANT AN EXTENSION OF THIS |
| 24 | PERIOD ON WRITTEN APPLICATION AND FOR GOOD CAUSE SHOWN WITHOUT NOTICE OR |
| 25 | HEARING. |
| 26 | COMMENT: Corrects an omission whereby the expiration of conditional uses and |
| 27 | variances and extensions from the Board of Municipal and Zoning Appeals are covered |
| 26 27 28 29 30 | under Title 5, but the continuation of nonconforming uses and structures are not. The |
| 29 | Board of Municipal and Zoning Appeals proposes adding language mirroring the |
| 30 | expiration/extension process for conditional uses and variances to include the |
| 31 | authorization to continue nonconforming uses/structures. |
| 32 | Subtitle 4. Nonconforming Structures |
| 33 | § 18-403. Expansion of structure. |
| 34 | A nonconforming structure may not be expanded if the expansion would[, in any way,] create |
| 35 | a new nonconformity[,] OR increase the degree of any nonconformity[, or increase the bulk o |
| 36 | the structure]. |

COMMENT: Amends the existing provision, at the request of the Board of Municipal and Zoning Appeals, to lessen the restrictions on nonconforming structures to allow for regular improvements to property so long as they do not create new nonconformities or increase the degree of nonconformity. Example: If a single-family dwelling covers more of a lot than allowed by bulk regulation (say, by 1 sq. ft.), but requests an additional floor with building height that's allowed by right, this provision, as currently exists, would not allow the additional floor because "it would increase the bulk of the structure."

Table 7-202: Open Space Districts Permitted and Conditional Uses

| USES | DISTRICTS | USE STANDARDS |
|--|---------------------|----------------|
| | os | |
| COMMERCIAL | | |
| | | |
| FARMERS MARKET | СВ | PER § 14-312.1 |
| | | |
| OTHER | | |
| | | |
| Parking Lot (Accessory Use) | [CO] P ¹ | |
| | | |
| Wireless Communications Services [1] 2 | CB, P | Per 14-338 |

PERMITTED ONLY ON PARK OR CEMETERY PROPERTY.

Only Wireless Communication Services that are modifications to – and do not substantially change the physical dimension of – an existing telecommunications facility, are considered permitted uses.

Comment: Allows the use of Farmers Market in this Zoning District, subject to approval by the Board of Municipal and Zoning Appeals, and removes a requirement that has proved to be too onerous and without benefit to the City's Department of Recreation and Parks.

| 1 TABLE 8-301: DETACHED AND SEMI-DETACHED RESIDENTIAL DISTRICTS — PERMITTED AND CONDITIONAL USES | | | | | | | | | | |
|--|-----------|-----------|-----------|-----------|------|-----------|------------------|-----|-----------|----------------|
| 3 USES | DISTRICTS | | | | | | USE STANDARDS | | | |
| | R-1A | R-1B | R-1C | R-1D | R-1E | R-1 | R-2 | R-3 | R-4 | |
| 4COMMERCIAL | | | | | | | | | | |
| 5 | | | | | | | | | | |
| 6 <mark>Farmers M</mark> arket | CB | CB | CB | CB | CB | CB | CB | CB | CB | PER § 14-312.1 |
| 7 | | | | | | | | | | |

COMMENT: Allows the use of Farmers Market in these Zoning Districts, subject to approval by the Board

| 0 TABLE 9-301: ROWHOUSE AND MULTI-FAMILY RESIDENTIAL DISTRICTS — 1 PERMITTED AND CONDITIONAL USES | | | | | | | | |
|--|----------------|-----|-----|-----|-----|------|-------------------|--|
| 12 USES | USES DISTRICTS | | | | | | | |
| | R-5 | R-6 | R-7 | R-8 | R-9 | R-10 | | |
| 13Institutional | | | | | | | | |
| 14 | | | | | | | | |
| 15 <mark>Educational</mark> 16 <mark>Facility:</mark> 17 <mark>Commercial</mark> - 18 <mark>Vocational</mark> | СВ | СВ | СВ | СВ | СВ | СВ | | |
| 9 | | | | | | | | |
| OCOMMERCIAL | | | | | | | | |
| 1 | | | | | | | | |
| 2 <mark>Farmers Market</mark> | СВ | СВ | СВ | СВ | СВ | СВ | PER § 14-312.1 | |
| 3 | | | | | | | | |

²⁴ 25 **COMMENT:** Allows the use of Farmers Market in these Zoning Districts, subject to approval by the Board of Municipal and Zoning Appeals.

of Municipal and Zoning Appeals..

| 2 USES | DISTRICTS | | | | | USE STANDARDS | | |
|--|-----------|------------------|-------|-----------|------|------------------|------|----------------|
| | C-1 | C-1-VC | С-1-Е | C-2 | C-3 | C-4 | C-5 | |
| 3 | | | | | | | | |
| 4Institutional | | | | | | | | |
| 5 | | | | | | | | |
| 6Educational Facility: Commercial-Vocational | CB | | | CB | P | P | P | |
| 7 | | | | | | | | |
| 8COMMERCIAL | | | | | | | | |
| 9 | | | | | | | | |
| 0Arts Studio: Industrial | P | P | P | [CB] | [CB] | P | [CB] | |
| 1 | | | | | | | | |
| 2 <mark>Farmers Market</mark> | P | P | P | P | P | P | P | PER § 14-312.1 |
| 3 | | | | | | | | |
| 4Industrial | | | | | | | | |
| 5Food Processing: Light | [CB] | [CB] P | [CB] | [CB] | [CB] | [CB] P | [CB] | |
| 6 | | | | | | | | |

COMMENTS: Allows the use of Educational Facility: Commercial-Vocational in the C-1 Zoning District, as approved by the Board of Municipal and Zoning Appeals, which will allow for driving schools and other small training centers to locate in Main Street areas. Allowing the uses of Arts Studio: Industrial, Farmers market, and Food Processing: Light, as permitted uses in the Commercial Zoning Districts, will help small businesses and start-ups and bring new businesses to commercial corridors.

| 22 Table 10-401: Commercial Districts (C-1 to C-4) – Bulk and Yard Regulations | | | | | | | | | |
|--|-------------------------------|----------|-------|-----|-----|-----|--|--|--|
| 23CATEGORIES | SPECIFICATIONS (PER DISTRICT) | | | | | | | | |
| | C-1 | C-1-VC 1 | С-1-Е | C-2 | C-3 | C-4 | | | |

| 1MINIMUM LOT AREA | | | | | | |
|---|----------------------------|-------------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|
| 2Dwelling: Live-Work, 3Multi-Family, or 4Rowhouse | 300 sq.ft <mark>/DU</mark> | 5,000 sq.ft <mark>/ DU</mark> | 550 sq.ft <mark>/ DU</mark> | 225 sq.ft <mark>/DU</mark> | 300 sq.ft <mark>/DU</mark> | 300 sq.ft <mark>/DU</mark> |
| 5 | | | | | | |

6 **COMMENT:** Clarifies and corrects, with the addition of the symbol "/du" (per dwelling unit).

| 8 USES | DISTRICTS | | | | | | | | |
|--------------------------------|-----------|-----|-------|-------|-----|-----|----|----------------|--|
| | OIC | BSC | IMU-1 | IMU-2 | I-1 | I-2 | MI | | |
| 9COMMERCIAL | | | | | | | | | |
| 0 | | | | | | | | | |
| 1Drive-Through Facility | | | СВ | [CB] | | | | Per § 14-311 | |
| 2 <mark>Farmers M</mark> arket | P | P | P | | | | | PER § 14-312.1 | |
| 3 | | | | | | | | | |

COMMENT: Deletes Drive-Through Facility as a use in IMU-2 District.. Permits the use of Farmers Market in designated Zoning Districts .

¹⁴ 15

| 1 2 | TABLE 12-301: OFFICE-RESIDENTIAL DISTRICTS — PERMITTED AND CONDITIONAL USES | | | | | | | | | |
|----------|---|-----------|----------------|--|--|--|--|--|--|--|
| 3 | USES | DISTRICTS | USE STANDARDS | | | | | | | |
| | | OR | | | | | | | | |
| 4Соммв | ERCIAL | | | | | | | | | |
| 5 | | | | | | | | | | |
| 6FARMERS | S MARKET | СВ | Per § 14-312.1 | | | | | | | |
| 7 | | | | | | | | | | |

COMMENT: Allows the use of Farmers Market in this Zoning District, subject to conditional approval by the Board of Municipal and Zoning Appeals.

| 0 TABLE 12-402: TRANSIT-ORIENTED DEVELOPMENT DISTRICTS — PERMITTED AND CONDITIONAL USES | | | | | | | | |
|---|----------------|-------|-------|-------|----------------|--|--|--|
| 12 USES | USES DISTRICTS | | | | | | | |
| | TOD-1 | TOD-2 | TOD-3 | TOD-4 | | | | |
| 13COMMERCIAL | | | | | | | | |
| 14 | | | | | | | | |
| 15 <mark>Farmers Market</mark> | P | P | P | P | PER § 14-312.1 | | | |
| 16 | | | | | | | | |

17 **COMMENT:** Permits the use of Farmers Market in these Zoning Districts.

| 18 TABLE 12-501: EDUCATIONAL CAMPUS DISTRICTS— PERMITTED AND CONDITIONAL USES | | | | | | | |
|---|-------|-------|----------------|--|--|--|--|
| 20 USES | Disti | RICTS | USE STANDARDS | | | | |
| | EC-1 | EC-2 | | | | | |
| 21Commercial | | | | | | | |
| 22 | | | | | | | |
| 23Farmers Market | P | P | PER § 14-312.1 | | | | |

| la | | |
|-----|--|--|
| III | | |
| 1 | | |

2 **COMMENT:** Permits the use of Farmers Market in these Zoning Districts.

| TABLE 12-601: HOSPITAL CAMPUS DISTRICTS – PERMITTED AND CONDITIONAL USES | | | | | | |
|--|----------------------|-----------|----------------|--|--|--|
| 5 | USES | DISTRICTS | USE STANDARDS | | | |
| | | Н | | | | |
| 6COMMERO | CIAL | | | | | |
| 7 | | | | | | |
| 8 <mark>Farmers M</mark> | <mark>(</mark> arket | P | PER § 14-312.1 | | | |
| 9 | | | | | | |

10 **COMMENT:** Permits the use of Farmers Market in this Zoning District.

| TABLE 15-601: PERMITTED ENCROACHMENTS INTO REQUIRED YARDS | | | | | | | |
|---|---------------------------------|------------------------|-----------|--|--|--|--|
| 12 PERMITTED ENCROACHMENTS | FRONT YARD/ CORNER-SIDE YARD | Interior- Side Yard | REAR YARD | | | | |
| 13 | | | | | | | |
| 4 <mark>Gazebo</mark> | | X | X | | | | |
| 15 | | | | | | | |

COMMENT: Adds gazebo to the list of permitted encroachments, recognizing that they are common structures and are not the same thing as an arbor or trellis.

16 17

|--|

| 2 USES | PARKING SPACES REQUIRED |
|---------------------------------------|---|
| 1 | |
| Bail Bond Establishment | [2] 1 per 1,000 sq. ft. of GFA |
| 5 | |
| 7Check-cashing Establishment | [2] 1 per 1,000 sq. ft. of GFA |
| 8 | |
| Entertainment: Indoor – Movie Theater | [1 per 4 seats for first 400 seats +] 1 per 6 seats [after first 400] |
| 1) | |
| 1 Financial Institution | [2] 1 per 1,000 sq. ft. of GFA + 2 stacking spaces per drive-through lane |
| 12 | |
| BOffice | 1 per [800] 1,000 sq. ft. of GFA |
| 14 | |
| 15Pawn Shop | [2] 1 per 1,000 sq. ft. of GFA |
| 16Personal Services Establishment | [2] 1 per 1,000 sq. ft. of GFA |
| 17Place of Worship | per 4 persons of fire-rated capacity OF THE MAIN SANCTUARY; or, for places of worship whose worshipers are required to walk to worship because of religious tenet, 1 per 8 persons of fire-rated capacity + or more additional spaces as required by this Code for other uses on the site |
| 18 | |
| 19Retail Good Establishment | [2] 1 per 1,000 sq. ft. of GFA |
| 20 | |

TABLE 16-705: REQUIRED BICYCLE SPACES

<u>CAUTION:</u> THE REQUIREMENTS OF THIS TABLE ARE SUBJECT TO VARIOUS STATUTORY QUALIFICATIONS, EXEMPTIONS, STANDARDS, MINIMUM REQUIREMENTS, AND ADJUSTMENTS.

FOR SPECIFICS, CONSULT § 16-705 OF THIS CODE.

| 5 | Uses | LONG-TERM SPACES REQ'D | SHORT-TERM SPACES REQ'D |
|----------|---|--|---|
| 6 | Art Gallery | 1 per [10,000] 5,000 sq. ft. of GFA | 1 per [5,000] 1,000 sq. ft. of GFA |
| 7 | Arts Studio | 1 per [10,000] 5,000 sq. ft. of GFA | 1 per [5,000] 1,000 sq. ft. of GFA |
| 8 | Banquet Hall | 1 per 200 persons of fire-rated capacity | [None] 1 PER 200 PERSONS OF FIRE-RATED CAPACITY |
| 9 | CARRY-OUT FOOD SHOP | 1 PER 2,000 SQ. FT. OF GFA | 1 PER 1,000 SQ. FT. OF GFA |
| 10 | Cemetery | 1 per 10,000 sq. ft. of office and chapel areas | 1 per 7,500 sq. ft. of office and chapel areas |
| 11 | Convention Center | 1 per [20,000] 10,000 sq. ft. of GFA | 1 per [40,000] 10,000 sq. ft. of GFA |
| 12 | Cultural Facility | 1 per [10,000] 5,000 sq. ft. of GFA | 1 per [10,000] 2,000 sq. ft. of GFA |
| 13 | Day-Care Center: Adult or Child | 1 per 10,000 sq. ft. of GFA | [None] 1 PER 5,000 SQ. FT. OF GFA |
| 14 15 | Dwelling: Multi-Family – Generally | 1 per [4] 3 dwelling units | 1 per [12] 6 dwelling units |
| 16 17 | Dwelling: Multi-Family – Age- Restricted Housing | 75% of general multi-family requirement | 75% of general multi-family req't |
| 18 19 | Educational Facility: Commercial- Vocational or Post-Secondary | 1 per 20 employees on peak shift + 1 per 25 students based on maximum student capacity | [None] 1 PER 20 EMPLOYEES ON PEAK SHIFT + 1 PER 25 STUDENTS BASED ON MAXIMUM STUDENT CAPACITY |
| 20 21 | Educational Facility: Primary and Secondary | 1 per 20 employees on peak shift + 1 per 50 students based on maximum student capacity | [None] 1 PER 20 EMPLOYEES ON PEAK SHIFT + 1 PER 50 STUDENTS BASED ON MAXIMUM STUDENT CAPACITY |
| 22 | Entertainment: Indoor – Generally | 1 per [150] 100 persons of fire-rated capacity | [None] 1 PER 50 PERSONS OF FIRE-RATED CAPACITY |
| 23 24 | Entertainment: Indoor – Movie Theater | 1 per [10,000] 5,000 sq. ft. of GFA | 1 per [5,000] 1,000 sq. ft. of GFA |
| 25 | Entertainment: Outdoor | 1 per [15,000] 5,000 sq. ft. of public-use area | 1 per [5,000] 1,000 sq. ft. of public-use area |
| 26 | Financial Institution | per [10,000] 5,000 sq. ft. of GFA | 1 per [25,000] 1,000 sq. ft. of GFA |
| 27 | Government Facility | 1 per [8,000] 5,000 sq. ft. of GFA | 1 per [15,000] 5,000 sq. ft. of GFA |
| 28 | Health-Care Clinic | 1 per [50,000] 30,000 sq. ft. of GFA | 1 per [30,000] 10,000 sq. ft. of GFA |
| 29 | Hospital | 1 per [50,000] 30,000 sq. ft. of GFA | 1 per [30,000] 10,000 sq. ft. of GFA |

| 1 | USES | LONG-TERM SPACES | SHORT-TERM SPACES |
|--------|---------------------------------------|---|--|
| 2 | Hotel or Motel | 1 per 8 guest units | [None]1 PER 25 GUEST UNITS |
| 3 | Industrial: General | 1 per [30,000] 10,000 sq. ft. of GFA | [None] 1 PER 20,000 SQ. FT. OF GFA |
| 4 | INDUSTRIAL: WAREHOUSE | I PER 10,000 SQ. FT. OF GFA | 1 PER 20,000 SQ. FT OF GFA |
| 5 | Office | 1 per [10,000] 5,000 sq. ft. of GFA | 1 per [25,000] 5,000 sq. ft. of GFA |
| 6 | Park or Playground | None | [None] 1 PER 5,000 SQ. FT. OF GFA |
| 7 8 | Parking Garage or Lot (Principal Use) | 1 per 20 vehicle parking spaces | [None] 1 PER 40 VEHICLE PARKING SPACES |
| 9 | [Passenger Terminal] | [None] | [None] |
| 10 | Personal Services Establishment | 1 per [10,000] 5,000 sq. ft. of GFA | 1 per [5,000] 1,000 sq. ft. of GFA |
| 11 | Place of Worship | 1 per 15,000 sq. ft. of GFA | 1 per 7,500 sq. ft. of GFA |
| 12 | Recreation: Indoor | 1 per 150 persons of fire-rated capacity | [None] 1 PER 50 PERSONS OF FIRE-RATED CAPACITY |
| 13 | Recreation: Outdoor | 1 per 15,000 sq. ft. of public-use area | 1 per 5,000 sq. ft. of public-use area |
| 14 | Residential-Care Facility | 1 per 8 residents; however, if the facility does not permit residents to have bicycles at the facility, the facility need not provide bicycle parking spaces for them | 1 per 16 residents; however, if the facility does not permit residents to have bicycles at the facility, the facility need not provide bicycle parking spaces for them |
| 15 | Restaurant | 1 per [4,000] 2,000 sq. ft. of GFA | 1 per [4,000] 1,000 sq. ft. of GFA |
| 16 | Retail Goods Establishment | 1 per 10,000 sq. ft. of GFA | 1 per 5,000 sq. ft. of GFA |
| 17 | Stadium | 1 per 200 seats | [None] 1 PER 100 SEATS |
| 18 | Tavern | 1 per [4,000] 2,000 sq. ft. of GFA | 1 per [4,000] 1,000 sq. ft. of GFA |

COMMENT TO DISTRICTS R-1A THROUGH R-10, AND DISTRICTS R-MU AND D-MU: Allows an electronic sign (Category I) in residential zoning districts, subject to certain specific requirements for this type of sign and conditional approval by the Board of Municipal and Zoning Appeals. Institutions, such as churches and schools, would like to take advantage of new technology to have digital signs. By making them conditional by the Board, they can be reviewed to assure that they are not glaring into residential windows.

Also allows painted/mural signs in these districts, subject to conditional approval by the Board.

TABLE 17-201: SIGN REGULATIONS

27 <u>CAUTION: ADDITIONAL SIGN STANDARDS ARE LOCATED IN TITLE 17 {"SIGNS"}.</u>

26

| Silgn Types by Zoning Dis | Silgn Types by Zoning District * | | ISTRICT REQU | IREMENTS | AREA OF SPECIAL SIGNAGE CONTROL (ASSC | | |
|--|----------------------------------|--------------------------|---|---------------------|---|--------------|--|
| | Approval Method | Maximum Area Per Sign | Height, Width, & Location Req'ts | Maximum Quantity | Sign Types Allowable for ASSC Deviation Deviation Maximum Percentage Deviation for Height, Width, & Area | | |
| R-1& THROUGH R-4 | | | | | | - | |
| ELEC3RONIC SIGN (CAT#GORY I) | СВ | 15 sq. ft. | PER SIGN TYPE USED | 1 PER LOT | | Not Eligible | |
| 5 | | | | | | | |
| Pain 6ED/MURAL SIGN | CB | 36 SQ. FT. | | 1 PER LOT | Not Eligible | | |
| 7 | | | | | | | |
| R-5 \$hrough R-7 | | | | | | | |
| ELECPRONIC SIGN (Calt@gory I) | CB | 15 sq. ft. | PER SIGN TYPE USED | 1 PER LOT | | NOT ELIGIBLE | |
| 11 | | | | | | | |
| Pain 2ed/mural sign | СВ | 36 SQ. FT. | | 1 PER LOT | NOT ELIGIBLE | | |
| 13 | | | | | | | |
| R-84HROUGH R-10 | | | | | | | |
| Ele t5 ronic Sign (Ca it6 gory I) | СВ | 15 sq. ft. | PER SIGN TYPE USED | 1 PER LOT | | NOT ELIGIBLE | |
| 17 | | | | | | | |

| Painted/mural sign | CB | 36 sq. ft. | | 1 PER LOT | Not Eligible | | |
|--|-----------|------------|-----------------------|-----------|--------------|--|--|
| 2 | | | | | | | |
| R-MU | | | | | | | |
| ELEC4RONIC SIGN (CATEGORY I) | СВ | 15 sq. ft. | PER SIGN TYPE USED | 1 PER LOT | Not Eligible | | |
| 6 | | | | | | | |
| Pain¶ed/mural sign | СВ | 36 sq. ft. | | 1 PER LOT | Not Eligible | | |
| 8 | | | | | | | |
| D-MAU | D-M9U | | | | | | |
| ELE LO RONIC SIGN (CATEGORY I) | СВ | 15 SQ. FT. | PER SIGN TYPE USED | 1 PER LOT | Not Eligible | | |
| 12 | | | | | | | |
| Pain Bed Mural sign | CB | 36 SQ. FT. | | 1 PER LOT | Not Eligible | | |
| 14 | | | | | | | |

| SIGN TYPES BY ZONING DIS | Zoning District Requirements | | | AREA OF SPECIAL SIGNAGE CONTROL (ASSC) | | | |
|--------------------------|------------------------------|----------------------|------------------------|--|-------------------------|------------------------|---------------------------|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation |
| C-1 2 | | | | | | | |
| 3 | | | | | | | |
| Pain#ed/mural sign | A | 36 sq. ft. | | 1 PER LOT | X | 25% | PER APPROVED SIGNAGE PLAN |
| 5 | | | | | | | |

| SIGN TYPES BY ZONING DIS | STRICT * | Zoning L | DISTRICT REQU | IREMENTS | AREA OF SPECIAL SIGNAGE CONTROL | | |
|--------------------------|--------------------|----------------------|------------------------|---------------------|---------------------------------|---------------------|---------------------------|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation |
| C-1-Æ | | | | | | | |
| 3 | | | | | | | |
| Pain#ed/mural sign | A | 36 SQ. FT. | | I PER LOT | X | 25% | PER APPROVED SIGNAGE PLAN |
| 5 | | | | | | | |

| SIGN TYPES BY ZONING DISTRICT * | | ZONING D | DISTRICT REQU | IREMENTS | AREA OF SPEC | CIAL SIGNAGE CO | NTROL (ASSC) |
|---------------------------------|--------------------|----------------------|------------------------|---------------------|-------------------------|------------------------|---------------------------|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation |
| C-1-2/C | | | | | | | |
| 3 | | | | | | | |
| Pain#ed/mural sign | A | 36 SQ. FT. | | L PER LOT | X | <u>25%</u> | PER APPROVED SIGNAGE PLAN |
| 5 | | | | | | | |

| SIGN TYPES BY ZONING DISTRICT * | | Zoning L | DISTRICT REQU | IREMENTS | IREMENTS AREA OF SPECIAL SIGNAGE CONTRO | | |
|---------------------------------|--------------------|----------------------|------------------------|---|---|------------------------|------------------------------|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation |
| C-2 2 | | | | | | | |
| 3 | | | | | | | |
| Elect#onic Sign (Category II) | [ASSC Only] CB | 50 sq. ft. | Per sign type used | 2 per lot | X | 50% | Per Approved Signage Plan |
| 5 | | | | | | | |
| Pain 6ed/mural sign | A | 40 sq. ft. | | I PER LOT | X | 50% | PER APPROVED SIGNAGE PLAN |
| 7 | | | | | | | |
| Wall&ign (Ground Floor) | A | [18] 30 sq. ft. | | 1 per tenant w/ direct ground- floor access / Corner tenant, 1 per street frontage | X | 50% | Per Approved Signage Plan |

| SIGN TYPES BY ZONING DISTRICT * | | Zoning L | DISTRICT REQU | IREMENTS | AREA OF SPEC | CIAL SIGNAGE CO | ONTROL (ASSC) |
|---------------------------------|--------------------|----------------------|------------------------|---|-------------------------|------------------------|---------------------------------|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation |
| C-3 2 | | | | | | | |
| 3 | | | | | | | |
| Pain#ed/mural sign | A | 100 SQ. FT. | | I PER LOT | X | <mark>50%</mark> | PER APPROVED SIGNAGE PLAN |
| 5 | | | | | | | |
| Wall&ign (Ground Floor) | A | [25] 40 sq. ft. | | 1 per tenant w/ direct ground- floor access / Corner tenant, 1 per street frontage | X | 50% | Per Approved Signage Plan |
| 7 | | | | | | | |

| SIGN TYPES BY ZONING DISTRICT * | | Zoning L | DISTRICT REQU | IREMENTS | AREA OF SPEC | CIAL SIGNAGE CO | NTROL (ASSC) |
|---------------------------------|--------------------|----------------------|------------------------|---------------------|-------------------------|---------------------|---------------------------|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation |
| C-4 2 | | | | | | | |
| 3 | | | | | | | |
| Pain#ed/mural sign | A | 100 SQ. FT. | | L PER LOT | X | <mark>50%</mark> | PER APPROVED SIGNAGE PLAN |
| 5 | | | | | | | |

| SIGN TYPES BY ZONING D | Zoning 1 | DISTRICT REQU | IREMENTS | AREA OF SPEC | CIAL SIGNAGE CO | NTROL (ASSC) | |
|---------------------------|--------------------|----------------------|------------------------|---|-------------------------|---------------------|---------------------------------|
| C-4 (&ont'd) | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation |
| 3 | | | | | | | |
| Wall4sign (Ground Floor) | A | [25] 40 sq. ft. | | 1 per tenant w/ direct ground- floor access | X | 50% | Per Approved Signage Plan |
| 5 | | | | | | | |
| C-5- D C | | | | | | | |
| 7 | | | | | | | |
| Pain8ed/mural sign | A | 100 SQ. FT. | | 1 PER LOT | X | 75% | PER APPROVED SIGNAGE PLAN |
| 9 | | | | | | | |
| Wall (Sign (Ground Floor) | A | [25] 40 sq. ft. | | 1 per tenant w/ direct ground- floor access / Corner tenant, 1 per street frontage | X | 50% | Per Approved Signage Plan |

| SIGN TYPES BY ZONING DIS | STRICT * | Zoning D | DISTRICT REQU | IREMENTS | AREA OF SPEC | CIAL SIGNAGE CO | NTROL (ASSC) |
|--------------------------------|--------------------|----------------------|------------------------|---|-------------------------|------------------------|---------------------------------|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation |
| C-5-1H | | | | | | | |
| 3 | | | | | | | |
| Bann&r Sign (Wall Mounted) | A | 120 sq. ft. | Below parapet | [1] 2 per lot | X | 75% | Per Approved Signage Plan |
| 5 | | | | | | | |
| Pain6ed/mural sign | A | 100 sq. ft. | | 1 PER LOT | X | <mark>75%</mark> | PER APPROVED SIGNAGE PLAN |
| Projetting Sign (Ground Floor) | A | [12] 15 sq. ft. | | 1 per tenant w/ direct ground- floor access / Corner tenant, 1 per street frontage | X | 75% | Per Approved Signage Plan |
| 9 | | | | | | | |
| Wall (Sign (Ground Floor) | A | [25] 40 sq. ft. | | 1 per tenant w/ direct ground- floor access / Corner tenant, 1 per street frontage | X | 75% | Per Approved Signage Plan |
| 11 | | | | | | | |

| SIGN TYPES BY ZONING DIS | STRICT * | Zoning D | DISTRICT REQU | IREMENTS | AREA OF SPEC | CIAL SIGNAGE CO | NTROL (ASSC) |
|--------------------------------|--------------------|----------------------|------------------------|---|-------------------------|------------------------|---------------------------------|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation |
| C-5-DE | | | | | | | |
| 3 | | | | | | | |
| Bann&r Sign (Wall Mounted) | A | 120 sq. ft. | Below parapet | [1] 2 per lot | X | 75% | Per Approved Signage Plan |
| 5 | | | | | | | |
| Pain 6ed/mural sign | A | 100 sq. ft. | | 1 PER LOT | X | <mark>75%</mark> | PER APPROVED SIGNAGE PLAN |
| Projecting Sign (Ground Floor) | A | [12] 15 sq. ft. | | 1 per tenant w/ direct ground- floor access / Corner tenant, 1 per street frontage | X | 75% | Per Approved Signage Plan |
| 9 | | | | | | | |
| Wall (Sign (Ground Floor) | A | [25] 40 sq. ft. | | 1 per tenant w/ direct ground- floor access / Corner tenant, 1 per street frontage | X | 75% | Per Approved Signage Plan |
| 11 | | | | | | | |

| SIGN TYPES BY ZONING DIS | STRICT * | Zoning L | DISTRICT REQU | IREMENTS | Area of Special Signage Control (ASSC) | | | | | |
|----------------------------|--------------------|----------------------|------------------------|---------------------|--|---------------------|------------------------------|--|--|--|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation | | | |
| C-5-AT | | | | | | | | | | |
| 3 | | | | | | | | | | |
| Banner Sign (Wall Mounted) | A | 120 sq. ft. | Below parapet | [1] 2 per lot | X | 50% | Per Approved Signage Plan | | | |
| 5 | | | | | | | | | | |
| Pain 6ed/mural sign | A | 60 SQ. FT. | | I PER LOT | X | <mark>50%</mark> | PER APPROVED SIGNAGE PLAN | | | |
| 7 | | | | | | | | | | |

| SIGN TYPES BY ZONING D | ISTRICT * | Zoning I | DISTRICT REQU | TREMENTS | AREA OF SPEC | CIAL SIGNAGE CO | NTROL (ASSC) |
|--|--------------------|----------------------|------------------------|---|-------------------------|------------------------|---------------------------------|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation |
| C-5-2TO | | | | | | | |
| 3 | | | | | | | |
| PAIN#ED/MURAL SIGN | A | 100 sq. ft. | | 1 PER LOT | X | <mark>50%</mark> | PER Approved Signage Plan |
| Projecting Sign (Ground Floor) | A | [12] 15 sq. ft. | | 1 per tenant w/ direct ground- floor access / Corner tenant, 1 per street frontage | X | 50% | Per Approved Signage Plan |
| 7 | | | | | | | |
| Wall&sign (Ground Floor) | A | [25] 40 sq. ft. | | 1 per tenant w/ direct ground- floor access / Corner tenant, 1 per street frontage | X | 25% | Per Approved Signage Plan |
| 9 | | | | | | | |
| C-5-0HS | | | | | | | |
| 11 | | | | | | | |
| Pantûzed/mural sign | A | 100 sq. ft. | | 1 PER LOT | X | <mark>50%</mark> | PER APPROVED SIGNAGE PLAN |
| Projecting Sign (Ground Flod r) | A | [12] 15 sq. ft. | | 1 per tenant w/ direct ground- floor access / Corner tenant, 1 per street frontage | X | 50% | Per Approved Signage Plan |
| 15 | | | | | | | |
| Wall & ign (Ground Floor) | A | [25] 40 sq. ft. | | 1 per tenant w/ direct ground- floor access / Corner tenant, 1 per street frontage | X | 25% | Per Approved Signage Plan |
| 17 | | | | | | | |

| SIGN TYPES BY ZONING DIS | STRICT * | Zoning D | DISTRICT REQU | IREMENTS | AREA OF SPEC | CIAL SIGNAGE CO | NTROL (ASSC) |
|--------------------------------|--------------------|----------------------|------------------------|---|-------------------------|------------------------|------------------------------|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation |
| C-5- G | | | | | | | |
| 3 | | | | | | | |
| Pain#ed/mural sign | A | 100 sq. ft. | | I PER LOT | X | 50% | PER APPROVED SIGNAGE PLAN |
| Projecting Sign (Ground Floor) | A | [12] 15 sq. ft. | | 1 per tenant w/ direct ground- floor access / Corner tenant, 1 per street frontage | X | 50% | Per Approved Signage Plan |
| 7 | | | | | | | |
| Wall&ign (Ground Floor) | A | [25] 40 sq. ft. | | 1 per tenant w/ direct ground- floor access / Corner tenant, 1 per street frontage | X | 25% | Per Approved Signage Plan |
| 9 | | _ | | _ | _ | | |

| SIGN TYPES BY ZONING DIS | STRICT * | Zoning D | DISTRICT REQU | IREMENTS | AREA OF SPECIAL SIGNAGE CONTROL (ASSC) | | | |
|--------------------------|--------------------|----------------------|------------------------|---------------------|--|------------------------|-----------------------|--|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation | |
| OIC2 | | | | | | | | |
| 3 | | | | | | | | |
| Pain#ed/mural sign | CB | 50 SQ. FT. | | 1 PER LOT | Not Eligible | | | |
| 5 | | | | | | | | |

| SIGN TYPES BY ZONING DIS | STRICT * | ZONING D | DISTRICT REQU | IREMENTS | AREA OF SPEC | CIAL SIGNAGE CO | NTROL (ASSC) |
|--------------------------|--------------------|----------------------|------------------------|---|-------------------------|------------------------|-----------------------|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation |
| BSC2 | | | | | | | |
| 3 | | | | | | | |
| Pain#ed/mural sign | A | 60 SQ. FT. | | 1 PER LOT | | Not Eligible | |
| 5 | | | | | | | |
| Wall&ign (Ground Floor) | A | [12] 40 sq. ft. | | 1 per tenant w/ direct ground- floor access / Corner tenant, 1 per street frontage | | Not Eligible | |

| SIGN TYPES BY ZONING D | ISTRICT * | Zoning L | DISTRICT REQU | IREMENTS | AREA OF SPECIAL SIGNAGE CONTROL (ASSC) | | | |
|-------------------------|--------------------|----------------------|------------------------|---|--|------------------------|---------------------------------|--|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation | |
| IMU-1 and IMU-2 | | | | | | | = | |
| 3 | | | | | | | | |
| PAIN#ED/MURAL SIGN | A | 50 SQ. FT. | | 1 PER LOT | X | <mark>50%</mark> | PER Approved Signage Plan | |
| 5 | | | | | | | | |
| Wall&ign (Ground Floor) | A | [12] 40 sq. ft | | 1 per tenant w/ direct ground- floor access / Corner tenant, 1 per street frontage | X | 50% | Per Approved Signage Plan | |
| 7 | | | | | | | | |

| SIGN TYPES BY ZONING DI | STRICT * | Zoning L | DISTRICT REQU | IREMENTS | AREA OF SPEC | CIAL SIGNAGE CO | NTROL (ASSC) |
|---------------------------|--------------------|----------------------|------------------------|---|-------------------------|---------------------|---------------------------------|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation |
| OR-1 | | | | | | | |
| 3 | | | | | | | |
| Pain#ed/mural sign | СВ | 40 sq. ft. | | 1 PER LOT | X | 25% | PER Approved Signage Plan |
| 5 | | | | | | | |
| Wall&ign (Ground Floor) | A | [18] 30 sq. ft. | | 1 per tenant w/ direct ground- floor access | X | 25% | Per Approved Signage Plan |
| 7 | | | | | | | |
| OR-2 | | | | | | | |
| 9 | | | | | | | |
| PAIN®ED/MURAL SIGN | СВ | 40 sq. ft. | | 1 PER LOT | X | <mark>50%</mark> | PER APPROVED SIGNAGE PLAN |
| 11 | | | | | | | |
| Wall Zsign (Ground Floor) | A | [18] 30 sq. ft. | | 1 per tenant w/ direct ground- floor access | X | 50% | Per Approved Signage Plan |
| 13 | | | | | | | |

| SIGN TYPES BY ZONING DIS | STRICT * | Zoning D | ISTRICT REQU | IREMENTS | AREA OF SPECIAL SIGNAGE CONTROL (ASSC) | | | |
|--------------------------|--------------------|----------------------|------------------------|---------------------|--|--|-----------------------|--|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Maximum % Allowable Deviation | | Quantity Deviation | |
| EC-P | | | | | | | | |
| 3 | | | | | | | | |
| Pain#ed/mural sign | A | 60 sq. ft. | | 1 PER LOT | Not Eligible | | | |
| 5 | | | | | | | | |

| SIGN TYPES BY ZONING DIS | STRICT * | Zoning L | DISTRICT REQU | IREMENTS | AREA OF SPECIAL SIGNAGE CONTROL (ASSC) | | |
|----------------------------|--------------------|----------------------|------------------------|---------------------|--|--------------|--|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Maximum % Quan Allowable Deviation Devia | | |
| EC-2 | | | | | | | |
| 3 | | | | | | | |
| Bann&r Sign (Wall Mounted) | A | 32 sq. ft. | Below parapet | [1] 2 per lot | Not Eligible | | |
| 5 | | | | | | | |
| Pain 6ed/mural sign | A | 60 SQ. FT. | | 1 PER LOT | | Not Eligible | |
| 7 | | | | | | | |

| SIGN TYPES BY ZONING DIS | STRICT * | Zoning L | DISTRICT REQU | IREMENTS | AREA OF SPECIAL SIGNAGE CONTROL (ASSC) | | | |
|--------------------------|--------------------|----------------------|------------------------|--|--|---------------------|-----------------------|--|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation | |
| H 2 | | | | | | | | |
| 3 | | | | | | | | |
| Pain#ed/mural sign | A | 60 SQ. FT. | | 1 PER LOT | | NOT ELIGIBLE | | |
| 5 | | | | | | | | |
| Wall&ign (Ground Floor) | A | [18] 40 sq. ft. | | 1 per tenant w/ direct ground floor access | | Not Eligible | | |
| 7 | | | | | | | | |

| SIGN TYPES BY ZONING DI | STRICT * | Zoning D | DISTRICT REQU | IREMENTS | AREA OF SPEC | CIAL SIGNAGE CO | NTROL (ASSC) |
|---|--------------------|----------------------|------------------------|---|-------------------------|------------------------|------------------------------|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation |
| TOD-1 | • | | | | | | |
| 3 | | | | | | | |
| Pain#ed/mural sign | A | 40 sq. ft. | | 1 PER LOT | X | 50% | PER APPROVED SIGNAGE PLAN |
| 5 | | | | | | | |
| Projecting Sign (Above Ground Floor) | A | [8] 16 sq. ft. | | 1 per street frontage | X | 50% | Per Approved Signage Plan |
| 8 | | | | | | | |
| Wall Sign (Ground Floor) | A | [25] 30 sq. ft,. | | 1 per tenant w/ direct ground- floor access | X | 50% | Per Approved Signage Plan |
| 10 | | | | | | | |

| SIGN TYPES BY ZONING DIS | STRICT * | Zoning L | DISTRICT REQU | IREMENTS | AREA OF SPECIAL SIGNAGE CONTROL (ASSC) | | | |
|---|--------------------|----------------------|------------------------|---|--|---------------------|---------------------------------|--|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation | |
| TOD-2 | • | | | | • | | | |
| 3 | | | | | | | | |
| Pain#ed/mural sign | A | 60 sq. ft. | | 1 PER LOT | X | <mark>50%</mark> | Per Approved Signage Plan | |
| 5 | | | | | | | | |
| Projecting Sign (Above Ground Floor) | A | [8] 16 sq. ft. | | 1 per street frontage | X | 50% | Per Approved Signage Plan | |
| 8 | | | | | | | | |
| Wall&ign (Ground Floor) | A | [25] 40 sq. ft. | | 1 per tenant w/ direct ground- floor access | X | 50% | Per Approved Signage Plan | |
| 10 | | | | | | | | |

| SIGN TYPES BY ZONING DISTRICT * | | ZONING DISTRICT REQUIREMENTS | | | AREA OF SPECIAL SIGNAGE CONTROL (ASSC) | | | |
|---|--------------------|------------------------------|------------------------|---|--|------------------------|---------------------------------|--|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation | |
| TOD-3 | | | | | | | | |
| 3 | | | | | | | | |
| Pain#ed/mural sign | A | 40 sq. ft. | | 1 PER LOT | X | 50% | PER APPROVED SIGNAGE PLAN | |
| 5 | | | | | | | | |
| Projecting Sign (Above Ground Floor) | A | [8] 16 sq. ft. | | 1 per street frontage | X | 50% | Per Approved Signage Plan | |
| 8 | | | | | | | | |
| Wall&ign (Ground Floor) | A | [25] 30 sq. ft. | | 1 per tenant w/ direct ground- floor access | X | 50% | Per Approved Signage Plan | |
| 10 | | | | | | | | |

| 1SIGN TYPES BY ZONING DISTRICT * | | Zoning District Requirements | | | Area of Special Signage Control (ASSC) | | | |
|---|--------------------|------------------------------|------------------------|---|--|------------------------|------------------------------|--|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation | |
| TOD-4 | | | | | | | | |
| 3 | | | | | | | | |
| Pain#ed/mural sign | A | 60 SQ. FT. | | 1 PER LOT | X | 75% | PER APPROVED SIGNAGE PLAN | |
| 5 | | | | | | | | |
| Projecting Sign (Above Ground Floor) | A | [8] 16 sq. ft. | | 1 per street frontage | X | 75% | Per Approved Signage Plan | |
| 8 | | | | | | | | |
| Wall Sign (Ground Floor) | A | [25] 40 sq. ft. | | 1 per tenant w/ direct ground- floor access | X | 75% | Per Approved Signage Plan | |
| 10 | | | | | | | _ | |

| Sign Types by Zoning District * | | ZONING DISTRICT REQUIREMENTS | | | AREA OF SPECIAL SIGNAGE CONTROL (ASSC) | | |
|---------------------------------|--------------------|------------------------------|------------------------|---------------------|--|------------------------|-----------------------|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation |
| OS 2 | | | | | | | |
| 3 | | | | | | | |
| Pain#ed/mural sign | A | 100 sq. ft. | | 1 PER BUILDING | Not Eligible | | |
| 5 | | | | | | | |

| SIGN TYPES BY ZONING DISTRICT * | | ZONING DISTRICT REQUIREMENTS | | | Area of Special Signage Control (ASSC) | | | | |
|---------------------------------|--------------------|------------------------------|------------------------|---------------------|--|------------------------|---------------------------------|--|--|
| | Approval Method | Maximum Sign Area | Height, Width, etc. | Maximum Quantity | Sign Types Allowable | Maximum % Deviation | Quantity Deviation | | |
| PC-2 THROUGH PC-4 | | | | | | | | | |
| 3 | | | | | | | | | |
| Pain#ed/Mural Sign | A | 100 SQ. FT. | | 1 PER LOT | X | 75% | PER Approved Signage Plan | | |
| 5 | | | | | | | | | |

6

SECTION 2. AND BE IT FURTHER ORDAINED, That this Ordinance takes effect on the 30th day after the date it is enacted. 7 8