CITY OF BALTIMORE ORDINANCE 25 - 0 6 3 Council Bill 25-0064

Introduced by: Councilmember Gray

Cosponsored by: President Cohen and Councilmembers Dorsey, Middleton, Torrence,

Blanchard, Ramos, Bullock, and Porter Introduced and read first time: May 12, 2025

Assigned to: Land Use and Transportation Committee

Committee Report: Favorable, with Amendments

Council action: Adopted

Read second time: October 20, 2025

AN ORDINANCE CONCERNING

Zoning - Bulk and Yard Requirements - Amendments

- 2 FOR the purpose of amending certain bulk and yard requirements in residential zoning districts.
- 3 By repealing and re-ordaining, with amendments
- 4 Article 32 Zoning
- 5 Table 8-401 and Table 9-401
- 6 Baltimore City Code
- 7 (Edition 2000)

1

SECTION 1. BE IT ORDAINED BY THE MAYOR AND CITY COUNCIL OF BALTIMORE, That the Laws of Baltimore City read as follows:

10 Baltimore City Code

11 Article 32. Zoning

12 Zoning Tables

			Detache tricts – Bi						
Categories	Specifications (Per District)								3,118
	R-1A	R-1B	R-1C	R-1D	R-1E	R-1	R-2	R-3	R-4
Minimum Lot Area Community Open-Space Garden or Farm	2 acres	None	None	None	None	None	None	None	None
Dwelling: Detached or Semi-Detached	2 acres	1 acre	21,780 sq.ft.	14,520 sq.ft.	9,000 sq.ft.	7,300 sq.ft.	5,000 sq.ft.	5,000 sq.ft.	3,000 sq.ft.

EXPLANATION: CAPITALS indicate matter added to existing law.

{Brackets} indicate matter deleted from existing law.

<u>Underlining</u> indicates matter added to the bill by amendment.

Strike out indicates matter stricken from the bill by amendment or deleted from existing law by amendment.

			1	1	1	T	_	_	1
Urban Agriculture	2 acres	None	None	None	None	None	None	None	Non
All Other Uses	2 acres	1 acre	20,000 sq.ft.	20,000 sq.ft.	20,000 sq.ft.	20,000 sq.ft.	20,000 sq.ft.	5,000 sq.ft.	3,00 sq.fi
Minimum Lot Width							3	201	
Dwelling: Semi-Detached	100 feet	75 feet	75 feet	60 feet	60 feet	50 feet	30 feet	45 feet	30 fe
All Other Uses	100 feet	75 feet	75 feet	60 feet	60 feet	50 feet	50 feet	45 feet	45 fe
Maximum Building Heigh				V					1
All Uses	35 feet	35 feet	35 feet	35 feet	35 feet	35 feet	35 feet	35 feet	35 fe
Maximum Lot Coverage	Tavi J	200		NE II				11.0	ļ.
All Uses	[25%] 35%	[25%] 35%	[25%] 35%	[25%] 35%	[25%] 35%	[30%] 40%	[30%]	[35%] 45%	[35%
Maximum Impervious Sur	face	East I		No.		P.	14.3		
All Uses	40%	40%	40%	40%	40%	50%	50%	50%	50%
Minimum Front Yard			HW.				1122	, marri	
All Uses ¹	40 feet	40 feet	40 feet	40 feet	30 feet	30 feet	30 feet	25 feet	25 fee
Minimum Interior-Side Ya	rd			The S			15 25		
Dwelling: Detached	[20] 15 feet	[20] 15 feet	[15] 10 feet	[15] 10 feet	[10] 5 feet	[10] 5 feet	[10] 5 feet 10	[10] 5 feet	[10] : feet
Dwelling: Semi-Detached ²	[20] 15 feet	[20] 15 feet	[15] 10 feet	[15] 10 feet	[10] 5 feet	[10] 5 feet	[15] 10 feet	[10] 5 feet	[15] 1 feet
All Other Uses	[20] 15 feet	[20] 15 feet	[15] 10 feet	[15] 10 feet	[10] 5 feet	[10] 5 feet	[15] 10 feet	[10] 5 feet	[15] 1 feet
Minimum Corner-Side Ya	rd		YBB		19		1 7		
All Uses	[25] 15 feet	[25] 15 feet	[20] 10 fcct	[20] 10 20 feet	[20] 10 feet	[20] 10 feet	[20] 10 fcet	[20] 10 feet	[20] 1 fcct
Minimum Rear Yard	1101-11	16.0			Y	****		1001	1000
All Uses	40 feet	40 feet	40 feet	30 feet	30 feet	30 feet	30 feet	25 feet	25 fee

4 5

¹ These minimums per district apply if less than 50% of the lots on the blockface have been developed. If, however, 50% or more of the lots on the blockface have been developed, the applicable minimum, for all of these districts, is the lesser of (i) the average of the front- yard depths of the improved lots or (ii) 40 feet.

² For semi-detached dwellings, interior-side yards are required only along the interior-side lot line where the party wall between dwellings is not located.

Categories	Specifications (Per District)							
TO A L B	R-5	R-6	R-7	R-8	R-9	R-		
Minimum Lot	Area							
Community Open-Space Garden or Farm	None	None	None	None	None	None		
Dwelling: Detached	3,000 sq.ft.	3,000 so						
Dwelling: Semi- Detached	2,500 sq.fl.	2,000 sq.ft.	2,000 sq.ft.	2,000 sq.ft.	2,500 sq.ft.	2,000 so		
Dwelling: Rowhouse	2,500 sq.ft.	1,500 sq.ft.	1,100 sq.ft.	750 sq.ft.	750 sq.ft.	500 sq.f		
Dwelling: Multi-Family	[2,500] 1,500 sq.ft./du	[1,500] 1,000 sq.ft./du	[1,100] 750 sq.ft./du	[750] 500 sq.ft./du	550 sq.ft./du	200 sq.f		
Dwelling: Multi-Family (Age- Restricted)	1,875 sq.A./du	1,125 sq.ft./du	825 sq.n./du	575-sq.ft./du	550 sq.ft./du	200 sq:f		
Dwelling: Mulifamily (Age- Restricted)	[1,875] 1,500 sq.ft./du	[1,125] 1,000 sq.ft./du	[825] 750 sq.ft./du	[575] 500 sq.ft./du	550 sq.ft./du	200 sq.f		
Park or Playground	None	None	None	None	None	None		
Residential- Care Facility	Lot area to be comparable to that for a like-	Lot area to be comparable to that for a like-	Lot area to be comparable to that for a like-	Lot area to be comparable to that for a like-	Lot area to be comparable to that for a like-	Lot area compara that for a		

		and the second second			and the latest terminal to the latest terminal t	ALCOHOL: THE REAL PROPERTY OF THE PARTY OF T	40.00
1		Lot area to be	Lot area to be	Lot area to be	Lot area to be	Lot area to be	Lot area to be
2		comparable to	comparable to	comparable to	comparable to	comparable to	comparable to
3	Residential-	sized M-FD	sized M-FD	sized M-FD	sized M-FD	sized M- FD	sized M-FD
4	Care Facility	Diagram In 1 D	Sizea William	51204 111-12	31200 171-1 15	31200 IVI- 1 D	Sized W-PD
5	(Age- Restricted)	(Age-	(Age-	(Age-	(Age-	(Age-	(Age-
O	Restricted)	Restricted)	Restricted)	Restricted)	Restricted)	Restricted)	Restricted)
7 8	Rooming House	N/A	N/A	N/A	375 sq.ft./ru	275 sq.ft./ru	100 sq.ft./ru
9	Urban Agriculture	None	None	None	None	None	None
11	All Other Uses	3,000 sq. ft.	3,000 sq. ft.	3,000 sq. ft.	3,000 sq. ft.	3,000 sq. ft.	3,000 sq. ft.
12	Maximum Bld	g Height			11.14-13	The sy	NT-EIN
13	Dwelling:	0					
14	Detached or	35 feet	35 feet	35 feet	35 feet	35 feet	35 feet
15	Semi-Detached	47.9					
16 17	Dwelling: Rowhouse	35 feet	35 feet	35 feet	35 or 45 feet 1	35 or 45 feet 1	35 or 45 feet ¹
18 19	Dwelling: Multi-Family	35 or 45 feet ¹	35 or 45 feet ²	35 or 45 feet ¹	45 or 60 feet ³	3.0 FAR	6.0 FAR
20	All Other Uses	35 or 45 feet ²	35 or 45 feet ²	35 or 45 feet ²	45 or 60 feet ³	45 feet	45 feet
21	Maximum Lot	Coverage					
22	Dwelling:			10 S			
23	Detached or	35%	35%	35%	35%	35%	35%
24	Semi-Detached		- 74				
25 26	Dwelling: Rowhouse	[40%] 50%	[45%] 60%	[50%] 70%	[60% or] 80% or 100% ⁴	40%	80%
27 28	Dwelling: Multi-Family	[40%] 50%	[45%] 60%	[50%] 70%	80% or 100% ⁴	40%	80%
20	Willit-Paniny						Lange III
29	Ali Other Uses	40%	40%	70%	70%	40%	70%
30	Maximum Imp	ervious Surface					Average 1
31	Dwelling:						
32	Detached or	60%	60%	60%	60%	60%	60%
33	Semi-Detached						
34	Dwelling:	2			THE RESERVE OF THE PARTY OF THE		
35	Rowhouse	65%	65%	65%	65%	65%	65%
36	(Rear Yard)						
37	Minimum Fron	t Yard					200

1 2 3	Dwelling: Detached or Semi-Detached	Lesser of 25ft. or blockface average ⁵	Lesser of 20ft. or blockface average ⁵	Lesser of 20ft. or blockface average ⁵	Lesser of 20ft. or blockface average ⁵	Lesser of 40ft. or blockface average ⁵	Lesser of 20ft. or blockface average ⁵	
4 5	Dwelling: Rowhouse	25 feet	20 feet	10 feet	None	25 feet	None	
6 7	Dwelling: Multi-Family	25 feet	20 feet	10 feet	None	45 or 65 feet 6 ⁶	None	
8	All Other Uses	25 feet	20 feet	10 feet	None	25 feet	None	
9	Minimum Inte	rior-Side Yard			The Market			
10 11	Dwelling: Detached	[10] 5 feet	[10] 5 fcet					
12 13 14	Dwelling: Semi- Detached ⁷	[15] 10 feet	[15] 10 feet	[10] 5 feet	[10] 5 feet	[10] 5 feet	[10] 5 feet	
15 16	Dwelling: Rowhouse	None	None	None	None	None	None	
17 18	Dwelling: Multi-Family	[15] 10 feet OR NONE •	[15] 10 feet OR NONE ⁸	[10] 5 feet OR NONE ⁸	[10] 5 feet OR NONE ⁸	[10] 5 feet OR NONE 8	[10] 5 feet OR NONE ⁸	
19	All Other Uses	[15] 10 feet	[15] 10 feet	[15] 10 feet	[10] 5 feet	[10] 5 feet	[10] 5 feet	
20	Minimum Cori	ner-Side Yard						
21 22 23	Dwelling: Detached or Semi-Detached	[20] 10 feet	[20] 10 feet	[15] 5 feet	[15] 5 feet	[15] 5 feet	[15] 5 feet	
24 25	Dwelling: Rowhouse	[20] 10 feet	[20] 10 feet	[15] 5 feet	None	None	None	
26 27	Dwelling: Multi-Family	[20] 10 feet	[20] 10 feet	[15] 5 feet	None	[25] 15 feet	None	
28	All Other Uses	[20] 10 feet	[20] 10 feet	[15] 5 feet	None	[15] 5 feet	None	
29	Minimum Rear Yard							
30 31 32	Dwelling: Detached or Semi-Detached	25 feet	25 feet	25 feet	25 feet	10 feet	10 feet	
33 34	Dwelling: Rowhouse	25 feet	25 fcet	25 feet	[20 feet] 12 16 feet or None 9	10 feet	10 feet	
35 36	Dwelling: Multi-Family	25 feet	25 feet	25 feet	[25 feet] 12 <u>16</u> feet or None 9	10 feet	10 feet	

1	All Other Uses	25 feet	25 feet	25 feet	25 feet	10 feet	10 feet		
2 3 4 5	conditional use	for: (i) a rowhou	ise located on an	of 45 feet – [may interior lot that a which each of th	djoins a street ris	ht-of-way of at l	east 30 40 feet		
6 7	² For a structure which each of th	² For a structure located on an interior lot, the maximum height is 35 feet. For a structure located on a corner lot at which each of the adjoining street rights-of-way are at least 30 feet wide, the maximum height is 45 feet.							
8 9 10	³ For a structure located on an interior lot, the maximum height is 45 feet. For a structure located on a corner lot at which each of the adjoining street rights-of-way are at least 30 feet wide, the Zoning Board may allow a height of up 60 feet as a conditional use.								
11 12 13	⁴ For a lot with a depth of [80 feet or more, the maximum lot coverage is 60%. For a lot with a depth of] less than 80 feet, if the rear of the property abuts an alley, the maximum lot coverage is [80%.] 100%. Otherwise, the maximum lot coverage is 80%.								
14 15	⁵ In this listing, "blockface average" means the average of the front-yard setbacks of the improved lots on the blockface.								
16 17 18 19	⁶ For a structure that comprises 6 or fewer stories, the minimum front-yard requirement is 45 feet. For a structure that comprises 7 or more stories, the minimum front-yard requirement is 65 feet. However, a structure designed with a courtyard is allowed a reduction of the minimum front-yard requirement, as provided in § 9-403 {"Setback reduction for courtyard design"}.								
20 21	⁷ For semi-detached dwellings, interior-side yards are required only along the interior-side lot line where the party wall between dwellings is not located.								
22 23	⁸ If a Dwelling: Multi-Family is attached or on the attached side of a semi-detached structure the required Minimum-Interior Side Yard is none.								
24	WHERE 100% LOT COVERAGE IS ALLOWED, NO REAR YARD SETBACK IS REQUIRED.								

SECTION 2. AND BE IT FURTHER ORDAINED, That this Ordinance takes effect on the 30th day after the date it is enacted.

25

26

Certified as duly passed this 27th day of October	
	Jan Can
	President, Baltimore City Council
Certified as duly delivered to His Honor, the Mayor,	
this 28th day of October , 20 25	
	ellans Hour
	Chief Clerk
Λ//	
Approved this J day of Worth, 20 2	1
	1/2/
	Mayor, Baltimore City
	ATRUE COPY Director of Finance

Approved for Form and Legal Sufficiency,

this 29th day of October , 2025

Chief Solicitor

dfr25-0276(2)=3rd/27Oct25 Art32/cc25-0064~3rd Reader/bg.udtrf