



300 E. Cromwell Street
Baltimore, Maryland 21230
tel: 410/332-6000
800/829-8000

WE HEREBY CERTIFY, that the annexed advertisement of Order No 6697159

Sold To:

BALLARD SPAHR LLP - CU00171758
300 E Lombard St 18th Flr
Baltimore, MD 21202-6739

Bill To:

BALLARD SPAHR LLP - CU00171758
300 E Lombard St 18th Flr
Baltimore, MD 21202-6739

Was published in "The Baltimore Sun", "Daily", a newspaper printed and published in Baltimore City on the following dates:

Jun 15, 2020

The Baltimore Sun Media Group
B. Price, Legal Advertising


By _____

Subscribed and sworn to before me this 15 day of June 2020,

By _____
Michele Elaine Griesbauer

Notary Public

My commission expires 10/5/23



classified marketplace

Reach more than 1 million readers a week!

Order your ad online
advertise.baltimoresun.com
It's fast and easy!

Visit baltimoresun.com/classified for more jobs, cars, homes, apartments and stuff • Place an ad: 410.539.7700

LEGAL NOTICES

**MARYLAND DEPARTMENT OF THE ENVIRONMENT
WATER AND SCIENCE ADMINISTRATION
NOTICE OF TENTATIVE DETERMINATION**

Baltimore County
Application for State Discharge Permit 18DP2294:
Maryland Environmental Service, 259 Najoles Road, Millersville, MD 21108 on behalf of MDOT MPA submitted an application for modification of a permit to discharge an average of 6.76 million gallons per day of stormwater runoff exposed to stabilized dredged materials from a dredged material containment facility, located at Hart Miller Island, which is near the mouth of Back River, Essex, MD, to the Chesapeake Bay (Use II waters). The Department proposes to re-issue the permit with Outfall 003 eliminated. The permit also proposes limits on Outfall 007 and Outfall 008 for Ammonia (as N) May through October (2.0 mg/l monthly average, 12.0 mg/l daily maximum), Ammonia (as N) November through April (4.4 mg/l monthly average, 20.0 mg/l daily maximum), Copper, Total (0.021 mg/l monthly average, 0.021 mg/l daily maximum), Nickel, Total (0.032 mg/l monthly average, 0.25 mg/l daily maximum), pH (range of 6 to 9), Total Suspended Solids (75 mg/l monthly average, 150 mg/l daily maximum), Zinc, Total (0.31 mg/l monthly average, 0.31 mg/l daily maximum) and on Outfall 009 for Ammonia (as N) May through October (2.8 mg/l monthly average, 16.0 mg/l daily maximum), Ammonia (as N) November through April (6.2 mg/l monthly average, 20.0 mg/l daily maximum), Copper, Total (0.028 mg/l monthly average, 0.028 mg/l daily maximum), Nickel, Total (0.043 mg/l monthly average, 0.34 mg/l daily maximum), pH (range of 6 to 9), Total Suspended Solids (75 mg/l monthly average, 150 mg/l daily maximum), Zinc, Total (0.41 mg/l monthly average, 0.41 mg/l daily maximum). The permit also has monitoring only requirements for Outfalls 007, 008 and 009 for species of nitrogen, phosphorus, hardness, dissolved copper, dissolved nickel and dissolved zinc. The monitoring frequency for the metals has been reduced from monthly to quarterly. Finally the permit continues conditions requiring the maintenance of the high-rate diffuser.

If a written request is received by **June 29, 2020**, a public hearing on the tentative determination for this application can be scheduled. The request should be sent to the Maryland Department of the Environment, Water and Science Administration, 1800 Washington Blvd., Baltimore, Maryland 21230-1708, Attn.: Paul Hlavinka, Chief, Industrial Stormwater Permits Division and must include the name, address and telephone number (home and work) of the person making the request, the name of any other party whom the person making the request may represent, and the name of the facility and permit number. Failure to request a hearing by **June 29, 2020** will constitute a waiver of the right to a public hearing on the tentative determination for this permit.

Written comments concerning the tentative determination will be considered in the preparation of a final determination if submitted to the Department, to the attention of Paul Hlavinka at the above address, on or before **July 8, 2020**. Any hearing-impaired person who requests a hearing may request an interpreter at the hearing by contacting Mr. Hlavinka at (410) 537-3631 or 1-800-633-6101, or by written request to the above address at least ten working days prior to the scheduled hearing date.

Information supporting the tentative determination, including the draft permit and fact sheet, may be reviewed by contacting Mr. Hlavinka at the above telephone number to make an appointment or by written request to Mr. Hlavinka at the above address. Copies of documents may be obtained at a cost of \$0.36 per page.
6/8, 6/15/2020 6690750

BALTIMORE CITY COUNCIL PUBLIC HEARING ON BILL NO. 20-0531

The Land Use Committee of the Baltimore City Council will meet on Wednesday, July 15, 2020 at 1:10 p.m. to conduct a public hearing on City Council Bill No. 20-0531. The Committee will conduct the hearing virtually through Webex. Information on how the public can participate in the hearing will be available at <https://baltimore.legistar.com/Calendar.aspx>.

CC 20-0531 - Ordinance - Rezoning - 3006, 2926, 2925, and 2928 Boarman Avenue, Block 3185, Lot 49, and 3048 Grantley Avenue

For the purpose of changing the zoning for the property known as 3006 Boarman Avenue (Block 3185, Lot 48), as outlined in red on the accompanying amended plat, from the I-2 Zoning District to the TOD-2 Zoning District, and for changing the zoning for the properties known as 2926 Boarman Avenue (Block 3185, Lot 51), 2928 Boarman Avenue (Block 3185, Lot 50), Block 3185, Lot 49, as outlined in blue on the accompanying amended plat, from the R-7 Zoning District, to the TOD-2 Zoning District, and for changing the zoning for the property known as 2925 Boarman Avenue (Block 3187, Lot 013), as outlined in green on the accompanying amended plat, from the I-2 Zoning District to the R-7 Zoning District, and for changing the zoning for the property known as 3048 Grantley Avenue (Block 3187, Lot 041), as outlined in purple on the accompanying amended plat, from the R-5 Zoning District to the R-7 Zoning District; and providing for a special effective date.

By amending Article 32- Zoning, Zoning District Map Sheets 22/23 Baltimore City Revised Code (Edition 2000)

NOTE: This bill is subject to amendment by the Baltimore City Council. Applicant: Cold Spring Lane Associates, LLC For more information, contact Committee Staff at (410) 396-1268.

EDWARD REISINGER Chair
6/15/2020 6697159

Extra Space Storage will hold a public auction at the location indicated: 1350 Innovation St Middle River, MD 21220 on June 26, 2020 at 12:30pm. Unit 1000. The auction will be listed and advertised on www.storage-treasures.com. Purchases must be made with cash only and paid at the above referenced facility in order to complete the transaction. Extra Space Storage may refuse any bid and may rescind any purchase up until the winning bidder takes possession of the personal property.
6/15/2020 6696030

**MARYLAND DEPARTMENT OF THE ENVIRONMENT
WATER AND SCIENCE ADMINISTRATION
NOTICE OF TENTATIVE DETERMINATION**

Baltimore County
Application for State Discharge Permit 17DP3305:
The Associated Jewish Community Federation of Baltimore, Inc., 101 West Mount Royal Avenue, Baltimore, Maryland 21201 submitted an application to renew a permit to discharge an average of 9,625 gallons per day of treated wastewater from the Pearstone Family Camp located at 5425 Mt. Gillead Road, Reisterstown, Maryland to groundwater via subsurface soil absorption systems at Outfall 001 and Outfall 002.

The Department is proposing to re-issue the permit with the following limitations and conditions:

Outfall No. 1 (Soil absorption system)
(1) BOD5: 30 mg/l (monthly average); (2) suspended solids: 30 mg/l (monthly average); (3) Total nitrogen: 8 mg/l (monthly average); and (4) flow: 8,000 gal/day (monthly average flow). The following conditions are also a part of this permit: (1) The Permittee shall monitor groundwater quality via 4 groundwater monitoring wells; and (2) The wastewater treatment plant and the soil absorption system shall be operated by a certified operator.

Outfall No. 2 (Soil absorption system)
(1) Flow: 1,625 gpd (monthly average); and (2) Total nitrogen : 30 mg/l (monthly average). The following conditions are also a part of this permit: (1) The Permittee shall monitor groundwater quality via 2 groundwater monitoring wells for Outfall 002A or 3 wells for Outfall 002B; and (2) The wastewater treatment plant and the soil absorption system shall be operated by a certified operator.

If a written request is received by **June 29, 2020**, a public hearing on the tentative determination for this application can be scheduled. The request should be sent to the Maryland Department of the Environment, Water and Science Administration, 1800 Washington Blvd., Baltimore, Maryland 21230-1708, Attn.: Ching-Tzone Tien, Ph.D., P. E., Deputy Program Manager and must include the name, address and telephone number (home and work) of the person making the request, the name of any other party whom the person making the request may represent, and the name of the facility and permit number. Failure to request a hearing by **June 29, 2020** will constitute a waiver of the right to a public hearing on the tentative determination for this permit.

Written comments concerning the tentative determination will be considered in the preparation of a final determination if submitted to the Department, to the attention of Ching-Tzone Tien, Ph.D., P. E. at the above address, on or before **July 8, 2020**. Any hearing-impaired person who requests a hearing may request an interpreter at the hearing by contacting Dr. Tien at (410) 537-3662 or 1-800-633-6101, or by written request to the above address at least ten working days prior to the scheduled hearing date.

Information supporting the tentative determination, including the draft permit and fact sheet, may be reviewed by contacting Dr. Tien at the above telephone number to make an appointment or by written request to Dr. Tien at the above address. Copies of documents may be obtained at a cost of \$0.36 per page.
6/8, 6/15/2020 6690024

Selling your home has never been easier.
advertise.baltimoresun.com
THE BALTIMORE SUN

AUCTIONS

REAL ESTATE AUCTION
\$500,000 Suggested Opening Bid

LUTHERVILLE
"Hillside at Seminary"
4 Bedroom • 3.5 Bath
TRADITIONAL HOME
Two-Car Garage • 2 Fireplaces
Fully Finished Basement
Extensively Landscaped Lot

Safe On Premises
8526 HILL SPRING DRIVE
Off Seminary Ave., Baltimore County, MD 21093
THURS. JUNE 25 • AT 12:00 NOON

Home features large master bedroom suite with updated bath, eat-in kitchen, multiple living & family rooms, two home offices, second floor laundry, electric car charger, brick patio and private deck. Please see our website for complete details, photos & terms. Pre-auction offers considered.

No Buyer's Premium
A. J. BILLIG & CO. 410-296-8440
AUCTIONEERS
Real Estate Specialists www.ajbillig.com

PUBLIC AUCTION
Contemporary Home
in Caves Valley

3227 Hunting Tweed Dr., Owings Mills, MD 2117
Auction on the premises:
THURS. JUNE 25TH @ 11AM
Preview property day of auction: 10am-11am
Opening Bid: \$600,000 | Deposit: \$25,000

JHL AUCTIONEERS
John Paul S. D'Anna • 410.530.4900
jp@jhlauktioneers.com
www.jhlauktioneers.com • 410.424.5456

THE AUCTION COMPANIES

CHECK OUR WEBSITES FOR ALL UPCOMING FORECLOSURE

www.TidewaterAuctions.com
www.Mid-AtlanticAuctioneers.com
www.MDCAuctioneers.com

410-825-2900

PUBLIC AUCTION
1.3 Acre Lot in
Anton North

26 Merry Hill Ct. Baltimore, MD 21208
Auction on the premises:
THURS. JUNE 25TH @ 1PM
Opening Bid: \$80,000 | Deposit: \$10,000

JHL AUCTIONEERS
John Paul S. D'Anna • 410.530.4900
jp@jhlauktioneers.com
www.jhlauktioneers.com • 410.424.5456

Selling your home has never been easier.
www.advertise.baltimoresun.com
THE BALTIMORE SUN

Milton J. Dance Co., Inc.
Auctioneers for 100 Years
AG. EQUIP. & TOOLS AUCTION
MD State Fairgrounds, Mosser-Miller Bldg - REAR
2200 York Rd. Timonium, MD 21093
WED June 24, 2020 @ 5 PM
JD 3030 DIESEL TRACTOR, FARM WAGON, M-F #10 PTO SPREADER, GAS POWER EQUIP., 100% OF NEW AND USED POWER TOOLS, HAND TOOLS, GENERATORS, COMPRESSORS


STEVE DANCE AUCTIONS
400 Allegheny Avenue, Towson, MD 21204 • 410-823-3993
www.stevedance.com

Renting your home has never been easier.
advertise.baltimoresun.com
THE BALTIMORE SUN

Selling merchandise?

Go to
www.baltimoresun.com/advertiser
THE BALTIMORE SUN MEDIA GROUP

Selling a pet?



Reach more people in print and online by placing your ad through our self-service site.
It's easy and affordable.

Go to
www.baltimoresun.com/advertiser
THE BALTIMORE SUN MEDIA GROUP

the new york times crossword no. 0511

- ACROSS**
- 1 Chapel recess
 - 5 Not keep a secret
 - 9 Egyptian "boy king"
 - 12 Pirate's plunder
 - 14 Follow closely, as a spy might a mark
 - 15 Hot dog holders
 - 16 Mattress giant
 - 17 Like many missed field goals
 - 18 The Phantom in "The Phantom of the Opera"
 - 19 Places where rouge goes
 - 21 Crash into from the back
 - 23 Greeting in Rio
 - 24 "Oh yeah?"
 - 54 "Hamilton" writer Lin-Manuel
 - 56 Muscles that are targets of planking, informally
 - 58 TV journalist Curry
 - 59 Car opposite the locomotive
 - 61 Late, as in making payments
 - 63 Et ___ (and others: Lat.)
 - 64 Gumbo vegetable
 - 66 Decorated anew
 - 67 What's left of a cigarette
 - 68 Kind of roast
 - 69 "Funnv Girl"

1	2	3	4		5	6	7	8		9	10	11	
12				13		14				15			
16					17					18			
19					20		21			22			
23				24		25		26				27	
28					29		30		31		32		
33					34		35		36			37	
					38		39				40		
41	42	43		44						45	46	47	48
49					50			51		52		53	
54							55		56		57		58
					59				60		61		62

Bridge Play Frank Stewart

In an effort to improve his results, Cy the Cynic has been reading the horoscopes in our local paper. (I would bet he is a Pisces or a Capricorn.)

In my club's penny game, Cy played at today's four spades, and West led a heart. Cy took the ace and cashed the king, ace and queen of trumps. He next took the king of diamonds and finessed with dummy's jack. East produced the queen, cashed a heart and shifted to the jack of clubs. Cy won in dummy and led the ace of diamonds, but West ruffed and cashed a club for down one.

"The stars are aligned unfavorably" the Cynic shrugged

West dealer
N-S vulnerable

NORTH
♠ A 8 5
♥ 10 8
♦ A J 5 4 2
♣ A 8 7

WEST
♠ J 10 7 6
♥ 6 4 3
♦ 9 7
♣ Q 6 5 3

EAST
♠ None
♥ K Q J 9 7 5
♦ Q 10 8
♣ K J 10 9

SOUTH
♠ K Q 9 4 3 2
♥ A 2
♦ K 6 3
♣ A 2

West Pass North 1♦ East 1♥ South 1♠
Pass 2♠ 3♣ 4♠
All Pass

Opening lead — ♥ 3