


### Baltimore City COVID-19 Vaccination City Council Hearing

Dr. Letitia Dzirasa Commissioner of Health Baltimore City Health Department (BCHD) 1/12/2022








# Disclaimer slide Information presented is accurate as of 1/12/2022






### Agenda

- COVID data updates
- 2. COVID vaccination updates
- 3. Omicron
- 4. Booster & additional dose updates
- 5. Vaccine passport
- 6. ARPA funding for vaccination
- 7. Testing updates








### **COVID Data Updates**







### Maryland Dept of Health (MDH) Network Security Incident

- On 12/4/21, MDH experienced a network security incident that took servers offline and impacted COVID data reporting
- 95% of <u>state-level</u> surveillance data has been restored on the state dashboard (<u>coronavirus.maryland.gov</u>)
- BCHD cannot update certain data on our dashboard because MDH has not restarted the data flows needed to populate our public facing dashboards
  - COVID cases, deaths, testing, vaccinations
- BCHD still receives much of this data internally and it continues to drive our work around testing and vaccination







### **Baltimore City COVID Case Rate**




BALTIMORE CITY HEALTH DEPARTMENT t**ogether.** .gov/covax



### **Baltimore City COVID Positivity %**








### **COVID Vaccination Updates**





# Benchmarks for the goal to vaccinate 80% of Baltimore City residents against COVID-19 by February 2022

#### For the entire population:

- Vaccinate 135,000 residents by April 30, 2021
- Vaccinate 40% of the population by August 31, 2021
- Vaccinate 60% of the population by November 30, 2021
- Vaccinate 80% of the population by February 28, 2022

#### For children 5-11 years:


- Vaccinate 60% of children 5-11 by June 30, 2022
- Vaccinate 80% of children 5-11 by September 30, 2022






#### Baltimore City COVID-19 Vaccination Dashboard Updated 12/3/2021 to display data through 12/2/2021

Jan 10, 2022 - Due to a network security incident involving the Maryland Department of Health (MDH) in December 2021, there was a pause in the Baltimore City Health Department (BCHD) receiving COVID vaccination data from MDH. This pause continues, though MDH's COVID dashboard is now current. Please visit the MDH dashboard at https://coronavirus.maryland.gov/ for information on Baltimore City's vaccinations as calculated by MDH. COVID vaccination data on this dashboard have not been updated since Friday, December 3, 2021. Data will be updated as soon as possible once MDH restarts sharing these data with BCHD.



- 18+ **76.3%**
- 12 +72.5%
- 5-11 14.7%
- All ages 65.7%





Percent of Baltimore City Residents Vaccinated (first or single dose) (ages 18+)

Current Maryland COVID-19 Vaccination Phase

COVID-19 Vaccination Phase Description

COVID-19 Vaccine Information and Resources Baltimore City Health Department COVID-19 Vaccine Information Baltimore City Health Department COVID-19 Dashboard Maryland Department of Health COVID-19 Vaccination Dashboard

Maryland Department of Health COVID-19 Vaccine Information Vaccine Phases Dashboard Information


**Baltimore City Residents** 

Vaccine Information

Last update: 2 minutes ago





Last update: 2 minutes ago First or Single Dose (ages 18+)



Ethnicity

Last update: 2 minutes ago





Baltimore City Resident COVID-19 First or Single


Dose Vaccination Coverage by Community Statistical Area (CSA) (all ages) (updated 11/30/2021)

DEPARTMENT


It's Baltimore versus COVID. Let's win this together.

Ethnicity

To learn more, visit coronavirus.baltimorecity.gov/covax





#### Baltimore City COVID-19 Vaccination Dashboard Updated 12/3/2021 to display data through 12/2/2021





#### It's Baltimore versus COVID. Let's win this together.





### **BCHD** vaccination efforts

1,364 BCHD and BCHD-involved COVID-19 vaccination clinics as of 1/5/22

44,044 COVID-19 vaccination doses administered at BCHD and BCHD-involved clinics as of 1/5/22






# Progress towards current benchmark: vaccinate 80% of Baltimore City residents against COVID-19 by February 2022

Population	Current status for 80%	Additional first/single doses needed weekly to reach 80%
Overall (12 + years of age)	On TRACK to meet	N/A because on track
Ages 5-11	On TRACK to meet (80% goal date 9/30/2022)	N/A because on track
Ages 12 -17	Lagging	436
Ages 18-34	Lagging	1,079
Ages 35-59	On TRACK to meet	N/A because on track
Older adults (60+ years)	TARGET MET	N/A because target met
Black or African-American (12+)	Lagging	4,229

Data for all vaccinations through Nov 29, 2021; data from Maryland Department of Health ImmuNet for Baltimore City residents




It's Baltimore versus COVID. Let's win this together.





### Omicron






### **Omicron**

- Highly contagious, spreads person-to-person faster than prior variants
- Emerging data suggests milder cases; individuals not up to date on vaccination and/or with underlying medical conditions remain vulnerable to severe disease
- More likely to cause breakthrough infection and reinfection compared to prior variants
- Decreased vaccine effectiveness against infection, however with the booster the vaccine continues to provide protection against hospitalization and death






### Omicron is the dominant variant in the US and Mid-Atlantic Region


Omicron variant accounts for 94% of sequenced COVID test results in the Mid-Atlantic Region (MD, DE, DC, VA, WV, PA)

Delta variant accounts for 6% of sequenced COVID test results in the Mid-Atlantic Region



HHS Region 3: 9/26/2021 - 1/1/2022

HHS Region 3: 12/26/2021 - 1/1/2022 NOWCA



\* Enumerated lineages are US VOC and lineages circulating above 1% nationally in at least one week period. "Other" represents the aggregation of lineages which are circulating <1% nationally during all weeks displayed.</p>

Other

Other'


- \*\* These data include Nowcast estimates, which are modeled projections that may differ from weighted estimates generated at later dates
- # AY.1-AY.127 and their sublineages are aggregated with B.1.617.2. BA.1, BA.2 and BA.3 are aggregated with B.1.1.529.

https://covid.cdc.gov/covid-data-tracker/#nowcast-heading



It's Baltimore versus COVID. Let's win this together.






0.0-0.1%

# Omicron infections have resulted in a surge in hospitalizations

170% increase in hospitalizations in Baltimore over the past 2 weeks




https://coronavirus.baltimorecity.gov/



It's Baltimore versus COVID. Let's win this together.




## Increase in hospitalizations, however less ICU admissions compared to earlier in the pandemic














# Booster & Additional Dose Vaccination Updates






# Booster dose is recommended for individuals 12 years and older


- Booster dose: another dose of a vaccine given to someone who has built protection from disease after vaccination, however the protection decreased over time
- Protect against severe disease, hospitalization, and death even with Omicron
- Pfizer booster dose at least <u>5</u> months from completion of the primary series for individuals 12 years and older
- Moderna booster dose at least <u>5</u> months from completion of the primary series for individuals 18 years and older
- J&J recipients can get the Moderna or Pfizer booster dose **2** months from completion of primary series
- Mix and Match dosing can be considered for the booster doses only





## Booster dose increases vaccine efficacy against symptomatic disease to ~ 65%


(B)



 $https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment\_data/file/1044481/Technical-Briefing-31-Dec-2021-Omicron\_severity\_update.pdf$ 







# Additional primary doses are available for some individuals with moderate to severe immunocompromise

- People who are moderately to severely immunocompromised are at increased risk of severe illness from COVID-19.
- Growing evidence that immunocompromised individuals have decreased or negligible immune response after vaccination with just 2 doses.
- Individuals with moderate to severe immunocompromising conditions 5 years and older should receive Pfizer (5 +) or Moderna (18 +) vaccine 28 days after completion of the 2nd dose. They should also receive a booster dose 5 months after this 3rd dose.
- Additional doses are available at all health department community vaccination clinics.
- Individuals should consult their primary care doctor to determine if they meet criteria for an additional dose. Information can also be found on the BCHD website.






## Where are booster & additional doses available?

- Booster doses are available at all BCHD vaccination clinics.
- BCHD is returning to Senior and Public Housing sites to administer booster doses - 24 clinics held to date.
  - 19 senior housing booster clinics
  - 5 public housing booster clinics





### **Homebound Vaccination Program**


- Administered 1,448 total doses (primary series and booster doses) to homebound individuals and their caregivers, to date
- Individuals self-refer through BCHD call center, registering on-line or state's No Arm Left Behind Program; partnering with Civic Works to locate homebound individuals not connected to services
- Multi-partner effort Baltimore City Fire Department, Bikur Cholim, Lifebridge, Lutherville Pharmacy, National Guard, UMMS





### **ARPA Funding for Vaccination**





### **ARPA Funding for Vaccination**

- Total estimated amount for FY22-FY25: \$13.28 million
- Hiring staff for:
  - Clinical staff assisted and congregate living support; general clinical support
  - Outreach staff for VALUE communities
  - Community services integration integrating vax into other community services like HIV/STI testing, syringe exchange, and clinical services in order to maximize our outreach services and have our programs that have already established how to engage "hard to reach" populations to conduct vaccinations along with their current work
  - Bolstering Immunization Office to cover all covax, flu, and future vaccination issues - 12 new staff
  - Mobile vaccination team supervisor and community health workers





### **ARPA Funding for Vaccination**


- Transportation continuing transportation program to get people to vaccination appointments
- VALUE Communities training and technical support through IVAC and MSU
- Licensing and maintenance for IT systems that support vaccination efforts
- Technology equipment for vaccination staff





### **Vaccine Passport**






### Vaccine Passports Internationally

- Several other countries have implemented this requirement earlier in 2021
- A December 13, 2021 study comparing six countries that introduced COVID vaccine passports (for access to non-essential sites) found that the requirement led to increased vaccinations between 20-days prior to the deadline and 40-days after the deadline in countries that had lower than average vaccination rates prior to the announcement.
  - Specifically, increases in vaccination rates were seen in those younger than 20-years-old and 30-49 years-old.
  - The countries included in the study had deadlines between April-August 2021: Denmark, Israel, Italy, France, Germany, and Switzerland.
  - The study could not break down impacts based on race/ethnicity or socioeconomic status.

https://www.thelancet.com/journals/lanpub/article/PIIS2468-2667(21)00273-5/fulltext





### Vaccine Passports Across US

- In the United States, approximately 20 states have banned vaccine passport requirements.
- Some cities started to rollout vaccine passports that are tied to working in and accessing *non-essential* establishments.
- New York, Hawaii, and California were the first three states to have vaccine passports implemented within their borders.
  - New York City's "Key to NYC" vaccine passport is required to enter indoor dining, fitness, and entertainment/meeting venues.
    - A month after the implementation of the passport, the City announced the vaccination rate increased by 9% overall, with a 13% increase for those ages 18-34.
    - City officials canvassed over 50,000 businesses to receive their input on the passport.
    - Since the implementation, only 15 businesses (of 31,000 business reviewed) were found in violation.
    - New York City is requiring those between 5-12 years old to at least have one shot and those 12-years-old + to be fully vaccinated.
  - The Hawaii island of Oahu implemented the Safe Access Oahu program from September to November 2021.
    - The program requires employees and visitors to be fully vaccinated or have a negative covid test result within 48 hours of entering the establishment.
    - Children under 12 are exempt from this requirement.
  - While the City of San Francisco has required proof of vaccination for those 12 years of age and older to enter/work in indoor non-essential establishments since August 2021 (and removed the mask requirement), the city has recently announced that masks will be required again even for settings with "stable populations of fully vaccinated people."

https://www1.nyc.gov/site/doh/covid/covid-19-vaccines-keytonyc.page 3


https://www.nbcnewyork.com/news/local/vax-rate-increased-since-key-to-nyc-mandate-went-into-effect-last-month-de-blasio/3320602/

https://www.hawaiinewsnow.com/2021/09/16/new-survey-aimed-gauging-impacts-safe-access-oahu-businesses/ 5 https://www.latimes.com/california/story/2021-12-29/san-francisco-and-other-bay-area-communities-tighten-mask-rules

6



It's Baltimore versus COVID. Let's win this together.



### Vaccine Passports Locally

- DC announced their vaccine passport program on December 22
  - Applicable to nonessential businesses
  - 12+ required to have 1st dose by 1/15/22
  - 12+ required to have 2nd dose by 2/15/22
  - Those with medical/religious exemption show proof of negative rapid or PCR test within previous 24 hours
- MoCo reviewing a resolution with County Council this week
  - Phased approach, focus on nonessential businesses
  - 12+ required to have 1st dose by 1/22/22
  - 12+ required to have 2nd dose by 2/15/22
  - 5 year and one month required to have all doses (excluding booster) by 3/1/22







### **Testing Updates**






### **BCHD Community Testing**

- We continue to host our community based testing sites, up to 5 sites per week (Mon-Fri).
- We are proud to have continued these sites, without interruption, since April 2020, and having them in place allowed us to flex their capacity quickly.
- We had 36 testing clinics from Dec 1-Jan 11.
- Over the end of December, we saw daily volumes increase from serving around 100 people per clinic, to at times over 500 per clinic. This mirrored similar increases in testing demand we saw at clinics throughout the city.






### **BCHD Community Testing**

- We also saw our percent positivity increase, ranging from 5-22% in early December, to 25-47% in late December and early January.
- We continue to ensure these sites are accessible to those who might not have access to other testing sites.
- We are committed to ensuring walk-up appointments
  - Limiting testing sites to appointment-only can place barriers to those without internet access or the ability to make appointments over the phone.
- We also ensure that we are able to deliver results to those without internet access.






### Other Community Testing Sites

- We are actively exploring options to increase our community testing sites and hope to be able to expand our capacity in the next few weeks.
- We are working with community partners to increase awareness of testing sites and expansion of current testing sites across the city.
- We are coordinating with MDH on additional state resources in the city including a FEMA/CDC site; MDH sponsored sites at local hospitals.
- We are excited about the additions of Nomi Health and Accu
  Reference to our weekly schedule of partners testing in the City in
  the past few weeks.
- Just this week, JH Bayview launched a testing site as well.





### **Rapid Test Kits**

- Have received 18,012 rapid test kits from MDH from Dec 1-Jan 10.
- Have allocated all of them and distributed 16,968.
  - The remaining 1,044 have been allocated to 17 community based organizations, and are awaiting pick up (3 day pick up window).
- Of the 18,012 kits, the distribution has been as follows:
  - 4,872 to libraries (1 distribution event)
  - 8,466 to 153 CBOs
  - 1,080 distributed at our testing sites
  - 828 at our vaccination sites
  - 858 through syringe exchange
  - 504 through Safe Streets
  - 360 through various home visiting programs






### **Rapid Test Kits**

- We have just received our first shipment of 100,000 test kits the city purchased independently.
- We are finalizing plans to distribute these to various partners which will include City Schools, CBOs and Libraries, and we will be making announcements very shortly about the distribution plans.
- We are in the process procuring additional test kits for future distribution.






### How to protect yourself and community

- Make sure you are up to date on vaccination get vaccinated and boosted
- Wear a well fitting mask in indoor public spaces (double mask/KN95)
- Avoid large crowds and large gatherings
- Continue to physically distance
- Practice proper hand hygiene
- If you are ill, get tested and stay away from others
- If you were exposed to someone with COVID, get tested and stay away from others







### Thank you!

Coronavirus.baltimorecity.gov/covax



