CITY OF BALTIMORE COUNCIL BILL 07-0691 (First Reader)

Introduced by: The Council President At the request of: The Administration (Department of Public Works) Introduced and read first time: Planning Commission Assigned to: Highways and Franchises Subcommittee REFERRED TO THE FOLLOWING AGENCIES: Planning Commission, Department of Housing and Community Development, Department of Public Works, Department of Transportation, Baltimore Development Corporation

A BILL ENTITLED

1 AN ORDINANCE concerning

2 3

City Streets – Closing – A Portion of Lancaster Street

- FOR the purpose of condemning and closing a portion of Lancaster Street, extending from the
 southwest side of President Street westerly and northwesterly to the south side of Aliceanna
 Street, as shown on Plat 114-A-22 in the Office of the Department of Public Works; and
 providing for a special effective date.
- 8 By authority of
- 9 Article I General Provisions
- 10 Section 4
- 11 and
- 12 Article II General Powers
- 13 Sections 2, 34, 35
- 14 Baltimore City Charter
- 15 (1996 Edition)

SECTION 1. BE IT ORDAINED BY THE MAYOR AND CITY COUNCIL OF BALTIMORE, That the
 Department of Public Works shall proceed to condemn and close a portion of Lancaster Street,
 extending from the southwest side of President Street westerly and northwesterly to the south
 side of Aliceanna Street, and more particularly described as follows:

Beginning for Parcel No. 1 at the intersection of the southwest side of President 20 Street, 60 feet wide, and the north side of Lancaster Street, varying in width, 21 having a coordinate value of East 4,086.53 feet and South 5,474.66 feet, and 22 running thence binding on the line of the southwest side of said President Street, 23 if projected southeasterly, South 28° 21' 17" East 73.81 feet to intersect the south 24 side of said Lancaster Street, 52 feet wide; thence binding on the south, 25 26 southwest, southeast and west sides of last said Lancaster Street, the six following courses and distances; namely, South 87° 34' 53" West 287.84 feet, by a tangent 27 arc curving to the right with a radius of 252.00 feet the distance of 221.33 feet 28 which arc is subtended by a chord bearing North 67° 15' 28.5" West 214.28 feet, 29

Council Bill 07-0691

| feet, North 42° 05' 19" West 7.34 feet, and by a non-tangent arc curving to the right with a radius of 185.00 feet the distance of 72.55 feet which arc is subtended by a chord bearing North 02° 12' 07" West 72.08 feet to intersect the line of the south side of Aliceanna Street, 42 feet wide, if projected southwesterly; thence binding reversely on the line of the south side of said Aliceanna Street, North 76° 56' 36" East 26.33 feet, to intersect the northeast side of Lancaster Street, varying in width and thence binding on the northeast and north sides of last said Lancaster Street, in part on the northeast and north sides of Lancaster Street, mentioned secondly herein, and in all, the five following courses and distances; namely, by a line curving to the left with a radius of 17.00 feet the distance of 35.32 feet which arc is subtended by a chord bearing South 17° 25' 19.5" West 29.30 feet, South 42° 05' 50" East 89.99 feet, by a tangent arc curving to the left with a radius of 200.00 feet the distance of 175.65 feet which arc is subtended by a chord bearing South 67° 15' 28.5" East 170.06 feet, North 87° 34' 53" East 246.56 feet and by a tangent arc curving to the left with a radius of 10.00 feet the distance of 20.25 feet which arc is subtended by a chord bearing of North 29° 36' 57.5" East 16.96 feet to the place of beginning. | 1 | by a tangent line North 42° 05' 50" West 52.85 feet, North 32° 54' 10" East 8.28 |
|--|----|--|
| by a chord bearing North 02° 12' 07" West 72.08 feet to intersect the line of the south side of Aliceanna Street, 42 feet wide, if projected southwesterly; thence binding reversely on the line of the south side of said Aliceanna Street, North 76° 56' 36" East 26.33 feet, to intersect the northeast side of Lancaster Street, varying in width and thence binding on the northeast and north sides of last said Lancaster Street, in part on the northeast and north sides of Lancaster Street, mentioned secondly herein, and in all, the five following courses and distances; namely, by a line curving to the left with a radius of 17.00 feet the distance of 35.32 feet which arc is subtended by a chord bearing South 17° 25' 19.5" West 29.30 feet, South 42° 05' 50" East 89.99 feet, by a tangent arc curving to the left with a radius of 200.00 feet the distance of 175.65 feet which arc is subtended by a chord bearing South 67° 15' 28.5" East 170.06 feet, North 87° 34' 53" East 246.56 feet and by a tangent arc curving to the left with a radius of 10.00 feet the distance of 20.25 feet which arc is subtended by a chord bearing of North 29° 36' 57.5" East 16.96 feet | 2 | feet, North 42° 05' 19" West 7.34 feet, and by a non-tangent arc curving to the |
| south side of Aliceanna Street, 42 feet wide, if projected southwesterly; thence binding reversely on the line of the south side of said Aliceanna Street, North 76° 56' 36" East 26.33 feet, to intersect the northeast side of Lancaster Street, varying in width and thence binding on the northeast and north sides of last said Lancaster Street, in part on the northeast and north sides of Lancaster Street, mentioned secondly herein, and in all, the five following courses and distances; namely, by a line curving to the left with a radius of 17.00 feet the distance of 35.32 feet which arc is subtended by a chord bearing South 17° 25' 19.5" West 29.30 feet, South 42° 05' 50" East 89.99 feet, by a tangent arc curving to the left with a radius of 200.00 feet the distance of 175.65 feet which arc is subtended by a chord bearing South 67° 15' 28.5" East 170.06 feet, North 87° 34' 53" East 246.56 feet and by a tangent arc curving to the left with a radius of 10.00 feet the distance of 20.25 feet which arc is subtended by a chord bearing of North 29° 36' 57.5" East 16.96 feet | 3 | |
| binding reversely on the line of the south side of said Aliceanna Street, North 76° 56' 36" East 26.33 feet, to intersect the northeast side of Lancaster Street, varying in width and thence binding on the northeast and north sides of last said Lancaster Street, in part on the northeast and north sides of Lancaster Street, mentioned secondly herein, and in all, the five following courses and distances; namely, by a line curving to the left with a radius of 17.00 feet the distance of 35.32 feet which arc is subtended by a chord bearing South 17° 25' 19.5" West 29.30 feet, South 42° 05' 50" East 89.99 feet, by a tangent arc curving to the left with a radius of 200.00 feet the distance of 175.65 feet which arc is subtended by a chord bearing South 67° 15' 28.5" East 170.06 feet, North 87° 34' 53" East 246.56 feet and by a tangent arc curving to the left with a radius of 10.00 feet the distance of 20.25 feet which arc is subtended by a chord bearing of North 29° 36' 57.5" East 16.96 feet | 4 | |
| 56' 36" East 26.33 feet, to intersect the northeast side of Lancaster Street, varying in width and thence binding on the northeast and north sides of last said Lancaster Street, in part on the northeast and north sides of Lancaster Street, mentioned secondly herein, and in all, the five following courses and distances; namely, by a line curving to the left with a radius of 17.00 feet the distance of 35.32 feet which arc is subtended by a chord bearing South 17° 25' 19.5" West 29.30 feet, South 42° 05' 50" East 89.99 feet, by a tangent arc curving to the left with a radius of 200.00 feet the distance of 175.65 feet which arc is subtended by a chord bearing South 67° 15' 28.5" East 170.06 feet, North 87° 34' 53" East 246.56 feet and by a tangent arc curving to the left with a radius of 10.00 feet the distance of 20.25 feet which arc is subtended by a chord bearing of North 29° 36' 57.5" East 16.96 feet | 5 | |
| in width and thence binding on the northeast and north sides of last said Lancaster Street, in part on the northeast and north sides of Lancaster Street, mentioned secondly herein, and in all, the five following courses and distances; namely, by a line curving to the left with a radius of 17.00 feet the distance of 35.32 feet which arc is subtended by a chord bearing South 17° 25' 19.5" West 29.30 feet, South 42° 05' 50" East 89.99 feet, by a tangent arc curving to the left with a radius of 200.00 feet the distance of 175.65 feet which arc is subtended by a chord bearing South 67° 15' 28.5" East 170.06 feet, North 87° 34' 53" East 246.56 feet and by a tangent arc curving to the left with a radius of 10.00 feet the distance of 20.25 feet which arc is subtended by a chord bearing of North 29° 36' 57.5" East 16.96 feet | 6 | |
| Street, in part on the northeast and north sides of Lancaster Street, mentioned secondly herein, and in all, the five following courses and distances; namely, by a line curving to the left with a radius of 17.00 feet the distance of 35.32 feet which arc is subtended by a chord bearing South 17° 25' 19.5" West 29.30 feet, South 42° 05' 50" East 89.99 feet, by a tangent arc curving to the left with a radius of 200.00 feet the distance of 175.65 feet which arc is subtended by a chord bearing South 67° 15' 28.5" East 170.06 feet, North 87° 34' 53" East 246.56 feet and by a tangent arc curving to the left with a radius of 10.00 feet the distance of 20.25 feet which arc is subtended by a chord bearing of North 29° 36' 57.5" East 16.96 feet | 7 | |
| secondly herein, and in all, the five following courses and distances; namely, by a line curving to the left with a radius of 17.00 feet the distance of 35.32 feet which arc is subtended by a chord bearing South 17° 25' 19.5" West 29.30 feet, South 42° 05' 50" East 89.99 feet, by a tangent arc curving to the left with a radius of 200.00 feet the distance of 175.65 feet which arc is subtended by a chord bearing South 67° 15' 28.5" East 170.06 feet, North 87° 34' 53" East 246.56 feet and by a tangent arc curving to the left with a radius of 10.00 feet the distance of 20.25 feet which arc is subtended by a chord bearing of North 29° 36' 57.5" East 16.96 feet | 8 | |
| line curving to the left with a radius of 17.00 feet the distance of 35.32 feet which arc is subtended by a chord bearing South 17° 25' 19.5" West 29.30 feet, South 42° 05' 50" East 89.99 feet, by a tangent arc curving to the left with a radius of 200.00 feet the distance of 175.65 feet which arc is subtended by a chord bearing South 67° 15' 28.5" East 170.06 feet, North 87° 34' 53" East 246.56 feet and by a tangent arc curving to the left with a radius of 10.00 feet the distance of 20.25 feet which arc is subtended by a chord bearing of North 29° 36' 57.5" East 16.96 feet | 9 | |
| 12arc is subtended by a chord bearing South 17° 25' 19.5" West 29.30 feet, South1342° 05' 50" East 89.99 feet, by a tangent arc curving to the left with a radius of14200.00 feet the distance of 175.65 feet which arc is subtended by a chord bearing15South 67° 15' 28.5" East 170.06 feet, North 87° 34' 53" East 246.56 feet and by a16tangent arc curving to the left with a radius of 10.00 feet the distance of 20.25 feet17which arc is subtended by a chord bearing of North 29° 36' 57.5" East 16.96 feet | 10 | |
| 42° 05' 50" East 89.99 feet, by a tangent arc curving to the left with a radius of 200.00 feet the distance of 175.65 feet which arc is subtended by a chord bearing South 67° 15' 28.5" East 170.06 feet, North 87° 34' 53" East 246.56 feet and by a tangent arc curving to the left with a radius of 10.00 feet the distance of 20.25 feet which arc is subtended by a chord bearing of North 29° 36' 57.5" East 16.96 feet | 11 | 0 |
| 14200.00 feet the distance of 175.65 feet which arc is subtended by a chord bearing15South 67° 15' 28.5" East 170.06 feet, North 87° 34' 53" East 246.56 feet and by a16tangent arc curving to the left with a radius of 10.00 feet the distance of 20.25 feet17which arc is subtended by a chord bearing of North 29° 36' 57.5" East 16.96 feet | 12 | |
| South 67° 15' 28.5" East 170.06 feet, North 87° 34' 53" East 246.56 feet and by a tangent arc curving to the left with a radius of 10.00 feet the distance of 20.25 feet which arc is subtended by a chord bearing of North 29° 36' 57.5" East 16.96 feet | 13 | |
| 16tangent arc curving to the left with a radius of 10.00 feet the distance of 20.25 feet17which arc is subtended by a chord bearing of North 29° 36' 57.5" East 16.96 feet | 14 | |
| which arc is subtended by a chord bearing of North 29° 36' 57.5" East 16.96 feet | 15 | |
| | 16 | 6 6 |
| 18 to the place of beginning. | 17 | |
| | 18 | to the place of beginning. |

As delineated on Plat 114-A-22, prepared by the Survey Control Section and filed on May 8, 19 20 2007 in the Office of the Department of Public Works.

21 SECTION 2. AND BE IT FURTHER ORDAINED, That the proceedings for the condemnation and closing of a portion of Lancaster Street and the rights of all interested parties shall be regulated 2.2 by and in accordance with all applicable provisions of state and local law and with all applicable 23 rules and regulations adopted by the Director of Public Works and filed with the Department of 24 Legislative Reference. 25

SECTION 3. AND BE IT FURTHER ORDAINED, That after the closing under this Ordinance, all 26 subsurface structures and appurtenances now owned by the Mayor and City Council of 27 28 Baltimore continue to be the property of the Mayor and City Council, in fee simple, until their use has been abandoned by the Mayor and City Council. If any person wants to remove, alter, or 29 interfere with them, that person must first obtain permission from the Mayor and City Council 30 and, in the application for this permission, must agree to pay all costs and expenses, of every 31 kind, arising out of the removal, alteration, or interference. 32

33 SECTION 4. AND BE IT FURTHER ORDAINED, That no building or structure of any kind (including but not limited to railroad tracks) may be constructed or erected in or on any part of 34 the street closed under this Ordinance until all subsurface structures and appurtenances owned by 35 the Mayor and City Council of Baltimore have been abandoned by the Mayor and City Council 36 37 or, at the expense of the person seeking to erect the building or structure, have been removed and relaid in accordance with the specifications and under the direction of the Director of Public 38 Works of Baltimore City. 39

SECTION 5. AND BE IT FURTHER ORDAINED, That after the closing under this Ordinance, all 40 41 subsurface structures and appurtenances owned by any person other than the Mayor and City Council of Baltimore shall be removed by and at the expense of their owners, promptly upon 42 notice to do so from the Director of Public Works. 43

SECTION 6. AND BE IT FURTHER ORDAINED, That at all times after the closing under this 44 Ordinance, the Mayor and City Council of Baltimore, acting by or through its authorized 45

Council Bill 07-0691

1 representatives, shall have access to the subject property and to all subsurface structures and

2 appurtenances used by the Mayor and City Council, for the purpose of inspecting, maintaining,

- 3 repairing, altering, relocating, or replacing any of them, without need to obtain permission from
- 4 or pay compensation to the owner of the property.

5 SECTION 7. AND BE IT FURTHER ORDAINED, That this Ordinance takes effect on the date it 6 is enacted.