

CITY OF BALTIMORE
ORDINANCE _____
Council Bill 18-0306

Introduced by: Councilmembers Reisinger, Henry, Costello, Scott, Bullock, Stokes, Burnett,
Cohen, Middleton, Dorsey, Pinkett, Sneed, Clarke
Introduced and read first time: November 19, 2018
Assigned to: Land Use and Transportation Committee
Committee Report: Favorable with amendments
Council action: Adopted
Read second time: February 4, 2019

AN ORDINANCE CONCERNING

Health Code – Clean Air Regulation

- 1
- 2 FOR the purpose of regulating the emissions from commercial solid waste incinerators; defining
3 certain terms; requiring the continuous monitoring of certain pollutants; setting emissions
4 limits for certain pollutants; requiring the production and public disclosure of certain
5 emissions reports; requiring commercial solid waste incinerators to allow certain inspections;
6 establishing a certification process for air monitoring contractors; setting certain penalties;
7 setting special effective dates; and generally relating to clean air regulations.
- 8 BY adding
- 9 Article - Health
10 Section(s) 8-110 to 8-126, to be under a new designation entitled
11 “Part II. Commercial Solid Waste Incinerators”
12 Baltimore City Code
13 (Edition 2000)
- 14 BY repealing and reordaining, without amendments
- 15 Article - Health
16 Section(s) 8-301
17 Baltimore City Revised Code
18 (Edition 2000)
- 19 BY repealing and reordaining, with amendments
- 20 Article - Health
21 Section(s) 8-302
22 Baltimore City Revised Code
23 (Edition 2000)

EXPLANATION: CAPITALS indicate matter added to existing law.
[Brackets] indicate matter deleted from existing law.
Underlining indicates matter added to the bill by amendment.
~~Strike out~~ indicates matter stricken from the bill by
amendment or deleted from existing law by amendment.

Council Bill 18-0306

1 BY repealing and reordaining, with amendments
2 Article 1 - Mayor, City Council, and Municipal Agencies
3 Section(s) 40-14(e)(7)(Title 8) and 41-14(6)(Title 8)
4 Baltimore City Code
5 (Edition 2000)

6 **SECTION 1. BE IT ORDAINED BY THE MAYOR AND CITY COUNCIL OF BALTIMORE,** That the
7 Laws of Baltimore City read as follows:

8 **Baltimore City Code**

9 **Article . Health**

10 **Title 8. Air Pollution**

11 ***Subtitle 1. Prohibited Emissions***

12 ***PART II. COMMERCIAL SOLID WASTE INCINERATORS***

13 **§ 8-110. SHORT TITLE AND PURPOSE.**

14 (A) *SHORT TITLE.*

15 THIS PART II SHALL BE KNOWN AND MAY BE CITED AS THE “BALTIMORE CLEAN AIR ACT”

16 (B) *PURPOSE.*

17 THE PURPOSE AND INTENT OF THIS PART II IS TO ENSURE THAT ACCURATE AND COMPLETE
18 INFORMATION IS AVAILABLE TO THE CITY AND GENERAL PUBLIC ABOUT POLLUTANTS
19 RELEASED FROM COMMERCIAL SOLID WASTE INCINERATORS WITHIN THE CITY AND TO
20 EXERCISE THE AUTHORITY GRANTED TO THE CITY UNDER THE MARYLAND ENVIRONMENT
21 CODE.

22 **§ 8-111. DEFINITIONS.**

23 (A) *IN GENERAL.*

24 THE FOLLOWING WORDS AND PHRASES WHEN USED WITHIN THIS PART II, UNLESS THE
25 CONTEXT CLEARLY INDICATES OTHERWISE, SHALL HAVE THE MEANING ASCRIBED TO THEM
26 IN THIS SECTION.

27 (B) *AIR MONITORING CONTRACTOR.*

28 “AIR MONITORING CONTRACTOR” MEANS AN ENVIRONMENTAL ENGINEER CERTIFIED BY
29 THE CITY TO DESIGN, INSTALL, OPERATE, AND MAINTAIN THE CONTINUOUS EMISSIONS
30 MONITORING SYSTEMS REQUIRED BY THIS PART II.

Council Bill 18-0306

1 (C) *COMMERCIAL SOLID WASTE INCINERATOR OR FACILITY* -

2 “COMMERCIAL SOLID WASTE INCINERATOR” OR “FACILITY” MEANS ANY FACILITY IN
3 BALTIMORE CITY THAT PRODUCES ENERGY OR DISPOSES OF WASTE BY COMBUSTING A
4 SOLID FUEL OR WASTE, OR GASES PRODUCED ON-SITE FROM THE GASIFICATION OR
5 PYROLYSIS OF A SOLID FUEL OR WASTE, AND WHICH IS CAPABLE OF PROCESSING AT LEAST
6 25 TONS OF SOLID FUEL OR WASTE PER DAY.

7 (D) *CONTINUOUS EMISSIONS MONITORING SYSTEM OR CEMS*.

8 (1) *IN GENERAL*.

9 “CONTINUOUS EMISSIONS MONITORING SYSTEM” OR “CEMS” MEANS A POLLUTION
10 MONITORING SYSTEM CAPABLE OF SAMPLING, CONDITIONING, ANALYZING, AND
11 PROVIDING A RECORD OF EMISSIONS AT FREQUENT INTERVALS THAT MEETS U.S.
12 ENVIRONMENTAL PROTECTION AGENCY OR MARYLAND DEPARTMENT OF THE
13 ENVIRONMENT DATA ACQUISITION AND AVAILABILITY REQUIREMENTS.

14 (2) *SAMPLING FREQUENCY*.

15 EXCEPT AS SPECIFIED IN PARAGRAPH (3) OF THIS SUBSECTION, THE SAMPLING
16 FREQUENCY CAPABILITY SUFFICIENT TO QUALIFY A SYSTEM AS A CEMS FOR THE
17 PURPOSES OF THIS PART II MUST AT A MINIMUM DELIVER A MONITORING SAMPLE:

18 (I) ONCE PER MINUTE; OR

19 (II) ANY LESSER FREQUENCY OF INTERVAL, UP TO NO LESS THAN ONCE PER HOUR,
20 THAT PROVIDES SUFFICIENT DATA FOR A DIRECT DETERMINATION OF
21 COMPLIANCE WITH ALL APPLICABLE EMISSION LIMITATIONS IMPOSED BY THIS
22 PART II.

23 (3) *DIOXIN AND FURAN SAMPLING*.

24 IN THE CASE OF DIOXINS AND FURANS, LONG-TERM SAMPLING EQUIPMENT MAY BE
25 USED IF REAL-TIME MONITORS ARE NOT COMMERCIALY AVAILABLE, SO LONG AS
26 YEAR-ROUND MONITORING IS STILL ACHIEVED THROUGH BACK-TO-BACK USE OF
27 LONG-TERM MONTHLY SAMPLES.

28 (E) *“PERSON”*.

29 “PERSON” MEANS:

30 (1) AN INDIVIDUAL;

31 (2) A PARTNERSHIP, FIRM, ASSOCIATION, CORPORATION, OR OTHER ENTITY OF ANY
32 KIND;

33 (3) A RECEIVER, TRUSTEE, GUARDIAN, PERSONAL REPRESENTATIVE, FIDUCIARY, OR
34 REPRESENTATIVE OF ANY KIND.

Council Bill 18-0306

1 (F) *SOLID FUEL OR WASTE.*

2 "SOLID FUEL" OR "WASTE" MEANS ANY SOLID WASTE, DISCARDED MATERIAL,
3 RECYCLABLE MATERIALS, SLUDGES, BY-PRODUCTS, COMMERCIAL CHEMICAL PRODUCTS,
4 MUNICIPAL WASTE, HAZARDOUS WASTE, BIOMASS, PROCESSED DEBRIS, SPECIAL MEDICAL
5 WASTE, STERILIZED SPECIAL MEDICAL WASTE, SEWAGE SLUDGE, SCRAP TIRES, AUTO
6 SHREDDER RESIDUE, REFUSE-DERIVED FUEL, PROCESSED ENGINEERED FUEL, OR SOLID FUEL
7 PRODUCED FROM MUNICIPAL WASTE.

8 (G) $TEQ_{DF-WHO_{98}}$ -

9 "TEQ_{DF-WHO₉₈}" MEANS A UNIT OF MEASUREMENT FOR DIOXINS AND FURANS,
10 STANDARDIZED TO TOXIC EQUIVALENTS, CALCULATED IN ACCORDANCE WITH THE WORLD
11 HEALTH ORGANIZATION'S 1998 METHOD.

12 **§ 8-112. SCOPE.**

13 ALL COMMERCIAL SOLID WASTE INCINERATORS LOCATED WITHIN BALTIMORE CITY ARE
14 SUBJECT TO THE REQUIREMENTS OF THIS PART II.

15 **§ 8-113. RULES AND REGULATIONS.**

16 (A) *HEALTH COMMISSIONER TO ADOPT.*

17 THE HEALTH COMMISSIONER MAY ADOPT RULES AND REGULATIONS TO IMPLEMENT THIS
18 PART II.

19 (B) *FILING WITH LEGISLATIVE REFERENCE.*

20 A COPY OF ALL RULES AND REGULATIONS ADOPTED UNDER THIS PART II MUST BE FILED
21 WITH THE DEPARTMENT OF LEGISLATIVE REFERENCE BEFORE THEY BECOME EFFECTIVE.

22 **§ 8-114. POLLUTANTS TO BE CONTINUOUSLY MONITORED.**

23 EACH FACILITY MUST, AT ITS OWN EXPENSE, CONTRACT WITH AN AIR MONITORING
24 CONTRACTOR CERTIFIED BY THE HEALTH COMMISSIONER IN ACCORDANCE WITH § 8-124
25 {"AIR MONITORING CONTRACTOR CERTIFICATION"} TO INSTALL, OPERATE, AND MAINTAIN
26 CONTINUOUS EMISSIONS MONITORING SYSTEMS ("CEMS") EQUIPMENT TO MONITOR,
27 MEASURE, AND DISCLOSE THE SMOKESTACK EMISSION OF THE FOLLOWING POLLUTANTS:

28 (1) DIOXINS AND FURANS, AS MEASURED AT A POINT, AFTER ALL AIR POLLUTION CONTROL
29 DEVICES, WHERE THE EXHAUST GASES HAVE COOLED TO BELOW 200 DEGREES
30 CENTIGRADE;

31 (2) CARBON DIOXIDE (CO₂) AND CARBON MONOXIDE (CO);

32 (3) HYDROCHLORIC ACID (HCL) AND HYDROFLUORIC ACID (HF);

33 (4) NITROGEN OXIDES (NOX);

Council Bill 18-0306

- 1 (5) SULFUR DIOXIDES (SO₂);
- 2 (6) PARTICULATE MATTER (PM);
- 3 (7) VOLATILE ORGANIC COMPOUNDS (VOCs);
- 4 (8) POLYCYCLIC AROMATIC HYDROCARBONS (PAHS); AND
- 5 (9) ARSENIC, CADMIUM, CHROMIUM (VI), LEAD, MANGANESE, MERCURY, NICKEL,
- 6 SELENIUM, AND ZINC.

§ 8-115. MONITORING SYSTEM TO BE CONTINUOUSLY ACTIVE.

(A) *IN GENERAL.*

9 A FACILITY'S CEMS MUST BE OPERATIONAL AT ALL TIMES THAT THE FACILITY IS
10 OPERATING.

11 (B) *GAPS OF MORE THAN 30 MINUTES A VIOLATION.*

12 CEMS DOWNTIME THAT EXCEEDS 30 CONSECUTIVE MINUTES WHILE A FACILITY IS
13 OPERATING ARE A VIOLATION OF THIS SECTION.

§ 8-116. EMISSION LIMITS.

15 (A) ~~LIMITS ON JANUARY 1, 2020~~ FOR MERCURY AND SULFUR DIOXIDE.

16 ~~STARTING JANUARY 1, 2020, EACH~~ EACH FACILITY MUST MEET THE FOLLOWING
17 POLLUTION LIMITS:

- 18 (1) MERCURY: 15 MICROGRAMS PER DRY STANDARD CUBIC METER
19 (μ G/DSCM) CORRECTED AT 7% O₂
- 20 (2) SULFUR DIOXIDE (SO₂): 18 PARTS PER MILLION DRY VOLUME (PPMVD)
21 CORRECTED AT 7% O₂ (24 HOUR GEOMETRIC MEAN)

22 (B) ~~LIMITS ON JANUARY 1, 2022~~ LIMITS FOR DIOXINS/FURANS AND NITROGEN OXIDES.

23 STARTING JANUARY 1, 2022, IN ADDITION TO THE LIMITS IMPOSED BY SUBSECTION (B) OF THIS
24 SECTION, EACH FACILITY MUST MEET THE FOLLOWING POLLUTION LIMITS:

- 25 (1) DIOXINS/FURANS (PCDD/F): 2.6 NANOGRAMS TEQ_{DF-WHO₉₈} PER DRY
26 STANDARD CUBIC METER (NG/DSCM)
27 CORRECTED AT 7% O₂
- 28 (2) NITROGEN OXIDES (NOX): 45 PARTS PER MILLION DRY VOLUME (PPMVD)
29 CORRECTED AT 7% O₂ (24 HOUR BLOCK
30 ARITHMETIC MEAN)

Council Bill 18-0306

40 PARTS PER MILLION DRY VOLUME (PPMVD)
CORRECTED AT 7% O₂ (12 MONTH ROLLING
AVERAGE)

§ 8-117. ADOPTION AND INCORPORATION OF OTHER LIMITS AND STANDARDS.

(A) ADOPTION OF MORE STRINGENT STATE OR FEDERAL STANDARDS.

IF THE U.S. ENVIRONMENTAL PROTECTION AGENCY OR THE STATE OF MARYLAND ADOPTS A MORE STRINGENT STANDARD, LIMIT, OR REQUIREMENT FOR THE EMISSION OF AIR CONTAMINANTS, A MORE STRINGENT STANDARD OF PERFORMANCE FOR ANY FACILITY REGULATED BY THIS PART II, OR A MORE STRINGENT STANDARD OF PERFORMANCE FOR STATIONARY SOURCES THAT WOULD APPLY TO A FACILITY THAN IS IMPOSED BY THIS PART II, THE FACILITY MUST MEET THE MORE STRINGENT REQUIREMENT.

(B) CITY ENFORCEMENT.

IT IS EXPRESSLY THE INTENT OF THE CITY IN ADOPTING THE STANDARDS, LIMITS, REQUIREMENTS, AND STANDARDS OF PERFORMANCE REFERENCED IN SUBSECTION (A) OF THIS SECTION TO MAKE THOSE MORE STRINGENT REQUIREMENTS INDEPENDENTLY ENFORCEABLE BY THE CITY OF BALTIMORE.

§ 8-118. TO § 8-119. {RESERVED}

§ 8-120. REQUIRED CEMS REPORTS.

(A) REPORTS REQUIRED.

(1) EACH FACILITY MUST PROVIDE A DAILY REPORT TO ITS AIR MONITORING CONTRACTOR THAT DETAILS:

(I) THE DAILY EMISSIONS FROM THE FACILITY OF THE POLLUTANTS LISTED IN § 8-114. {"POLLUTANTS TO BE CONTINUOUSLY MONITORED"} OF THIS PART II; AND

(II) THE REASONS FOR ANY CEMS DOWNTIME.

(2) ALL DATA SUPPLIED AS PART OF THE REPORTS REQUIRED BY THIS SECTION IS PROPERTY OF THE CITY OF BALTIMORE.

(B) FORM OF REPORT.

THE DAILY REPORT REQUIRED BY THIS SECTION MUST BE IN THE FORM SPECIFIED BY THE HEALTH COMMISSIONER AND INCLUDE ALL RELEVANT MACHINE READABLE RAW DATA.

(C) REASONABLE ACCESS REQUIRED.

A FACILITY MUST PROVIDE REASONABLE ACCESS TO ITS PROPERTY AND OPERATIONS TO THE AIR MONITORING CONTRACTOR RESPONSIBLE FOR PREPARING THE REPORTS REQUIRED BY THIS SECTION TO ENABLE THE REPORTS TO BE PREPARED AND VERIFIED.

Council Bill 18-0306

1 (D) *HISTORICAL REPORTS.*

2 EACH FACILITY MUST PROVIDE ITS AIR MONITORING CONTRACTOR WITH ALL EMISSIONS
3 REPORTS FOR THE FACILITY PREVIOUSLY PROVIDED TO THE MARYLAND DEPARTMENT OF THE
4 ENVIRONMENT, AND ANY PRIOR AIR MONITORING CONTRACTOR FOR THE FACILITY, AT THE
5 TIME THAT THE AIR MONITORING CONTRACTOR BEGINS MONITORING THE FACILITY.

6 **§ 8-121. DATA DISCLOSURE.**

7 (A) *IN GENERAL.*

8 (1) THE AIR MONITORING CONTRACTOR MUST DISCLOSE THE INFORMATION IT RECEIVES IN THE
9 DAILY REPORTS REQUIRED BY § 8-120(A) {"REQUIRED CEMS REPORTS: REPORTS
10 REQUIRED"} OF THIS PART II TO THE PUBLIC ON A PUBLICLY ACCESSIBLE WEBPAGE CAPABLE
11 OF PROVIDING AN EASY TO READ GRAPHICAL PORTRAYAL OF THE INFORMATION.

12 (2) THE AIR MONITORING CONTRACTOR MUST ARCHIVE ALL OF THE DAILY REPORTS RECEIVED
13 FROM A FACILITY UNDER § 8-120 {"REQUIRED CEMS REPORTS"} OF THIS PART II AND
14 MAKE THIS ARCHIVED HISTORICAL DATA, TOGETHER WITH ALL DATA PROVIDED BY THE
15 FACILITY UNDER § 8-120(D) {"REQUIRED CEMS REPORTS: HISTORICAL REPORTS"},
16 AVAILABLE ON A PUBLICLY ACCESSIBLE WEBPAGE CAPABLE OF PROVIDING AN EASY TO
17 READ GRAPHICAL PORTRAYAL OF THE INFORMATION.

18 (B) *REPORTS TO HEALTH DEPARTMENT.*

19 THE AIR MONITORING CONTRACTOR FOR A FACILITY MUST PROVIDE REPORTS TO THE HEALTH
20 COMMISSIONER, IN THE FORM SPECIFIED BY THE COMMISSIONER AND INCLUDING ALL RELEVANT
21 MACHINE READABLE RAW DATA, ABOUT EMISSIONS FROM THE FACILITY:

22 (1) WHENEVER THE FACILITY EXCEEDS AN EMISSION LIMIT SET UNDER § 8-116 {"EMISSION
23 LIMITS"} OR § 8-117 {"ADOPTION AND INCORPORATION OF OTHER LIMITS AND
24 STANDARDS"};

25 (2) AT REGULAR INTERVALS SET BY THE COMMISSIONER; AND

26 (3) WHENEVER REQUESTED BY THE COMMISSIONER, OR THE COMMISSIONER'S DESIGNEE.

27 **§ 8-122. INSPECTIONS.**

28 (A) *IN GENERAL.*

29 THE AIR MONITORING CONTRACTOR FOR A FACILITY MUST PERIODICALLY INSPECT THE
30 CONTINUOUS EMISSIONS MONITORING SYSTEMS INSTALLED AT THE FACILITY AND VERIFY
31 THAT THEY ARE OPERATING CORRECTLY.

32 (B) *TIMES AND INTERVALS.*

33 INSPECTIONS REQUIRED BY THIS SECTION MUST TAKE PLACE AT TIMES AND INTERVALS CHOSEN
34 BY THE HEALTH COMMISSIONER AND WILL NOT BE ANNOUNCED IN ADVANCE TO THE FACILITY.

Council Bill 18-0306

1 (C) *FREQUENCY.*

2 NO FEWER THAN 4 INSPECTIONS MUST BE CONDUCTED EACH CALENDAR YEAR.

3 **§ 8-123. {RESERVED}**

4 **§ 8-124. AIR MONITORING CONTRACTOR CERTIFICATION.**

5 (A) *REQUIRED CAPABILITIES.*

6 IN ORDER TO BE CERTIFIED AS AN AIR MONITORING CONTRACTOR, AN APPLICANT MUST
7 DEMONSTRATE TO THE HEALTH COMMISSIONER’S SATISFACTION THAT IT, USING ITS OWN
8 RESOURCES OR IN PARTNERSHIP WITH 1 OR MORE CO-APPLICANTS, IS CAPABLE OF:

9 (1) PROCURING OR DEVELOPING, AND THEREAFTER INSTALLING, CEMS EQUIPMENT AT A
10 SUBJECT FACILITY;

11 (2) PERFORMING REGULAR INSPECTIONS AS REQUIRED BY § 8-122. {"INSPECTIONS"} OF THIS
12 PART II; AND

13 (3) DEVELOPING SOFTWARE UTILITIES CAPABLE OF CAPTURING AND PUBLICALLY
14 DISPLAYING CEMS DATA NEEDED FOR THE DAILY REPORTS REQUIRED BY § 8-120.
15 {"REQUIRED CEMS REPORTS"} OF THIS PART II.

16 (B) *CONFLICTS OF INTERESTS.*

17 IN ORDER TO BE CERTIFIED AS AN AIR MONITORING CONTRACTOR, AN APPLICANT MUST NOT
18 HAVE HAD A CONTRACT, OTHER THAN A CONTRACT TO PERFORM THE DUTIES OF AN AIR
19 MONITORING CONTRACTOR UNDER THIS PART II, WITH A FACILITY, OR THE OWNER OR
20 OPERATOR OF A FACILITY:

21 (1) WITHIN THE PAST 10 YEARS; OR

22 (2) FOR THE DURATION OF THEIR ROLE AS AN AIR MONITORING CONTRACTOR.

23 (C) *CERTIFICATION.*

24 ~~THE~~ NO LATER THAN 6 MONTHS AFTER THE EFFECTIVE DATE OF THIS ORDINANCE, THE
25 BALTIMORE CITY HEALTH DEPARTMENT SHALL CERTIFY AN APPLICANT MEETING THE
26 REQUIREMENTS OF SUBSECTIONS (A) AND (B) OF THIS SECTION AS AN AIR MONITORING
27 CONTRACTOR WITHIN 90 DAYS OF RECEIVING:

28 (1) INFORMATION, IN THE FORM REQUIRED BY THE HEALTH COMMISSIONER, SUFFICIENT TO
29 DEMONSTRATE THAT THE APPLICANT MEETS THE REQUIREMENTS OF SUBSECTIONS (A)
30 AND (B) OF THIS SECTION; AND

31 (2) PAYMENT OF THE APPLICATION FEE SET BY THE BOARD OF ESTIMATES.

Council Bill 18-0306

§ 8-125. CRIMINAL PENALTIES.

(A) *IN GENERAL.*

ANY PERSON WHO VIOLATES ANY PROVISION OF THIS PART II, OR OF A RULE OR REGULATION ADOPTED UNDER THIS PART II, IS GUILTY OF A MISDEMEANOR AND, ON CONVICTION, IS SUBJECT TO A FINE OF NOT MORE THAN \$1,000 OR IMPRISONMENT FOR NOT MORE THAN 90 DAYS OR BOTH FINE AND IMPRISONMENT FOR EACH OFFENSE.

(B) *MULTIPLE SIMULTANEOUS VIOLATIONS.*

IF A PERSON IS RESPONSIBLE FOR SIMULTANEOUS VIOLATIONS OF MORE THAN 1 SECTION OF THIS PART II, SIMULTANEOUSLY FAILING TO MONITOR, MEASURE, AND DISCLOSE THE EMISSION OF MORE THAN 1 POLLUTANT AS REQUIRED BY § 8-114 {"POLLUTANTS TO BE CONTINUOUSLY MONITORED"} OF THIS PART II, OR SIMULTANEOUSLY VIOLATING MORE THAN 1 STANDARD REQUIRED BY § 8-116 {"EMISSION LIMITS"} OF THIS PART II, EACH SEPARATE VIOLATION CONSTITUTES A SEPARATE OFFENSE.

(C) *CONTINUING VIOLATIONS.*

EACH DAY THAT A VIOLATION CONTINUES CONSTITUTES A SEPARATE OFFENSE.

§ 8-126. SEVERABILITY.

ALL PROVISIONS OF THIS PART II ARE SEVERABLE. IF A COURT DETERMINES THAT A WORD, PHRASE, CLAUSE, SENTENCE, PARAGRAPH, SUBSECTION, SECTION, OR OTHER PROVISION IS INVALID OR THAT THE APPLICATION OF ANY PART OF THE PROVISION TO ANY PERSON OR CIRCUMSTANCES IS INVALID, THE REMAINING PROVISIONS AND THE APPLICATION OF THOSE PROVISIONS TO OTHER PERSONS OR CIRCUMSTANCES ARE NOT AFFECTED BY THAT DECISION.

Subtitle 3. Penalties.

§ 8-301. Enforcement by citation.

(a) *In general.*

In addition to any other civil or criminal remedy or enforcement procedure, this title may be enforced by issuance of:

(1) an environmental citation under City Code Article 1, Subtitle 40 {"Environmental Control Board"}; or

(2) a civil citation under City Code Article 1, Subtitle 41 {"Civil Citations"}.

(b) *Process not exclusive.*

The issuance of a citation to enforce this title does not preclude pursuing any other civil or criminal remedy or enforcement action authorized by law.

Council Bill 18-0306

1 **§ 8-302. Penalties: \$1,000.**

2 (a) *In general.*

3 [Any] EXCEPT AS OTHERWISE SPECIFIED, ANY person who violates any provision of this title is
4 guilty of a misdemeanor and, on conviction, is subject to a fine of not more than \$1,000 for each
5 offense.

6 (b) *Each day a separate offense.*

7 Each day that a violation continues is a separate offense.

8 **Article 1. Mayor, City Council, and Municipal Agencies**

9 **Subtitle 40. Environmental Control Board**

10 **§ 40-14. Violations to which subtitle applies.**

11 (e) *Provisions and penalties enumerated.*

12 (7) **Health Code**

13
14 Title 8: Air Pollution [\$100]

15 SUBTITLE 2: PROHIBITED EMISSIONS

16 PART II. COMMERCIAL SOLID WASTE INCINERATORS \$1,000

17 ALL OTHER PROVISIONS \$100

18

19 **Subtitle 41. Civil Citations**

20 **§ 41-14. Offenses to which subtitle applies – Listing.**

21 (6) **Health Code**

22
23 Title 8: Air Pollution [\$100]

24 SUBTITLE 2: PROHIBITED EMISSIONS

25 PART II. COMMERCIAL SOLID WASTE INCINERATORS \$1,000

26 ALL OTHER PROVISIONS \$100

27

28 **SECTION 2. AND BE IT FURTHER ORDAINED,** That the catchlines contained in this Ordinance are not
29 law and may not be considered to have been enacted as a part of this or any prior Ordinance.

30 **SECTION 3. AND BE IT FURTHER ORDAINED,** That this Ordinance takes effect 18 months after the
31 date it is enacted, except as is hereafter provided.

Council Bill 18-0306

1 **SECTION 4. AND BE IT FURTHER ORDAINED,** That the Health Commissioner may begin to certify
2 Air Monitoring Contractors in accordance with § 8-124 {"Air Monitoring Contractor certification"} of
3 this Ordinance ~~6 months after the date it is enacted~~ on or after the date this Ordinance is enacted.

Certified as duly passed this ____ day of _____, 20__

President, Baltimore City Council

Certified as duly delivered to Her Honor, the Mayor,
this ____ day of _____, 20__

Chief Clerk

Approved this ____ day of _____, 20__

Mayor, Baltimore City