



City of Baltimore

City Council
City Hall, Room 408
100 North Holliday Street
Baltimore, Maryland 21202

Legislation Text

File #: 11-0244R, **Version:** 0

* WARNING: THIS IS AN UNOFFICIAL, INTRODUCTORY COPY OF THE BILL.
THE OFFICIAL COPY CONSIDERED BY THE CITY COUNCIL IS THE FIRST READER COPY.
INTRODUCTORY*

CITY OF BALTIMORE
COUNCIL BILL R
(Resolution)

Introduced by: Councilmember Kraft

A RESOLUTION ENTITLED

A COUNCIL RESOLUTION concerning
Request for State Legislation - Parking Near Hydrants

FOR the purpose of respectfully urging the Honorable Chairs and Members of the Baltimore City Senate and House Delegations to the 2011 Session of the Maryland General Assembly to sponsor and secure the adoption of legislation enabling Baltimore City to reduce the area in which parking is prohibited surrounding a fire hydrant from 30 feet to 20 feet.

WHEREAS, many Baltimore neighborhoods suffer from an extreme shortage of on-street parking, which adversely impacts quality of life for neighborhood residents.

WHEREAS, in the 2010 Baltimore City Citizen Survey, 78 percent of residents reported that parking in commercial areas was at least a moderate problem, with a quarter of residents believing it to be very serious, making it more difficult for local businesses to attract and retain customers.

WHEREAS, cities such as Minneapolis, Boston, and Denver require that only 20 feet be restricted surrounding fire hydrants, and New York City is considering reducing its requirement from 30 feet to 20 feet in order to create additional parking spaces.

WHEREAS, reducing this requirement could create additional parking in blocks containing a fire hydrant.

WHEREAS, currently, the Maryland State Code, in the Transportation Article, §21-1003 (m), prohibits parking within 15 feet of a fire hydrant on either side, resulting in a 30-foot long no parking zone.

WHEREAS, neighborhoods throughout Baltimore, notably the Southeast Complete Streets Committee, are undertaking efforts to identify and make available additional on-street parking in their areas, and this measure would support and assist those efforts.

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF BALTIMORE, that the Honorable

Chairs and Members of the Baltimore City Senate and House Delegations to the 2011 Session of the Maryland General Assembly are respectfully urged to sponsor and secure to adoption of legislation enabling Baltimore City to reduce the area in which parking is prohibited surrounding a fire hydrant from 30 feet to 20 feet.

AND BE IT FURTHER RESOLVED, That a copy of this Resolution be sent to the Honorable Chair and Members of the Baltimore City Senate and Housing Delegations to the 2011 Maryland General Assembly, the Mayor, the Mayor's Office of Intergovernmental Relations, and the Mayor's Legislative Liaison to the City Council.

dlr11-2318~intro/19Jan11
ccres/HydrantParking/ef:tw

dlr11-2318~intro/19Jan11
????
ccres/HydrantParking/ef:tw