

City of Baltimore

City Council City Hall, Room 408 100 North Holliday Street Baltimore, Maryland 21202

Legislation Text

File #: 18-0188, Version: 0

Introductory*

City of Baltimore Council Bill

Introduced by: Councilmember Dorsey

A Bill Entitled

An Ordinance concerning

Zoning - Auxiliary Dwelling Units

For the purpose of allowing, as a conditional use requiring approval by the Board of Zoning Appeals, "auxiliary dwelling units" in certain districts; defining certain terms; imposing certain use standards; and requiring compliance with certain additional bulk and yard regulations.

By adding

Article 32 - Zoning Sections 1-302(w) and 14-301.2 Baltimore City Code (Edition 2000)

By redesignating

Article 32 - Zoning Section 1-302(w) to be Section 1-302(x) Baltimore City Code (Edition 2000)

By repealing and reordaining, with amendments

Article 32 - Zoning Tables 8-301, 8-401, 9-301, 9-401, and 16-406 Baltimore City Code (Edition 2000)

Section 1. Be it ordained by the Mayor and City Council of Baltimore, That the Laws of Baltimore City read as follows:

Baltimore City Code

Article 32. Zoning

Title 1. General Provisions

Subtitle 3. Definitions

§ 1-302. "Abut" to "Awning".

(w) Auxiliary dwelling unit.

"Auxiliary dwelling unit" means a detached single-family dwelling that is:

- (1) located on the same lot as a principal structure; and
- (2) subordinate in lot coverage and floor area to that principal structure.
- (x) [(w)] A wning.

"Awning" means an architectural projection that:

- (1) comprises a lightweight frame structure over which a covering is attached;
- (2) is designed to provide weather protection, identity, or decoration; and
- (3) is partially or wholly supported by the building to which it is attached.

§ 1-305. "Day-care home: Adult" to "Electric substation: Outdoor".

(1-1) Dwelling: Auxiliary dwelling unit.

See "Auxiliary dwelling unit".

Title 14. Use Standards

Subtitle 3. Use Standards

§ 14-301.2. Auxiliary dwelling units.

(a) Number of ADUs on a lot.

More than 1 auxiliary dwelling unit may be allowed on a lot as long as, in the aggregate, the auxiliary dwelling units and the principal structure comply with the applicable bulk and yard regulations of the district in which the property is located.

- (b) Maximum gross floor area.
 - (1) In general.

The gross floor area of an auxiliary dwelling unit may not exceed 750 square feet.

(2) Measurement inclusions and exclusions.

This gross floor area measurement:

- (i) includes garage and storage areas; but
- (ii) excludes:
 - 1. porches and decks, up to a maximum exclusion of not more than 75 square feet; and
 - 2. areas below grade.
- (c) Placement in front yard prohibited.

An auxiliary dwelling unit may not be located in the front yard of the lot.

Zoning Tables

Table 8-301: Detached and Semi-Detached Residential Districts - Permitted and Conditional Uses

Uses Districts Use Standards

R-1A R-1B R-1C R-1D R-1E R-1 R-2 R-3 R-4 Residential ... Day-Care Home: Adult or Child P P P P

P P P P P P P P P P P P P P P S14-310 Dwelling: Auxiliary dwelling unit CB CB CB CB CB CB CB CB CB Per §14-301.2....

Table 8-401: Detached and Semi-Detached Residential Districts - Bulk and Yard Regulations

Categories Specifications (Per District)

Dwelling: Auxiliary dwelling unit In Accord w/Req'ts of Principal Structure In Accord w/Req'ts of Principal Struct

. Maximum Building Height Dwelling: Auxiliary dwelling unit 14 feet 14

... {No Changes to Other Categories or to Any Footnotes}

File #: 18-0188, Version: 0

Table 9-301: Rowhouse and Multi-Family Residential Districts - Permitted and Conditional Uses

Uses Districts Use Standards R-5 R-6 R-7 R-8 R-9 R-10

Table 9-401: Rowhouse and Multi-Family Residential Districts - Bulk and Yard Regulations

Categories Specifications (Per District)

R-5 R-6 R-7 R-8 R-9 R-10

Minimum Lot Area Community ... Open-Space Garden or Farm None None None None None None Dwelling: Auxiliary Dwelling Unit In Accord w/ Req'ts of Principal Structure In Accord w/ Reg'ts of Principal Structure In Accord w/ Reg'ts of Principal Structure Dwelling: Detached 3,000 sg.ft. 3,000 sq.ft. 3,000 sq.ft. 3,000 sq.ft. 3,000 sq.ft. 3,000 sq.ft. . . . Maximum Bldg Height Dwelling: Auxiliary Dwelling Unit 14 feet 14 feet 14 feet 14 feet 14 feet 14 feet Dwelling: Detached or Semi-Detached 35 feet 35 fe Dwelling: Auxiliary Dwelling Unit (together w/ principal structure) 60% 60% 60% 60% or 80% 4 60% Maximum Lot Coverage 80% Dwelling: Detached or Semi-Detached 35% 35% 35% 35% 35% Dwelling: Rowhouse 40% 45% 50% 60% or 80% 4 40% 80% . . . Maximum Impervious Surface Dwelling: Auxiliary Dwelling Unit (together w/ principal structure) 65% 65% 65% Categories or to Any Footnotes }

. . . .

Table 16-406: Required Off-Street Parking

For a lot with a depth of 80 feet or more, the maximum lot coverage is 60%. For a lot with a depth of less than 80 feet, the maximum lot coverage is 80%.

File #: 18-0188, Version: 0

Uses Parking Spaces Required ... Dwelling: All unless otherwise specified 1 per dwelling unit Dwelling: Auxiliary dwelling unit None Dwelling: Live-Work 1 per dwelling unit Dwelling: Multi-Family - Age-Restricted Housing 1 per 2 dwelling units

Section 2. And be it further ordained, That the catchlines contained in this Ordinance are not law and may not be considered to have been enacted as a part of this or any prior Ordinance.

Section 3 And he it further ordered That this Ordinance takes effect on the 30th day after the date it